

Push pull smart door lock

# 1000 series

Intuitive push-pull use

System wake-up by manual touch

**Auto Locking Function** 



DDL111LAFBB



# Wonderful life starts from Alpha

# Full automatic: more safety & freedom

With simplicity brought by speedy unlock and auto lock and safety ensured by dual verification and C-grade lock cylinder, Alpha is a solid choice for a smart life. The ergonomic design even makes it a pleasure to push the door open.

# Easy life doesn't stop there

- · Enjoy the reassurance after you close the door
- · Protect home security at all time
- · Intuitive fingerprinting: Unlock swiftly at one go
- · Patented full auto mortise: Unlock and open the door at one

### Extraordinary design brings outstanding experience

• IML brushed finishing: Smooth and wearable, always like new

# Multiple protection in one for overall home safety

- · Protect your password security in real time
- Dual verification unlocking: Security is never forgotten
- · One-key outside forced lock: Instant alarm upon inside unloc
- · Safe handle: No more safety risks, be reassured while away
- · C grade lock cylinder: Higher reliability and security

# Highlights

#### **Auto locking function**



Philips EasyKey Alpha employs full automatic mortise. Without the need for any extra action, the deadbolt will spontaneously pop out after you close the door. If the door is not locked properly, the mortise will give an alarm to remind you of the door lock status.

#### **Fake PIN code**



Philips EasyKey Alpha comes with the feature of Fake PIN Code technology which allows you to enter random number combinations to successfully get identified as long as there is consecutive input of the real password. This feature can effectively prevent peeping and safeguard your real password.

# **Multiple alarming function**



Philips EasyKey Alpha is featured with all-around alarm functions which not only improves the anti-theft level of your home and safeguard you and your family in real time, but also reminds you of the door lock status to create convenience for use.

#### **Dual verification unlocking**



In dual verification mode, you can use a combination of any two factors (fingerprint, password and card) as the unlocking solution to ensure doubled security for your home.

#### **IML** brushed finishing



The IML brushed surface has the hardness higher than 2H. Besides, it's waterproof, moisture proof and can keep fingerprint residue out.

# Intuitive fingerprinting



The fingerprint sensor is integrated in the push-pull handle so that when you hold the handle, your finger will naturally fall on the snesor. You can simply reach out and intuitively touch the sensor, then push to open after a successful fingerprint verification. The one-step unlocking feature will definately bring you a fast and convenient door opening experience.

### One-key outside forced lock



Before leaving home, you can touch the outside forced lock key to enable the function. In this mode, opening the door from inside the room will trigger an alarm. This feature can effectively warn you of security risks and upgrade the level of home security.

#### Patented full auto mortise



Full auto mortise

The upgraded full automatic mortise makes it possible for instant unlocking right after a successful verification. Once you are

possible for instant unlocking right after a successful verification. Once you are recognized, you can directly push or pull the handle to open the door, which greatly simplifies the use of your door lock and brings you a fast and convenient in and out experience.

# Safe handle switch



You can enable the safe handle function before you leave home. After the door is locked, the indoor handle will be fixed to ensure that nobody could open the door by pushing the indoor handle. This feature can effectively prevents unlocking from indoor, thus eliminating security risks and improves antitheft performance.

# Specifications

#### **Accessory Parts**

Accessorial Battery: 4 AA alkaline batteries

Certificate

**Drilling Template** 

**Installation Accessories** 

Mechanical Key: 2 keys

Mortise

Mounting Plate

Quick Start Guide

**Cleaning Pad** 

Smart Key Tag: 2 cards

User Manual

Warranty Card

#### **Access Solution**

Bluetooth

Card/Key Tag

Fingerprint

Mechanical Key

Password/PIN Code

### **Design & Appearance**

Color: Obsidian black

**Emergency Escape Design: Indoor fast** 

opening mortise

Ergonomic Design: Push-pull handle design

Fingerprint Sensor: Semiconductor

Handle: Push-pull handle

Main Material: Zinc alloy and aluminium alloy

Surface Processing: Electroplating

#### **Easy Operation**

Indicator: Door locks status prompt, Low battery prompt, Mute status prompt, Outside forced lock prompt, System locking prompt

Voice Guide: Human voice guide

#### Installation

Door Opening Direction: Left inward opening, Left outward opening, Right inward opening,

Right outward oepning

Door Thickness: 38-60 mm, 60-90 mm, 90-

120 mm, Other range\*

Door Type: Antitheft door, Copper door,

Wooden door
Multi-lock Point: No

#### **Lock Capacity**

Card/Key Tag: Up to 100 Fingerprint: Up to 100 Master PIN Code: 1 One-time PIN Code: 1

User PIN Code: Up to 10

#### Mode

Operationg Mode: Auto mode, Manual mode System Setup Mode: Dual verification mode,

Normal mode

#### **Power Specification**

**Battery Type:** Alkaline Batteries

Emergency Power Supply: 5V power bank Maximum Batteries Capacity: 8 batteries

Power Supply: 4 AA batteries Time of Use: 10 months\* Working Voltage: 4.5-6V

#### **Smart Lock Functions**

Alarm Function: Anti-dismantle alarm, Outside

forced lock alarm

Locking Function: Indoor deadlock, System

locking

Mortise: Full auto mortise, Hidden C-grade

lock cylinder

Safety Function: Dual verification, Fake PIN code, Outside forced lock function, Safe handle

funtion

© 2021 Koninklijke Philips N.V. All Rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

Issue date 2021-09-30 Version: 2.0.1

12 NC: 8670 001 59059 EAN: 69 71318 50040 4

www.philips.com

