



# Every picture tells your story

How many digital pictures are hidden on your PC? See, share, organise and relive your memories with Philips PhotoFrame<sup>™</sup>, the easiest way to display your digital photos in stunning quality - without a PC.

#### Top-quality display for print-like pictures

- High pixel density for sharp and detailed photo display
- Display all the crisp colours of professional printed photos

#### Luxurious design to complement your photos

- Exquisite materials and finishing add value to your photos
- Four swappable frames to fit your decor and personal taste

#### Easily display and manage your digital photos

- · Play slideshows, single photo, thumbnails or show clock
- Display and manage photos on memory cards or internal memory
- Create albums and slideshows and manage your photos
- Rotate, zoom, crop, mask and add effects to your photos

#### Simple intuitive operation and great convenience

- USB connector for easy photo downloading from your PC
- Operate on AC power or cordlessly with rechargeable battery
- Auto turning display on/off at preset times for power saving



# Highlights

#### High Pixel Density Display

The very best high-density screen shows off your treasured photos with the same 'real life' rich detail and vibrant colours as high-quality prints.

## **Rich, vibrant colours**

Full colour display brings out the best in your photos with vibrant, real-life colours by displaying the same full range of colours found in professionally printed photos.

#### Quality design and materials

High-quality design and exquisite materials include a solid stylish stand, designer frame and detailed finishing that convey an impression of value and refined taste, adding lustre to the photos displayed in PhotoFrame.

#### Interchangeable frames

A selection of interchangeable frames that snap onto your PhotoFrame fits your personal taste and complements your home or office decor.

#### **Multiple viewing modes**

Flexible display modes give you the freedom to display your photos one image at a time in thumbnail mode for quick, easy searches, or to create a slideshow of your most treasured photos.

#### Memory Card Manager



Memory-Card Manager is a set of two built-in memory card readers and featured software for displaying, editing, storing and organising your memory card photos directly in one, hassle-free step - all without a PC.

## Smart Album

Smart Album allows you to create and manage albums, as well as set up and adjust transition effects for your photo slideshows.

## PhotoEffect Wizard



The PhotoEffect Wizard is an easy-to-use feature that allows you to rotate, zoom in,

crop and even adjust photo colour tones to black and white or sepia within PhotoFrame itself.

#### Easy USB connectivity

FF2M4/05

A USB connector is built into the device for easy and quick downloading of photos from a PC.

# Runs on built-in battery or AC

AC and onboard battery power give you the choice of operating your PhotoFrame on standard AC power or cordlessly with the onboard rechargeable battery.

## SmartPower

A timer turns PhotoFrame on and off at the times you choose, reducing energy consumption for the sake of our environment saving up to one third of your PhotoFrame energy costs.











# Specifications

#### **Picture/Display**

- Effective viewing area: 169.6 x 111.7 mm
- Resolution: 800 x 480 pixels (viewing area 680 x 480)
- Viewing angle: @ C/R > 10, 120° (H)/110° (V)
- Lifetime, to 50% brightness: 20,000 hr
- Brightness: 300 cd/m<sup>2</sup>
- 2.1.8.10.0001 0 000

# ConnectivityUSB: To PC

#### **Storage Media**

- Memory Card Types: Compact Flash type I, Memory Stick, Memory Stick Pro, Multimedia Card, Secure Digital (SD), xD card
- Built-in memory capacity: 110 to 150 photos

#### Convenience

- Card Reader: Built in (2x)
- Photo format supported: JPEG photo (in DCF structure), Up to 12 Megapixels
- Placement supported: Landscape, Portrait, Photo auto orientation
- Buttons and controls: 2 buttons, 5-way mini joystick
- Playback mode: Full screen browse, Slideshow, Thumbnail browse
- Album management: Create, Delete, Edit, Rename
- Photo edit: Copy, Delete, Rotate, Crop, Move
- Photo effects: Black and White, Frames, Sepia
- Slideshow management: Create slideshow, Delete slideshow, Rename slideshow
- Slideshow setting: Collage (single picture), Random, Sequential, Transition effect
- Screen background: Black, White, Grey
  Setup function: Brightness adjustment, Language,
- Status, Auto on/off on weekday/weekend, Beep

- on/off, Set time and date, Clock display enable/ disable, Event reminder with snooze, Photo source
- System status: Battery level, Firmware version, Power source, Remaining memory
- Connected media status: Connected media, Remaining memory
- OSD Languages: English, French, German, Italian, Japanese, Russian, Simplified Chinese, Spanish
- Plug & Play Compatibility: Windows 2000/XP or later
- Regulatory Approvals: BSMI, C-Tick, CCC, CE, FCC, GOST, PSB, UL, VCCI
- Adjustable stand: Rotating, Adjustable tilt
- Wall mountable/Ceiling Throw: Wall mount ready
- Other convenience: Kensington lock compatible

#### Accessories

 Included Accessories: AC-DC Adapter, User manual & PC software CD, Quick start guide, Stand, USB cable, Wall mount kit, 4 interchangeable frames

#### **Dimensions**

- Set dimensions with stand (W  $\times$  H  $\times$  D):
- 260 x 199 x 108 mm
- Weight: 1.05 kg
- Temperature range (operation): 0°C to 45°C
- Temperature range (storage): -20°C to 60°C

#### **Electricity**

- Power consumption: (System on and battery charging) 12 W
- Operating time on battery: 1\* hr
- Battery LED indicator: Charging Flashing
- Power LED indicator: Operation Blue
- Power mode supported: AC powered, Battery powered



Issue date 2009-04-11

© 2009 Koninklijke Philips Electronics N.V. All Rights reserved.

Electronics N.V. or their respective owners.

www.philips.com

Version: 3.0.6

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips

12 NC: 8670 000 26504 EAN: 87 12581 30967 1

\* Battery operating time depends on temperature, brightness level and operation type.