

Philips Multimedia Speakers 2.1

SPDTM bass port 3" Satellite driver 5.25" Subwoofer 130W



SPA7380

### Immersive bass

### Takes gaming to a new level

Four sophisticated integrated circuits drive the subwoofer and two satellite speakers for quality sound while Philips SPD bass port technology delivers pure deep bass, and all with 60W output for the explosive bass that gamers want.

#### **Impressive sound**

- 60W output power
- SPD™ innovative bass port technology for deep, rounded tones
- Advanced integrated circuits
- PP subwoofer driver material
- Side firing bass port speaker design
- Well damped driver reduces vibration and sound distortion

#### **Contemporary design**

- Long tube design generates more bass
- Curvilinear cabinet for well-rounded sound

#### Simplicity

- AUX-in and headphone out on wired control
- Compatible with any media
- AUX-in for easy connection to almost any electronic device



#### Multimedia Speakers 2.1 SPDTM bass port 3" Satellite driver, 5.25" Subwoofer, 130W

# Highlights

#### 60W output power



60W output - wow! We gamers all want higher power because for gaming speakers the bigger the output, the better the bass and overall sound quality. So enjoy your next game with this powerful, big  $60 \dot{\rm W}$ output which gives you all the explosive bass you want.

#### **Extended tube design**

All gamers want their speakers to have as much bass as possible, and these speakers are specially designed to deliver the bass you want. The long tube design of this satellite speaker gives better quality sound with extended bass. This creates more volume to generate more bass and bring you more enjoyment from your games.

#### Advanced integrated circuits



The Philips integrated circuits in this speaker are very sophisticated. Normal speakers have between one to a maximum of 3 channels but this speaker comes with 4 channels to give you the better sound quality you need. Philips uses 4 integrated amplifier chips to drive the 2 channels of two satellite speakers and 2 channels the subwoofer. These TDA7379 amplifier chips provide a good solid foundation for quality sound and all the power needed to drive the subwoofer and satellites.

#### SPD<sup>™</sup> technology

Philips Sound Purification Duct (SPD) bass port technology delivers the deep, pure tones of the original bass sound. Using an SPD foam material to process the inner surface of the bass pipe, the special acoustic damping invented by Philips reduces noise turbulence and stabilizes the tuning frequency. Philips technical and consumer tests confirm this buffer provides less colored, purer quality bass.

#### **PP** subwoofer driver material



The polypropylene (PP) material in the driver, which is heavy, makes for better bass. It can help rolling out and produces a more bass with better clarity and balance. Easier to integrate with the full range driver and results in less vibration.

#### AUX-in and headphone out



Now you can enjoy your favorite music and entertainment even easier and more conveniently, via the aux-in and headphone out jack on wired control. Usually, if you want to connect another device other than your PC you have to unplug the 3.5mm jack from the computer and that is not always expedient. But with the aux-in and headphone out connections on front you can quickly and easily listen to music straight from almost any device.

### SPA7380/12

## **Specifications**

#### **Audio systems**

- Frequency range: 20Hz-20kHz
- Input impedance: 20Kohm
- Output power in total: 60W
- Power: 220V 50Hz
- Signal/Noise ratio: >75dB
- THD: <1%

#### Audio systems L/R channels

- Audio power amplifier: Class-AB Amplifier
- Channel separation: >45dB
- Input sensitivity: 600mV
- Rated output power: 14W x2

#### Subwoofer audio systems

- audio power amplifier: Class-AB Amplifier (BTL)
- Input sensitivity: 130mV • Rated outputer power: 32W

#### Left/Right speakers

- Driver power range: 1-30Wx2
- Frequency range: 80Hz-18kHz
- Norminal impedance: 40hm
- Sensitivity: 86dB(2.83V/1m)
- Speaker driver: 3"

#### Subwoofer speaker

- Driver power range: 2-120W
- Frequency range: 45Hz-200Hz
- Norminal impedance: 40hm
- Sensitivity: 88dB(2.83V/1m)
- Speaker driver: 5.25"

#### Connectivity

- · Cable length: Power cord, audio cable, satellite cable : 1.3M
- Connector: 3.5mm stereo

#### Power

• Power LED indicator: Green

#### Convenience

• Remote control: volume control, headphone output, additional audio input, power indicator

#### **Packaging content**

- 3.5 mm stereo line cable
- Number of satellites: 2
- Ouick installation guide
- Remote Control: Wired
- Subwoofer

#### **Product dimensions**

- Product dimensions (W  $\times$  H  $\times$  D):
- 22.5 x 22.5 x 22.8 cm
- Weight: 3.19 kg

#### **Packaging dimensions**

- Packaging dimensions (W x H x D):
- 42.6 x 27.9 x 30.7 cm • EAN: 87 12581 64432 1
- Gross weight: 5.125 kg
- Nett weight: 4.075 kg
- Number of products included: 1
- Packaging type: Carton
- Tare weight: 1.05 kg
- Type of shelf placement: Laying

#### **Outer Carton**

- Gross weight: 11.2 kg
- GTIN: 1 87 12581 64432 8
- Outer carton (L x W x H): 43.8 x 21.9 x 57.4 cm
- Nett weight: 8.15 kg • Number of consumer packagings: 2
- Tare weight: 3.05 kg

www.philips.com

DHIID



© 2014 Koninklijke Philips N.V. All Rights reserved.

or their respective owners.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V.

12 NC: 8670 000 90222 EAN: 87 12581 64432 1