

PHILIPS

PAL coax cable

1.5 m (4.9 ft)

Male-Female

SWV2516W



Ensure a reliable connection

with this Pal-type Coaxial Cable

Depend on this cable to provide you with a reliable audio/video connection between components.

Protects against signal loss

- Bare copper shielding

Enjoy good picture quality

- Nickel-plated connectors for reliable contact

Enjoy good audio quality

- High-purity copper conductor for reliable signal transfer

Easy installation

- Colour-coded connectors for instant recognition
- Non-slip ergonomic grip for easy use

Enjoy extended durability

- Moulded plug for secure connections
- Flexible PVC jacket
- Rubber strain relief

Highlights

Nickel-plated connectors

Nickel-plated connectors establish a clean contact between the cable and connector for a reliable connection.

High-purity copper

This copper conductor provides high accuracy in signal transfer with minimal resistance.

Bare copper shielding

Bare copper shielding protects against signal loss.

Colour-coded connectors

Colour-coded connections make it easy to install your cable into the correct inputs and outputs

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

Moulded plug

Moulded plugs ensure secure connections between components and offer extended durability.

Flexible PVC Jacket

Flexible PVC jacket provides protection to the delicate core of the cable. It also offers extended durability and ease of installation.

Rubber strain relief

Rubber strain relief provides a secure yet flexible juncture between the cable and the plug.

Specifications

Dimensions

Gross weight: 0.100 kg
Tare weight: 0.020 kg
Net weight: 0.080 kg
Product length: 23.5 cm
Product width: 95 mm
Product height: 37 mm

Packaging Data

EAN/UPC/GTIN: 87 10895 99489 7
Quantity: 1

Outer Carton

Net weight: 1.92 kg
EAN/UPC/GTIN: 87 10895 99984 7

Inner Carton

EAN/UPC/GTIN: 87 10895 99983 0
Gross weight: 0.5 kg
Length: 243 mm
Tare weight: 0.18 kg
Height: 105 mm
Width: 156 mm
Net weight: 0.32 kg

