## **CD Clock Radio**

#### AJ3910

## PHILIPS CONSUMER ELECTRONICS COMPANY Marietta, GA 30006-0026, U.S.A.

Meet Philips at the Internet http://www.philips.com/support

Thank you for choosing Philips. Need help fast?

STOP

Read your Quick Use Guide and/or Owner's Manual first for quick tips that make using your Philips product more enjoyable.

you may access our online help at If you have read your instructions and still need assistance,

#### www.philips.com/support or call

(and Model / Serial number) I-888-PHILIPS (744-5477) while with your product.

ARRET Besoin d'une aide Philips vous remercie de votre confiance.

#### rapide?

Toutefois, si vous ne parvenez pas à résoudre votre probléme, vous pouvez accéder à Les Guide d'utilisation rapide et Manuel de l'utilisateur regorgent d'astuces destinées à simplifier l'utilisation de votre produit Philips.

#### www.philips.com/support ou formez le

notre aide en ligne à l'adresse

I-888-PHILIPS (744-5477) (English speaking) I-800-661-6162 (Francophone) (et model / serial nombre) Veillez à avoir votre produit à portée de main.

#### ALTO Gracias por escoger Philips


Lea primero la Guía de uso rápido o el Manual del usuario, en donde encontrará consejos que le ayudarán a disfrutar

plenamente de su producto Philips. Si después de leerlo aún necesita ayuda, consulte nuestro servicio de asistencia en línea en

I-888-PHILIPS (744-5477) www.philips.com/support o llame al teléfono

(y número de model / serial) y tenga a mano el producto.

Necesita ayuda inmediata?











AJ 3910



YM-0606-1

Printed in China



POWER

## **PHILIPS**

## Return your Product Registration Card today to get the very most from your purchase.

Registering your model with PHILIPS makes you eligible for all of the valuable benefits listed below, so don't miss out. Complete and return your Product Registration Card at once to ensure:

Returning the enclosed card By registering your product, you'll Registering your proc	
---	--

case of a product recall or safety the manufacturer - in the rare you're entitled, including special all of the privileges to which duct 'll receive

money-saving offers.

defect.


#### Know these satety symbols

warranty service. required from you to obtain additional paperwork will be þurchase will be on file, so no



shock. For the safety of everyone in your unit may cause an electrical uninsulated material within your This "bolt of lightning" indicates

product covering. household, please do not remove



and maintenance problems.

Retain this information for future Model No reference. located on the rear of the cabinet.

Enter below the Serial No. which is

For Customer Use

Serial No.

not be exposed to rain or moisture, and WARNING: To reduce the risk of fire or electric shock, this apparatus should objects filled with liquids, such as vases,

match wide blade of plug to wide slot, CAUTION: To prevent electric shock should not be placed on this apparatus.

fully insert.

# IMPORTANT SAFETY INSTRUCTIONS

- 1. Read these instructions.
- 2. Keep these instructions.
- 3. Heed all warnings. 4. Follow all instructions.
- ы Do not use this apparatus near
- water.
- 6. Clean only with a piece of dry cloth
- 7. Do not block any ventilation openmanufacturer's instructions. ings. Install in accordance with the
- œ Do not install near any heat sources other apparatus (including amplifiers) that such as radiators, heat registers, stoves, or
- 9. Do not defeat purpose of the the safety

produce heat



If the provided plug does not fit into your of the obsolete outlet. the third prong are provided for your safety third grounding prong. The wide blade or grounding-type plug A polarized plug has outlet, consult an electrician for replacement A grounding type plug has two blades and two blades with one wider than the other polarized or

- 10. Protect the power cord from being where they exit from the apparatus. convenience receptacles, and the point walked on or pinched, particularly at plugs,
- 11. Only use attachments/accessories
- specified by the manufacturer. Use only with the cart, stand

5

tripod, bracket, or table specified the apparatus. When a cart is by the manufacturer or sold with

used, use caution when moving the cart /apparatus combination to avoid injury from

tip-over.

13. Unplug this apparatus during lightning storms or when unused for long periods of time.

- 14. Refer all servicing to qualified service personnel. Servicing is required when the operate normally, or has been dropped. been exposed to rain or moisture, does not fallen into the apparatus, the apparatus has aged, liquid has been spilled or objects have such as power-supply cord or plug is damapparatus has been damaged in any way,
- 15. Battery usage CAUTION To prevent unit: injury, property damage, or damage to the battery leakage which may result in bodily

marked on the unit. Install all batteries correctly, + and - as

carbon and alkaline, etc.). Do not mix batteries (old and new or

for a long time. Remove batteries when the unit is not used


- 16. Apparatus shall not be exposed to dripping or splashing.
- 17. Do not place any sources of danger on the apparatus (e.g. liquid filled objects,
- **18.** This product may contain lead and mercury. due to environment considerations. Disposal of these materials may be regulated lighted candles).


For disposal or recycling information or the Electronic Industries Alliance: please contact your local authorities

www.eiae.org.

### EL 6475-S004: 03/12







#### Canada English:

This digital apparatus does not exceed the Class B limits for radio noise emissions from digital apparatus as set out in the Radio Interference Regulations of the Canadian Department of Communications.

#### Français:

Cet appareil numérique n'émet pas de bruits radioélectriques dépassant les limites applicables aux appareils numériques de Classe B prescrites dans le Règlement sur le Brouillage Radioélectrique édicté par le Ministère des Communications du Canada.

#### English

## Controls / Power supply

## WOLUME - adjusts volume level

(7) Battery compartment - insert a 9 volt memory backup battery, type 6F22 (not supplied) for clock

AL1/ AL2 indicator – lights up when

Controls (See 1)

ALARM 1 or ALARM2 is activated

6 Power cord - connects to wall outlet.

3 ALARM 1 (OFF•SET•ON)

switches on ALARM

2 PM indicator

(19) **RESET** – use a ballpoint pen to press RESET controls if the set/display does not react to any of the

### Power Supply

Check if the power voltage, as shown on the power supply. bottom of the set, corresponds to your local

6

**Display** – shows the status of the set

4

**REPEAT ALARM –** switches off the alarm

 switches off ALARM1 sets alarm time of ALARM 1

for a 6-minute period

6 ALARM 2 (OFF•SET•ON)

switches on ALARM 2

sets alarm time of ALARM 2

switches off ALARM2

- N now. (See Setting the clock) flashes on the display. You can set the clock Connect the power plug to the wall outlet.. The power supply is switched on and 12:00
- power cord from the wall socket To switch off the set completely, withdraw the

(8) **TUNING** - tunes to a radio station

STOP ■ - stops CD playback

J LIFT TO OPEN - lift here to open CD

## Clock memory backup

skips or searches CD track/ passage

adjusts the minute/hour for clock/alarm time

backward/ forward

playback.

6 6

PLAY/PAUSE ►II - starts or pauses CD

a 9 volt battery, type 6F22 (not supplied) into excluded. As soon as the power supply the alarms, FM/AM radio and CD are also be illuminated on the display. Operation of the battery compartment: it will act as clock of AC power failure or disconnection, insert display and you need to reset the clock. power supply returns, 12:00 flashes on the switched off completely. When the When a power failure occurs, the set will be returns, the display will indicate the correct memory backup. However, the time will not To retain the clock/ alarm time in the event

### Clock / Radio

2 Insert the battery into the battery Connect the power plug to the wall outlet.

Radio

CD player

- Replace the battery once a year, or as often as necessary. compartment..
- they should be disposed of properly. Batteries contain chemical substances, so

#### Clock display Setting the clock

Adjust the sound with the **VOLUME** control.

FM: Extend and adjust power cord for

optimum reception.

To improve reception:

AM: Use the built-in antenna. Direct the

antenna by adjusting the position of your

Use **TUNING** (on the side panel) to find

your station.

Use FM•AM•BUZ•CD to select FM or AM

waveband.

➡ POWER button lights up. Press POWER to switch on

The indicators light up next to AL1 and AL2 whether you have switched on the alarm(s) respectively The display shows the time and also indicates

- (PM indicator lights up = PM, off = AM) The time is displayed using 12-hour clock
- Press SET TIME once or more until the hour/minute digits flash.

сл

Press **POWER** to switch off.

→ POWER button light turns off.

→ Display: 12:00 flashes by default.

CD playback

Ν Hold down or press HOUR >>> / MIN +>> repeatedly to adjust the hours and minutes

when you have reached the correct setting

respectively. Release HOUR ►► / MIN ►►

### Press SET TIME to confirm.

ω

### Important Note:

N

Insert a CD with the printed side facing up,

Open the CD door.

Do not try to play a CD-ROM, CD-RW, CDI

CD-recordables.

This set can play audio discs including

VCD, DVD or computer CD.

hours. change the display from 12 hours to 24 Press and hold SET TIME button will

#### Standby power consumption (clock mode) 1.0W

Press **PLAY/PAUSE II** to start playback. ➡ Display shows briefly current track number and returns to the clock display.

G

Select CD source by using the

FM•AM•BUZ•CD selector.

Press POWER to switch on.

and close the CD door.

➡ POWER button lights up.

- 0 Adjust the sound with the VOLUME con-
- To interrupt playback, press ►I
- œ Press ►II to resume playback

- ම

- **SET TIME** sets the clock time
- - displays/adjusts/switches off sleep timer

tunction

**4** 

SLEEP

time.

activates the radio/CD player for SLEEP

switches off the sleep timer

for 24 hours

stops the active buzzer, radio or CD alarm

ධ

**POWER/ ALARM RESET** 

switches the set on/off

D FM·AM·BUZ·CD

selects FM, AM or CD sound source

selects radio, buzzer or CD alarm mode

### CD player

## Press **STOP** $\blacksquare$ to stop playback.

- ightarrow Display shows briefly the total number of tracks and returns to the clock display.
- 10 Press POWER to switch off. ➡ POWER button light turns off.

### Helpful hints:

Pressing POWER will also stop CD playback.

## Selecting a different track

- Press I∢ or ►►I once or repeatedly until the desired track number appears in the display.
- In the pause/stop position, press ►II to start playback.

## Finding a passage within a track

- During playback, press and hold down
- ightarrow The CD is played at a high speed and low volume.
- Ν Release  $\bowtie$  or  $\blacktriangleright$  when you recognize the passage you want. Normal CD playback resumes.

### Alarm

### Using the alarm

buzzer mode. ALARM2 can be set in the CD, radio or Two different alarm times ALARM1 and General

## Setting the alarm time

Press ALARM 1 or ALARM 2 once or more until the AL1/AL2 indicator lights up and the hour/minute digits flash.

- → 12:00 flashes by default
- Ν Hold down or press MIN HA/ HOUR H when you have reached the correct setting respectively. Release MIN I≪/ HOUR ►► repeatedly to adjust the hours and minutes
- ω To review your set alarm time, press Press ALARM 1 or ALARM 2 to confirm
- ALARM 1 or ALARM 2 again.

### Helpful hints:

- If no action is executed within 5 seconds, the display will return to clock time.

## Selecting the alarm mode

- Press POWER to switch off.
- Select alarm modes: FM,AM, buzzer or CD
- At the set alarm time, the radio, buzzer or CD switches on and about 60 minutes later, using the FM/AM/BUZ/CD selector.

#### Helpful hints: switches off automatically.

 If CD alarm mode is selected, a CD must be automatically replace the CD alarm if you have inserted. The buzzer alarm option will

### torgotten to insert a CD.

- If you have an alarm set in the radio or CD mode make sure you have adjusted the volume loud
- enough to wake you up.

#### Alarm

## Switching off the alarm

completely, the DAILY ALARM RESET option Unless you choose to cancel the alarm There are 3 ways of switching off the alarm.

first goes off. will be automatically selected after around 60 minutesfrom the time your alarm time

### Daily alarm reset

alarm call at the same time for the following If you want the alarm mode to be stopped immediately but also wish to repeat the

Press POWER/ ALARM RESET during

the alarm call.

### Repeat alarm

This will repeat your alarm call at 6-minute

- During the alarm call, press intervals.
- Ν Repeat if desired up to 9 times.

REPEAT ALARM.

## Switching off the alarm

- Press ALARM 1 or ALARM 2 once or completely
- more until the AL1 or AL2 indicator goes

out.

### Sleep

#### Sleep

off during radio or CD playback after a set 60, 30, 15 minutes. period of time. There are 4 sleep times: 90, enables the set to be automatically switchec This set has a built-in sleep timer, which

### Setting the sleep time

- Press SLEEP once or more until your desired option appears:
- → Display shows in sequence: 90 (minutes) -> 60 -> 30 -> 15 -> clock time (off)
- ightarrow The sleep time appears briefly and the clock time returns.
- SLEEP once or more until clock time To cancel sleep, press either:
- POWER to switch off.

#### Helpful hints:

- The sleep function does not affect your alarm time setting(s).

### Maintenance

### Safety and general maintenance

- Place the set on a hard and flat surface so that the system does not tilt.
- Do not expose the set, batteries, CDs to humidity, rain, sand or excessive heat caused by heating equipment or direct sunlight.

touched!

- The apparatus shall not be exposed to dripping or splashing.
- Adequate ventilation with a minimum gap of 15cm between the ventilation holes and surrounding surfaces is necessary to prevent heat build-up.
- The ventilation should not be impeded by covering the ventilation openings with items, such as newspapers, table-cloths, curtains, etc..
- No objects filled with liquids, such as vases, shall be placed on the appartus.
- No naked flame sources, such as lighted candles, should be placed on the apparatus.
- The mechanical parts of the set contain self-lubricating bearings and must not be oiled or lubricated.
- To clean the set, use a soft dry cloth. Do not use any cleaning agents containing alcohol, ammonia, benzene or abrasives as these may harm the housing.

## CD player and CD handling

- If you do not intend to use the CD clock radio for a long time, withdraw the power cord from the wall outlet.
  The lens of the CD player should never be
- Sudden changes in the surrounding temperature can cause condensation to form and the lens of your CD player to cloud over. Playing a CD is then not possible. Do not attempt to clean the lens but leave the set in a warm environment until the moisture evaporates.
   Always shut the CD door to keep the CD
- Always shut the CD door to keep the CD compartment dust-free.To clean, dust the compartment with a soft dry cloth. To clean the CD wipe in a straight line from
- To clean the CD, wipe in a straight line from the center towards the edge using a soft, lintfree cloth. Do not use cleaning agents as they may damage the disc.
- Never write on a CD or attach any stickers to it.

### Trouleshooting

If a fault occurs, first check the points listed below before taking the set for repair. If you are unable to remedy a problem by following these hints, consult your dealer or service centre.

### WARNING: Do not open the set as there is a risk of electric shock. Under no circumstances should you try to repair the set yourself, as this will invalidate the guarantee.

invallaare the guarantee.	cee.
Problem	Solution
No sound	- Volume not adjusted. Ajust the VOLUME.\
Buttons fail to react	<ul> <li>Electrostatic discharge</li> <li>Press RESET or disconnect the set from power supply</li> </ul>
	and reconnect the set after 5 minutes.
CD playback does not work	- CD badly scratched or dirty. Replace/clean CD
	- Laser lens steamed up Wait until lens has cleared
	- Laser lens dirty
	Clean lens by playing a CD lens cleanng disc - CD-R is non-finalized.
	Use a finalized CD-R
Occasional cracking sound	- Weak signal
during FM broadcast	Extend power cord fully
Continuous cracking/hiss disturbances	- Electrical interference from TVs, computers,
during AM broadcasting	fluorescent lamps, etc.
	Move the set away from other electrical equipment
The alarm does not function	- Alarm not set
	See <b>Setting the alarm time</b> . - Alarm mode not selected
	See Selecting the alarm mode
	- No CD is inserted as CD is selected as Alarm mode
	Insert a CD

The type plate is located on the bottom of the set.

	Philips, P.O. Box 671539, Marietta, GA. 30006-0026	Philips, P.O. Box 67153
	This warranty gives you specific legal rights. You may have other rights which vary from state/province to state/province.	This warranty gives you specific legal rights. You may hav
	dental or consequential damages, or allow limitations on now long an implied warranty lasts, so the above limitations or exclusions may not apply to you.	
	Some states do not allow the exclusions or limitation of inci-	Warranty.
	OF THIS WARRANTY.	by this warranty. Recovery or reinstallation of programs, data or other information is not covered under this Limited
rega	TY OR FITNESS FOR A PARTICULAR PURPOSE ON THIS PRODUCT IS LIMITED IN DURATION TO THE DURATION	data, or other information stored on any media contained with- in the product, or any non-Philips product or part not covered
by a	UCT. EXCEPT TO THE EXTENT PROHIBITED BY APPLICA- BLE LAW, ANY IMPLIED WARRANTY OF MERCHANTABILI-	Philips is not liable for any damage to or loss of any programs,
Tou	ANY EXPRESS OR IMPLIED WARRANTY ON THIS PROD-	separate warrany for their own products packaged with the bundled product.
<	SUMER. PHILIPS SHALL NOT BE LIABLE FOR ANY INCIDEN-	Philips manufacturers, suppliers, or publishers may provide a
separ	REPAIR OR REPLACEMENT AS PROVIDED UNDER THIS WARRANTY IS THE EXCLUSIVE REMEDY FOR THE CON-	does not apply to any non-Philips hardware product or any software, even if packaged or sold with the product. Non-
All ur	speaking)	mark, trade name, or logo affixed to it. This Limited Warranty
Env	I-888-PHILIPS (I-888-744-5477) - (English or Spanish	This Limited Warranty applies only to the new products manu-
	TO OBTAIN ASSISTANCE IN CANADA 1-800-661-6162 (French Speaking)	WHAT IS NOT COVERED - EXCLUSIONS AND LIM- ITATIONS:
	I-888-PHILIPS (1-888-744-5477)	ments can result in delay.
	RICO, OR U.S. VIRGIN ISLANDS	Replacement product can only be sent if all warranty
undesii	TO OBTAIN ASSISTANCE IN THE U.S.A., PUERTO	renewed carries a ninety (90) day limited warranty.
2. this de	<ul> <li>Failure to operate per Owner's Manual.</li> </ul>	Note: Any product sold and identified as refurbished or
1. This de	<ul> <li>Product lost in shipment and no signature verification receipt can be provided</li> </ul>	When a refund is given, your product becomes Philips' proper- ty
subject to	(including but not limited to rental purposes).	property and the replaced item becomes Philips' property.
This prod	<ul> <li>A product used for commercial or institutional purposes</li> </ul>	whichever provides longer coverage for you. When a product or part is exchanged any replacement item becomes your
	authorized, or repair of products damaged by these modifica-	or for the remaining portion of the original product's warranty,
	it to operate in any country other than the country for which it was designed, manufactured, approved and/or	this warranty against defects in materials and workmanship from the date of the replacement or repair for ninety (90) days
	<ul> <li>A product that requires modification or adaptation to enable</li> </ul>	Philips warrants replacement products or parts provided under
	<ul> <li>Damage occurring to product during shipping.</li> </ul>	nal purchase price of the product.
tion	<ul> <li>Damage or claims for products not being available for use, or for lost data or lost software.</li> </ul>	at least functionally equivalent or most comparable to the origi- nal product in Philips current inventory, or (3) refund the origi-
hereir	not within the control of Philips.	been manufactured from new, or serviceable used parts and is
Use o	neglect, misuse, accident, unauthorized repair or other cause	exchange the product with a product that is new or which has
: (	<ul> <li>Product repair and/or part replacement because of improper installation connections to improper voltage supply abuse</li> </ul>	At its option, Philips will either (1) repair the product at no charge using new or refurbished replacement parts or (2)
	or repair of antenna systems outside of the product.	a valid claim is received by Philips within the Warranty Period.
	<ul> <li>Labor charges for installation or setup of the product, adjust- ment of customer controls on the product, and installation</li> </ul>	The Philips warranty covers new products if a defect arises and
	<ul> <li>Shipping charges to return defective product to Philips.</li> </ul>	
	This Limited Warranty does not cover:	sales receipt snowing the product name and the purchase date from an authorized retailer is considered such proof.
té par le	refurbished Philips product sold "AS IS" by some retailers.	("Warranty Period") from an Authorized Dealer. The original
appareils	ables sold "AS IS" without warranty of any kind by including	als and workmanship as based on the date of original purchase
Cet appa	sion of Philips, or (d) if any Philips serial number has been	Philips warrants the product to the original purchaser or the
Français	or a part that has been modified without the written permis-	WHO IS COVERED:
Commun	damage caused by service performed by anyone other than Philing or Philing Authorized Service Location (c) to a product	below.
ratus as s	abuse, misuse, misapplication, or non-Philips product, (b) to	PHILIPS warranty obligation is limited to the terms set forth
I NIS DIGITI	This warranty does not apply (a) to damage caused by accident.	WARRANTY COVERAGE:
	(I) YEAR	ONE
English:	PHILIPS LIMITED WARRANTY	PHILIPS LIMIT

3121 233 48801

#### Canada

#### Ë

gital apparatus does not exceed the Class B limits for radio noise emissions from digital appaunications. set out in the Radio Interference Regulations of the Canadian Department of

#### Ë:

ils numériques de Classe B prescrites dans le Règlement sur le Brouillage Radioélectrique édicpareil numérique n'émet pas de bruits radioélectriques dépassant les limites applicables aux e Ministère des Communications du Canada.

### UTION

of controls or adjustments or peformance of procedures other than in may result in hazardous radiation exposure or other unsafe opera-

device may not cause harmful interference, and to the following two conditions: oduct complies with the FCC-Rules, Part 15 and with 21 CFR 1040.10. Operation is

levice must accept any interference received, including interference that may cause sired operation.

## vironmental information

unnecessary packaging material has been omitted. The packaging can be easily arated into three materials: cardboard, polystyrene and plastic.

garding the disposal of packaging, dead batteries and old equipment. a specialized company. Please observe the local regulations ur set consists of materials which can be recycled if disassembled