



Philips Minicells  
Battery

5 units  
Lithium

CR1220P5B

## Top quality technology for small devices

Provides a long lasting performance in everyday small electronic devices

### Top Performance

- Reliable for long term performance
- Lithium, Silver and Alkaline technology for small devices

### Lithium technology

- A full line up for use in a wide variety of applications
- Child-resistant packaging design, safer to use
- No mercury added to the Minicells battery
- Protection against leakage design
- Useful in a wide range of temperatures

# PHILIPS

Battery  
5 units Lithium

# Specifications

## Power

- Battery type: Button cell / Lithium
- Battery voltage: 3.0 V

## Green Specifications

- Chemical composition: Lithium
- Heavy metals: Cd free, Hg free, Pb free
- Packaging material: Carton, PET
- Packaging type: PET blister

## Technical specifications

- Interchangeable with: CR1220

## Packaging dimensions

- EAN: 69 51613 98073 6
- Packaging dimensions (W x H x D):  
5 x 16 x 0.35 cm

- Gross weight: 0.00975 kg
- Nett weight: 0.00375 kg
- Number of products included: 5
- Tare weight: 0.00600 kg

## Outer Carton

- Gross weight: 2.4 kg
- GTIN: 1 69 51613 98073 3
- Outer carton (L x W x H): 31.8 x 18 x 17.5 cm
- Nett weight: 0.75000 kg
- Number of consumer packagings: 200
- Tare weight: 1.65000 kg

## Product dimensions

- Product dimensions (W x H x D):  
1.2 x 0.2 x 1.2 cm

CR1220P5B/97

# Highlights

## Reliable performance

In manufacturing excellent technology is being used to guarantee a reliable and long term performance.

## Power for small devices

The Lithium, Silver and Alkaline technologies offer a reliable maximum power and lifetime value for small devices.



Issue date 2022-05-15

Version: 2.0.2

12 NC: 8670 001 66228  
EAN: 69 51613 98073 6

© 2022 Koninklijke Philips N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips N.V.  
or their respective owners.

[www.philips.com](http://www.philips.com)