
MCM118 MCM118B

Quick Start Guide

Step A	Setup
Step B	Enjoy

What's in the Box?

You should find these items upon opening the box.






Connection

- For radio reception, connect the supplied MW antenna to the MW aerial terminal.
- 2 Connect the speaker wires to the **SPEAKERS** terminals.
- **3** Connect the power cord of the system to the AC power outlet.


Тір


It is unnecessary to connect the FM pigtail antenna since it is fixed to the main unit.



Setting the clock

- 1 In standby mode, press **PROG/CLOCK** button. The clock digits for the hours flash.
- 2 Press | | |) by to set the hours.
- **3** Press **PROG/CLOCK** again. The clock digits for the minutes flash.
- 4 Press | ◀◀ / ▶▶ | to set the minutes.
- 5 Press **PROG/CLOCK** to confirm the time.





3 Turn **TUNING** • to tune to a station.

Tip

Detailed playback features and additional functions are described in the accompanied owner's manual. Notes for the remote control: – First, select the source you wish to control by pressing one of the source select keys on the remote control (DISC or AUX, for example).

- Then select the desired function (\triangleright II, $| \mathcal{A}, \triangleright|$ for example).





2006 © Koninklijie Philips Electronics N.V. All rights reserved. http://www.philips.com