





Experience quality sound

with this fiber optic audio cable

Depend on this cable to provide you with quality sound. Provides the best connection for transferring digital audio signals between components.

Enjoy quality sound

- High quality fiber optics
- **Easy installation**
- Non-slip ergonomic grip for easy use

Enjoy extended durability

- Molded plug for secure connections
- Flexible PVC jacket

Environmentally friendly

• Environmentally friendly lead-free construction



Specifications

Inner Carton

- Gross weight: 0.298 kg
- Inner carton (L x W x H): 40.7 x 5.8 x 10.1 cm
- Nett weight: 0.152 kg
- Tare weight: 0.146 kg EAN: 87 12581 51260 6
- Number of consumer packagings: 4

Outer Carton

- Gross weight: 2.12 kg Outer carton (L x W x H): 42.2 x 19 x 22.8 cm
- Nett weight: 0.912 kg
- Tare weight: 1.208 kg

- EAN: 87 12581 51259 0
- Number of consumer packagings: 24

Packaging dimensions

- Type of shelf placement: Hanging
- Packaging dimensions (W x H x D): $8.9 \times 24 \times 2.5$ cm
- Gross weight: 0.061 kg
- Nett weight: 0.038 kg
- Tare weight: 0.023 kg EAN: 87 12581 51258 3
- Number of products included: 1
- · Packaging type: Blister

SWA4302S/10

Highlights

Fiber Optics

Optically pure light tube carries digital information to your components for uncompromised Hidefinition sound.

Molded plug

Molded plugs ensure secure connections between components and offer extended durability.

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

Flexible PVC Jacket Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

Lead-free construction

Lead-free construction of environmentally friendly materials.



© 2022 Koninklijke Philips N.V. Issue date 2022-04-24 All Rights reserved. Version: 2.2.11 Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners. 12 NC: 8670 000 57649 www.philips.com

EAN: 87 12581 51258 3