



Philips OlfaPure  
Car Aroma Cartridge -  
Anti-V

### Functional

Fresh, Aromatic  
High quality natural fragrance  
Designed in France

LUMAC109BLKX1

## Select your scent. Enhance your mood.

### Fragrances to enhance your driving experience

Fresh, aromatic eucalyptus, laurel, and camphor neutralize airborne microbes and freshen the air in your car.

#### **Broad portfolio of French-designed fragrances**

- Choose the right aroma to enhance your mood.

#### **Natural, safe-to-use ingredients**

- Aromas comply with IFRA safety standards.
- High-quality, natural essential-oil blend

# PHILIPS

# Specifications

## Marketing specifications

- Product highlight: Natural ingredients safe to use
- Expected benefits: Fresh, Aromatic

## Product description

- Color: Black
- Designation: Car Aroma Cartridge - Anti-V
- Range: OlfaPure

## Ordering information

- Order entry: AC109BLKX1
- Ordering code: 02106930

## Logistic data

- Quantity in box: 10
- EAN1: 8719018021069
- Ordering code (GOC): 02106930

## Weight and dimensions

- Box weight (incl. product) (g): 40
- Product weight (g): 24
- Box dimensions (LxWxH)(mm): 140x45x25
- Product dimensions (LxWxH)(mm): 22\*19\*105

## Packaging Data

- EAN1: 8719018021069
- EAN3: 8719018021076

## Packed product information

- Pack Quantity / MOQ: 10

## Outerpack information

- Length: 29 cm
- Width: 15 cm
- Height: 6 cm
- Gross weight per piece: 491.6 kg

# Highlights

## Fresh, aromatic eucalyptus

Choose the right aroma to enhance your mood.

## IFRA certified safe to breathe

Aromas comply with IFRA safety standards.

## Natural essential-oil blend

High-quality, natural essential-oil blend



Issue date 2024-11-18

Version: 4.4.1

© 2024 Koninklijke Philips N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips N.V.  
or their respective owners.

[www.philips.com](http://www.philips.com)

\* Anti-V helps neutralize airborne microbes, tested against airborne pathogens via quantitative suspension test in an independent lab, meeting French government Standard NF EN 14476.