

**D-Line Display** 

- 98
- Powered by Android
- 500cd/m<sup>2</sup>

98BDL4650D/00

# Smart and modular for an even longer lifetime

# powered by Android

Philips D-Line is designed to engage your audience and delight customers. Powered by Android 11 for easy software integrations, this versatile display is suitable for impact in any setting.

#### **Benefits**

# Innovative solutions for any signage application

- Save and play content with internal memory
- Integrated WiFi 6 and Bluetooth module
- Android SoC processor. Native and web apps

# Maximizing the impact of your message

- Connect and control your content via the cloud
- Catch the Wave for revolutionary results

# Care about you, your business and your audience

- 4G/LTE optional module for reliable connection
- FailOver. Ensure your display never goes blank
- Modularity longer product lifetime

# Expand your viewing experience

• ADS wide-view panel display



#### Features

#### Internal Memory



Save and play content with internal memory. Upload your media into the display and playback content immediately. Working in conjunction with the internal browser, it also serves as a memory cache when streaming online content. If the network ever fails, the internal memory keeps content running by playing a cached version of the content, ensuring that your media stays up even if the network goes down.

#### ADS wide-view panel display

Be seen from any angle with ADS wide-view technology. Advanced Super Dimension Switch delivers faster on-display picture processing for smoother content transitions, remarkable image accuracy, and superior colour reproduction with 180 degree viewing.

#### FailOver

Critical for demanding commercial applications, FailOver is a revolutionary technology that automatically plays back-up content on screen in the unlikely event of a media player failure. Simply select a primary input connection and a FailOver connection and you are ready for instant content protection.

#### Modularity

Extend your display into the future with our modular approach. Bringing opportunities for longer product lifetime with easily detached and replaced components, and a firm focus on sustainability, with reduced WEEE disposal.

#### Powered by Android 11

Powered by Android 11 and with integrated WiFi, your Philips D-Line delivers the ultimate, most secure and connected display experience. Optimised for native Android apps, and enabling you to install web apps and software directly onto the display, eliminating the need for an external media player.

#### **SmartBrowser**

Connect and control your content via the cloud with our integrated HTML5, Chromium-based browser. Design your content online and connect a single display, or your entire network, either landscape or portrait, in 4k UHD resolution. Simply connect to the internet via WiFi or with an RJ45 cable.

#### **PPDS** Wave

Unlock the power, versatility and intelligence inside your Philips D-Line displays remotely with Wave. This evolutionary cloud platform puts you fully in control, with simplified installation and set-up, monitoring and controlling displays, upgrading firmware, managing playlists and setting power schedules. Saving you time, energy and environmental impact.

# **Specifications**

#### [field not found 'disclaimer\_text']

#### Picture/Display

Diagonal screen size 97.5 inch (inch) 247.7 cm Diagonal screen size (metric) Panel resolution  $3840 \times 2160$ 3840 x 2160 @ 60 Hz Optimum resolution Brightness 500 cd/m<sup>2</sup> Contrast ratio 1200.1 (typical) Dynamic contrast 500,000:1 ratio 16:9 Aspect ratio

Response time 8 ms (typical) Pixel pitch  $0.56 (H) \times 0.56 (V) [mm]$ 

Display colors Viewing angle (horizontal)

Viewing angle 178 degree (vertical)

Picture enhancement 3/2 - 2/2 motion pull down Motion compens. deinterlacing

1.07 Billion

178 degree

Progressive scan Android 11 Operating system Panel technology ADS 28% Haze

Connectivity

WiFi

DVI-I (x 1) Video input DisplayPort 1.4 (x1) HDMI 2.0 (x2) USB 3.0 (x2) VGA (via DVI) DisplayPort 1.4 (x1) Video output Audio input 3.5 mm jack Audio output 3.5mm jack External control RS232C (in/out) 2.5 mm jack

IR (in/out) 3.5 mm jack WiFi 6 + Bluetooth 5.2 (slide-in

Dynamic contrast enhancement

module)

Other connections 4G/LTE antenna connectors Micro USB (x1) (OTG)

USB 2.0 (x1)

Supported Display Resolution

Computer formats

Video formats

1920 x 1080, 60Hz 1280 x 1024, 60Hz 1024 x 768, 60Hz 1280 x 720, 60Hz 1440 x 900, 60 Hz 1600 x 900, 60Hz 1680 x 1050, 60Hz 3840 x 2160, 30, 60Hz 640 x 480, 60Hz  $800 \times 600, 60$ Hz 1080p, 50, 60Hz 1080i, 50, 60Hz

480i, 60Hz 480p, 60Hz 576i, 50Hz 576p, 50Hz 720p, 50,60 Hz 2160p, 50, 60Hz

# **Dimensions**

Set Width 2193.2 mm Set Height 1248.2 mm

87.9 (D@Wall mount) / 97.9 Set Depth

(D@Handle) mm 86.35 inch

Set Width (inch) Set Height (inch) 49.14 inch Set Depth (inch) 3.46 (D@Wall mount) /3.85

(D@Handle) inch Bezel width 16.0 mm (Even Bezel)

199.74 lb Product weight (lb) 90.6 kg Product weight

Wall Mount 800(H) x 400(V) mm, M8

Convenience

Landscape (24/7) **Placement** Portrait (24/7)

Tiled Matrix Up to  $10 \times 15$  Keyboard control Hidden Lockable

Signal loop through IR Loopthrough DisplayPort

DisplayPor RS232 RS232

Network controllable

External 4G mPCle slot

RJ45 WiFi

Energy saving func-

tions

Screen saving func-

tions

WiFi protocol

Pixel Shift

TBD W

0 ~ 40 °C

-20 ~ 60 °C

0 ~ 3000 m

50,000 hour(s)

20 - 80% RH (No condensation)

5 - 95% RH (No condensation)

Smart Power

Pixei Snift

a b g n, 802.11 ax, 802.11 ac

100 ~ 240 VAC, 50 ~ 60 Hz

Power

Standby power <0.5 W

consumption
Mains power
Consumption

(Typical)

Consumption (Max) TBD

Energy Label Class G

Operating conditions

Temperature range

(operation) Temperature range

(storage) Altitude

MTBF Humidity range

(operation)[RH] Humidity range (storage) [RH]

Sound

Journa

Built-in speakers 2 x 10W RMS

Accessories

Included Accessories

RS232 daisy-chain cable Philips logo (x1) AC Switch Cover

USB Cover (x1) Screws AC Power Cord

IR sensor cable (1.8 m) (x1) Quick start guide Remote control & AAA batteries

RS232 cable WiFi module Wire Clamper (x3) Multimedia Applications

USB Playback Audio AAC

HEAAC MPEG

USB Playback Picture E

BMP JPEG PNG MPEG

USB Playback Video

H.263 H.264 H.265 AVI MP4 MPEG4 VP8 VP9 WEBM

Miscellaneous

On-Screen Display

Languages

French German Spanish Polish Turkish Russian Italian

English

Simplified Chinese Traditional Chinese

Arabic Japanese Danish Dutch Finnish Norwegian Portuguese Swedish

Regulatory approvals CE

RoHS CB CCC EMF FCC, Class A UL

Warranty 3 year warranty

Internal Player

CPU 2x A72 + 4x A53
GPU ARM Mali-T860 MP4

Memory 4GB RAM Storage 32 GB eMMc



data subject to change

2023, July 8

Version: 1.0.1 EAN: 8712581799878 © 2023 Koninklijke Philips N.V.

All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.