

Collaboration

Display

Signage Solutions

75"

Powered by Android

Multi-touch



75BDL4152E

Interactive display

Featuring multi-touch technology

This interactive display maximises engagement and inspires collaboration with up to 40 touchpoints. Powered by Android 13 and with toughened anti-glare, anti-reflection and anti-fingerprint glass, it's ideal for heavy daily use in busy environments.

Smart and powerful

- OPS slot allows PC embedding without cabling
- Android SoC for seamless software and app integration
- PPDS Wave-ready for remote display management and control
- Built-in ambient light sensor

Style and safety built in

- Cast directly from any device
- Near-Field Communication (NFC) for security
- Designed with sustainability in mind
- Anti-glare and anti-reflection toughened glass 7 MOH
- · Blue light filter
- Palm rejection

Interactive and collaborative

- Multi-touch technology capable of 40 touchpoints
- Wireless presentations

Collaboration Display 75BDL4152E/00

Highlights

OPS slot

Integrate a full-power PC or Android-powered CRD module directly into your Philips Professional Display. The OPS slot contains all of the connections you need to run your slot-in solution, including a power supply.

Powered by Android

Our integrated Android 13 OS has been specially developed to bring a next-level secure professional System on Chip. Save your favourite apps and software directly into the display or choose from the large library of Android apps.

PPDS Wave ready

Your PPDS Wave-ready display enables you to manage and maintain this device remotely, wherever you are, whenever you choose. This evolutionary cloud platform puts you fully in control, with simplified installation and setup, monitoring and controlling displays, upgrading firmware, managing central content needs and setting power schedules — saving you time, energy and environmental impact.

Built-in ambient light sensor

Built-in ambient light sensors contribute to energy savings by automatically adjusting the screen brightness to the surrounding lighting conditions.

Anti-glare and anti-reflection toughened glass 7 MOH

Anti-glare, anti-reflection, anti-fingerprint coatings, 7 MoH hardness.

Blue light filter

Blue light filter to help protect eyes and avoid eye fatique.

Palm rejection

Palm rejection for enhanced precision.

Multi-touch technology

Create a memorable interactive experience with up to 40 touchpoints at the same time for slick, agile lessons or brainstorming sessions. Perfect for collaborative and co-creation applications, this display connects your audience with any content. Offering enhanced user friendliness with eraser functionality, palm rejection and tip-size recognition.

Advanced IR touch

Advanced 0-gap IR touch with smaller, shallower bezels.

Wireless presentations

Philips ScreenShare makes it easy for teachers, students or employees to wirelessly share their screens from their own device, whatever the operating system, via the browser or their favourite apps onto the Philips Collaboration display.

Cast directly from any device

Teachers, students or employees can cast directly from their device with AirPlay, Google Cast and Miracast

Embedded whiteboard application

The embedded whiteboard application enables seamless collaboration and brainstorming directly on the display.

Near-Field Communication (NFC) for security

NFC (Near Field Communication) offers secure authentication and access control, enhancing security with encrypted data transfer. Its contactless operation minimises the risk of unauthorised access or data interception, ensuring reliable security of the displays.

Sustainability

Recognised by and registered with EPEAT with a Silver Ecolabel, the displays meet the robust set of criteria laid out by the world's premier ecolabel for electronics. The displays are also Energy Star 8.0 compliant.

Specifications

Picture/Display

Diagonal screen size (metric): 189.3 cm Diagonal screen size (inch): 74.5 inch

Aspect ratio: 16:9

Panel resolution: 3840 x 2160 Pixel pitch: 0.4296 x 0.4296 mm

Optimum resolution: 3840 x 2160 @ 60 Hz

Brightness: 400 cd/m²
Display colours: 1.07 billion
Contrast ratio (typical): 1200:1
Dynamic contrast ratio: 500,000:1
Response time (typical): 8 ms
Viewing angle (horizontal): 178 degree
Viewing angle (vertical): 178 degree

down, 3D Combfilter, Motion compens. deinterlacing, Progressive scan, 3D MA deinterlacing, Dynamic contrast enhancement

Picture enhancement: 3/2 - 2/2 motion pull

Panel technology: ADS
Operating system: Android 13
OS UI resolution: 3840 x 2160 @ 60 Hz

Connectivity

Audio output: 3.5 mm Mini Jack (x 1)
Video input: HDMI 2.0 (x 3), USB 3.0 (x 2), USB 2.0

(x 1), USB-C (up to 65 W), USB-C Audio input: 3.5 mm mini jack (x 1)

Other connections: OPS, USB-B (x 2), Micro USB

(x 1) (OTG)

Video output: HDMI 2.0 (x 1)

External control: IR (in/out) 3.5 mm jack, RS232C

(in/out) 2.5 mm jack, Gb LAN x 2

Bluetooth: 5.2 BLE

Convenience

Placement: Landscape (18/7)
Screen-saving functions: Pixel Shift, Low

Brightness

Keyboard control: Lockable Remote control signal: Lockable

Signal loop through: RS232, IR Loop through Other convenience: Carrying handles, NFC,

Bluetooth

Network controllable: RS232, RJ45

Sound

Built-in speakers: 2 x 20 W

Power

Mains power: 100 ~ 240 VAC, 50/60 Hz Consumption (Typical): 155 W Standby power consumption: <0.5 W Power Saving Features: Smart Power Energy Label Class: G. EPEAT Silver.

Supported Display Resolution

Computer formats: 800 x 600, 56, 60, 72, 75 Hz, 848 x 480, 60 Hz, 1024 x 768, 60, 70, 75, 85 Hz, 1152 x 864, 75 Hz, 1280 x 960, 60, 85 Hz, 1280 x 1024, 60, 67, 75 Hz, 1360 x 768, 60 Hz, 1366 x 768, 60 Hz, 1600 x 1200, 60 Hz, 1920 x 1080, 60 Hz, 1920 x 1200, 60 Hz, 3840 x 2160, 24, 25, 30. 60 Hz

Video formats: 480p, 60 Hz, 720p, 50, 60 Hz, 1080i, 50, 60 Hz, 1080p, 50, 60 Hz, 2160p, 50, 60 Hz, 480i, 60 Hz

Dimensions

Set Width: 1715.2 mm
Set Height: 1018.3 mm
Set Depth: 116.15 mm
Set Width (inch): 67.53 inch
Set Height (inch): 40.09 inch
Wall Mount: 600 x 400 mm, M8
Set Depth (inch): 4.57 inch

Bezel width: 16.7 mm(T/R/L), 41.5 mm(B)

Weight

Product with packaging (kg): 56.8 kg Product with packaging (lb): 125.22 lb Product without stand (kg): 45.5 kg Product without stand (lb): 100.31 lb

Operating conditions

Altitude: 0 ~ 3000 m

Temperature range (operation): 0 ~ 40 °C

MTBF: 50,000 hour(s)

Temperature range (storage): -20 ~ 60 °C Humidity range (operation)[RH]: 20–80%

(without condensation)

Humidity range (storage) [RH]: 5–95% (without

condensation)

Multimedia Applications

USB Playback Video: H.263, H.264, H.265, MPEG1/2, MPEG4, VP8, VP9

USB Playback Picture: BMP, JPEG, PNG, WEBP USB Playback Audio: AAC, HEAAC, MPEG

Internal Player

CPU: 4 x A73 + 4 x A53 GPU: Multi-Core Mali-G52

Storage: 32 GB eMMc Wi-Fi: 2T/2R 2.4/5/6 GHz

Accessories

Memory: 8 GB

Included Accessories: Cleaning cloth (x 1), AC Power Cord, Philips logo (x 1), Quick start guide (x 1), Remote control and AAA batteries, USB A to B cable (3 m) (x 1), AC switch cover and Screw x 1, HDMI cable (1.8 m) (x 1), Touch Pen (x 2) Optional accessories: Pen tray with 3 x colour stylus and eraser

Miscellaneous

On-Screen Display Languages: Arabic, Dutch, Danish, English, French, Finnish, German, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Simplified Chinese, Turkish, Traditional Chinese Warranty: 5-year warranty

 ${\color{red}\textbf{Regulatory approvals:}} \ {\color{red}\textbf{CE}}, \ {\color{red}\textbf{FCC}}, \ {\color{red}\textbf{Class}} \ {\color{red}\textbf{A}}, \ {\color{red}\textbf{RoHS}}, \ {\color{red}\textbf{CB}}, \\ {\color{red}\textbf{CB}}, \ {\color{red}\textbf{CB}}, \$

EAC, EMF, ETL

Interactivity

Multi-touch technology: 0-gap Infrared touch Touchpoints: 40 simultaneous touchpoints

Plug and play: HID compliant

Protection glass: Anti-Glare, Blue light filter,

Tempered safety glass 7 MOHS

© 2025 Koninklijke Philips N.V. All Rights reserved.

Issue date 2025-02-10

Version: 10.10.1

EAN: 87 12581 80610 1

PHILIPS

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com