

Monitor

3000 series

32 (31.5"/80 cm diag.)

1920 x 1080 (Full HD)

32E1N3100LA



Collaboration, Simplified.

The cable management setup of this monitor facilitates a neat working environment through a singular HDMI Cable. Through this cable, high-quality digital media can be transmitted and heard through its top-notch, built-in speaker system.

Features designed for you

- EasySelect menu toggle key for quick on-screen menu access
- Built-in stereo speakers for multimedia
- EasyRead mode for a paper-like reading experience
- Cable management reduces cable clutter for a neat workspace
- LowBlue mode and Flicker-free easy-on-the eyes viewing


Superb Picture Quality

- SmartContrast for rich black details
- 16:9 Full HD display for crisp, detailed images
- VA display delivers awesome images with wide viewing angles
- SmartImage game mode optimised for gamers
- 1 ms (MPRT) fast response for crisp images and smooth gameplay

Full HD LCD monitor 32E1N3100LA/01

Highlights

VA display



The Philips VA LED display uses an advanced multi-domain vertical alignment technology that gives you super-high static contrast ratios for extra-vivid and bright images. While standard office applications are handled with ease, it is especially suitable for photos, web browsing, films, gaming and demanding graphical applications. Its optimised pixel management technology gives you a 178/178 degree extrawide viewing angle, resulting in crisp images.

16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display features enhanced Full HD 1920 x 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colours, expect a true-to-life picture.

1 ms MPRT fast response



MPRT (motion picture response time) is a more intuitive way to describe response time, which directly refers to the duration between seeing blurry noise and clean, crisp images. The Philips gaming monitor with 1 ms MPRT effectively eliminates smearing and motion blur and delivers sharper and more precise visuals to enhance your gaming experience. The best choice for playing thrilling and twitch-sensitive games.

SmartImage Game mode



The new Philips gaming display has quick-access OSD fine-tuned for gamers, offering you multiple options. "FPS" mode (First person shooting) improves dark themes in games, allowing you to see hidden objects in dark areas. "Racing" mode adapts the display with the fastest response time and high colour, along with image adjustments. "RTS" mode (Real-time strategy) has a special SmartFrame mode that enables highlighting of specific area and allows for size and image adjustments. Gamer 1 and Gamer 2 enable you to save personal customised settings based on different games, ensuring best performance.

LowBlue Mode and Flicker-free



Our LowBlue Mode and Flicker-free technology have been developed to reduce eye strain and fatigue often caused by long hours in front of a monitor.

Built-in stereo speakers



A pair of high-quality stereo speakers built into a display device. They may be visible front firing, or invisible down firing, top firing, rear firing etc. depending on model and design.

Cable management



Cable management is an intimate design that maintains a tidy workspace by organising the cables and wires required for the operation of a display device.

















Full HD LCD monitor 32E1N3100LA/01

Highlights

EasyRead mode



EasyRead mode for a paper-like reading experience

EasySelect Menu Toggle Key



The discreetly placed EasySelect Menu Toggle Key allows you to make quick and easy adjustments to monitor settings in the On-Screen Display menu.

SmartContrast



SmartContrast is a Philips technology that analyses the contents you are displaying, automatically adjusting colours and controlling backlight intensity to dynamically enhance contrast for the best digital images and videos or when playing games where dark hues are displayed. When Economy mode is selected, contrast is adjusted and backlighting fine-tuned for just-right display of everyday office applications and lower power consumption.













Full HD LCD monitor 32E1N3100LA/01

Specifications

Picture/Display

Panel Size: 31.5 inch/80 cm Aspect ratio: 16:9 LCD panel type: VA LCD Backlight type: W-LED system Pixel pitch: 0.36375 x 0.36375 mm

Brightness: 300 cd/m² Display colours: 16.7 M

Colour gamut (typical): NTSC 103.65%*, sRGB

121.33%*

Contrast ratio (typical): 3000:1 SmartContrast: Mega Infinity DCR Response time (typical): 4 ms (Grey to Grey)* Viewing angle: 178° (H)/178° (V), @ C/R > 10 Picture enhancement: SmartImage game Maximum resolution: 1920 x 1080 @ 75 Hz* Effective viewing area: 698.4 (H) x 392.85 (V) Scanning Frequency: 30–85 kHz (H) / 48–75 Hz

(V) sRGB Flicker-free

Pixel Density: 69.93 PPI

LowBlue Mode

Display Screen Coating: Anti-Glare, 3H, Haze

40% MPRT: 1 ms EasyRead Adaptive sync

Connectivity

Signal Input: VGA x 1, HDMI 1.4 x 2 Sync Input: Separate Sync, Sync on Green Audio (In/Out): Audio-in, Audio out

HDCP: HDCP 1.4 (HDMI)

Convenience

Built-in Speakers: 5 W x 2

Plug and Play Compatibility: DDC/CI, Mac OS X,

sRGB, Windows 11/10/8.1/8

User convenience: Power On/Off, Menu, Volume,

Input, SmartImage Game

OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian Other convenience: Kensington lock, VESA

mount (100 x 100 mm)

Stand

Tilt: -5/20 degree

Power

Power supply: Internal, 100–240 VAC, 50–60 Hz

Off mode: 0.3 W (typ.)
On mode: 30.5 W (typ.)
Standby mode: 0.5 W (typ.)

Power LED indicator: Operation - White, Standby

mode - White (flashing) Energy Label Class: F

Dimensions

Packaging in mm (W x H x D): 930 x 517 x

162 mm

Product without stand (mm): 715 x 420 x 62 mm Product with stand (max height): 715 x 514 x

248 mm

Weight

Product with packaging (kg): 9.71 kg Product with stand (kg): 7.50 kg Product without stand (kg): 5.78 kg

Operating conditions

Altitude: Operation: +12,000 ft (3658 m), Non-

operation: +40,000 ft (12,192 m)

Temperature range (operation): 0 to 40 °C MTBF: 50,000 hrs (excluding backlight) hour(s)

Relative humidity: 20%-80 %

Temperature range (storage): -20 to 60 °C

Sustainability

Environmental and energy: RoHS
Recyclable packaging material: 100 %
Specific Substances: Mercury free, PVC/BFR free

housing

Compliance and standards

Regulatory Approvals: CB, CE Mark, FCC Class B, ICES-003

Cabinet

Colour: Black Finish: Textured

What's in the box?

Cables: HDMI cable, Power cable Monitor with stand

User Documentation

© 2025 Koninklijke Philips N.V. All Rights reserved.

5.N. 07.43504.00405

Issue date 2025-02-12

Version: 4.4.1

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

EAN: 87 12581 80495 4

www.philips.com



- * The maximum resolution works for HDMI input only.
- * For best output performance, please always ensure that your graphic card is capable of achieving the maximum resolution and refresh rate of this Philips display.
- * Response time value equal to SmartResponse
- * MPRT adjusts the brightness for blur reduction, so the brightness cannot be adjusted while MPRT is turned on. To reduce motion blur, the LED backlight will strobe in time with the screen refresh rate, which may cause a noticeable change in brightness.
- * MPRT is a gaming-optimised mode. Turning on MPRT may cause noticeable screen flickering. It is recommended to turn this mode off when you are not using the gaming function.
- * NTSC Area based on CIE 1976
- * sRGB Area based on CIE1931
- * The monitor may look different from feature images.