

Full HD LCD monitor

- V Line
- 27" (68.6 cm) 1920 x 1080 (Full HD)

273V7QDAW/89

Vivid, crisp images, from edge-to-edge

A perfect all around display with stunning images that stretch from edge-to edge, made easy on the eyes, in a compact slim design.

Benefits

Vivid pictures every time

- IPS LED wide view technology for image and color accuracy
- 16:9 Full HD display for crisp detailed images
- Narrow border display for a seamless appearance
- SmartContrast for rich black details
- SmartImage presets for easy optimized image settings

Easy on the eyes

- · Less eye fatigue with Flicker-free technology
- LowBlue Mode for easy on-the-eyes productivity

· EasyRead mode for a paper-like reading experience

Experience true multimedia

- Built-in speakers for audio without desktop clutter
- HDMI-ready for Full HD entertainment


Perfectly designed for your space

• VESA mount allows for flexibility



Features

IPS technology



IPS displays use an advanced technology which gives you extra wide viewing angles of 178/178 degree, making it possible to view the display from almost any angle. Unlike standard TN panels, IPS displays gives you remarkably crisp images with vivid colors, making it ideal not only for Photos, movies and web browsing, but also for professional applications which demand color accuracy and consistent brightness at all times.

16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display features enhanced Full HD 1920 x 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colors expect a true to life picture.

UltraNarrow Border



The new Philips displays feature ultra-narrow borders which allow for minimal distractions and maximum viewing size. Especially suited for multi-display or tiling setup like gaming, graphic design and professional applications, the ultra-narrow border display gives you the feeling of using one large display.

SmartContrast



SmartContrast is a Philips technology that analyzes the contents you are displaying, automatically adjusting colors and controlling backlight intensity to dynamically enhance contrast for the best digital images and videos or when playing games where dark hues are displayed. When Economy mode is selected, contrast is adjusted and backlighting fine-tuned for just-right display of everyday office applications and lower power consumption.

SmartImage



SmartImage is an exclusive leading edge Philips technology that analyzes the content displayed on your screen and gives you optimized display performance. This user friendly interface allows you to select various modes like Office, Photo, Movie, Game, Economy etc., to fit the application in use. Based on the selection, SmartImage dynamically optimizes the contrast, color saturation and sharpness of images and videos for ultimate display performance. The Economy mode option offers you major power savings. All in real time with the press of a single button!

Flicker-free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

EasyRead mode



Built-in speakers

A pair of stereo speakers built into a display device. It can be visible front firing, or invisible down firing, top firing, rear firing, etc depending on model and design.

HDMI Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables high-quality digital video and audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

Specifications

[field not found 'disclaimer_text']

Picture/Display

LCD panel type IPS technology
Backlight type W-LED system
Panel Size 27 inch / 68.6 cm
Display Screen Anti-Glare, 3H, Haze 25%

Coating

Effective viewing area S97.89 (H) \times 336.31 (V) Aspect ratio 16:9 Maximum resolution 1920 \times 1080 @ 75 Hz*

Pixel Density 82 PPI
Response time 5 ms (GtG)*

(typical)

 Brightness
 250 cd/m²

 SmartContrast
 10,000,000:1

 Contrast ratio
 1000:1

(typical) Pixel pitch 0.311 \times 0.311 mm Viewing angle 178° (H) / 178° (V) \otimes C/R > 10

Flicker-free Yes
Display colors 16.7 M

Scanning Frequency 30 -83 kHz (H) / 56 -76 Hz (V)

LowBlue Mode Yes sRGB Yes

Connectivity

Sync Input

Signal Input VGA (Analog)
DVI-D (digital, HDCP)
HDMI (digital, HDCP)

Separate Sync

Sync on Green PC audio-in Headphone out

Audio (In/Out)

Convenience

Built-in Speakers 2W x 2 User convenience Power On/Off Menu/OK

Volume/Up Input/Down SmartImage/Back

OSD Languages Brazil Portuguese

Czech
Dutch
English
Finnish
French
German
Greek
Hungarian
Italian
Japanese
Korean
Polish
Portuguese
Russian

Simplified Chinese

Spanish

Swedish Turkish

Traditional Chinese Ukrainian
Other convenience Kensington lock

VESA mount (100x100mm) ug & Play Compati- DDC/CI

Plug & Play Compatibility DDC/CI Mac OS X sRGB

Windows 10 / 8.1 / 8 / 7

Stand

Tilt -5/20 degree

Power

On mode 15.40 W (typ.) (EnergyStar test

 $\begin{array}{cc} & \text{method)} \\ \text{Standby mode} & 0.5 \text{ W (typ.)} \\ \text{Off mode} & 0.3 \text{ W (typ.)} \\ \text{Power LED indicator} & \text{Operation - White} \\ \end{array}$

Standby mode- White (blinking)

Power supply Built-in

100-240VAC, 50-60Hz

Dimensions

Product with stand 612 x 453 x 227 mm (mm)

Product without 612 x 367 x 45 mm stand (mm)

Packaging in mm 664 x 452 x 134 mm

(WxHxD)

Weight

Product with stand 4.50 kg

(kg)

Product without 4.04 kg stand (kg)

Product with pack- 6.47 kg

aging (kg)

Operating conditions

Temperature range 0°C to 40°C °C (operation)
Temperature range -20°C to 60°C °C

(storage)

Relative humidity 20%-80 %

Altitude Operation: +12,000ft (3,658m), Nonoperation: +40,000ft (12,192m) MTBF 50,000 (Excluded backlight) hour(s)

Sustainability

Environmental and energy

EnergyStar 7.0 RoHS Mercury Free WEEE

data subject to change 2023, June 19

Recyclable packaging

ging 100 %

material

ICES-003 TUV Cert. - blue light cut-off SASO

Compliance and standards
Regulatory Approvals

CU SEMKO

cETLus TUV/ISO9241-307 CE Mark FCC Class B Cabinet

Color Finish White Textured

 $^{{}^{\}ast}$ Response time value equal to SmartResponse



data subject to change 2023, June 19

Version: 5.0.1 EAN: 8712581761707 © 2023 Koninklijke Philips N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

^{*} "IPS" word mark / trademark and related patents on technologies belong to their respective owners.

^{*} The maximum resolution works for HDMI input only.