

222S9JML



# Reliable and essential

# for daily efficiency

Our S Line monitor delivers business efficiency. Features like Flicker-free and LowBlue mode make work easy on the eyes and increase your productivity.

# **Perfectly designed for your space**

- SmartErgoBase enables user-friendly ergonomic adjustments
- Built-in stereo speakers for multimedia

# Features for the way you work

- DisplayPort connection for maximum visuals
- HDMI ensures universal digital connectivity
- USB 3.2 high-speed data transfer

## **Great performance**

- VA display delivers awesome images with wide viewing angles
- SmartImage pre-sets for easy optimised image settings
- 16:9 Full HD display for crisp, detailed images


# **Designed for comfortable productivity**

- EasyRead mode for a paper-like reading experience
- Less eye fatigue with Flicker-Free technology
- LowBlue Mode for easy-on-the-eyes productivity

LCD monitor 222S9JML/00

# Highlights

### **VA display**



The Philips VA LED display uses an advanced multi-domain vertical alignment technology that gives you super-high static contrast ratios for extra-vivid and bright images. While standard office applications are handled with ease, it is especially suitable for photos, web browsing, films, gaming and demanding graphical applications. Its optimised pixel management technology gives you a 178/178 degree extrawide viewing angle, resulting in crisp images.

### 16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display features enhanced Full HD 1920 x 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colours, expect a true-to-life picture.

# SmartImage



SmartImage is an exclusive leading edge Philips technology that analyses the content displayed on your screen and optimises your display performance. This user-friendly interface allows you to select various modes, like Office, Photo,

Movie, Game, Economy etc., to fit the application in use. Based on the selection, SmartImage dynamically optimises the contrast, colour saturation and sharpness of images and videos for ultimate display performance. The Economy mode option offers you major power savings. All in real time at the touch of a single button!

#### Flicker-Free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-Free technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

### **EasyRead mode**



EasyRead mode for a paper-like reading experience

#### **LowBlue Mode**



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave-length blue light rays from LED displays can cause eye damage and affect vision over time. Developed

for wellbeing, the Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

### **SmartErgoBase**



The SmartErgoBase is a monitor base that delivers ergonomic display comfort and provides cable management. The base can swivel, tilt and rotate to various angles to ensure maximum comfort. The height-adjustable stand guarantees the optimal viewing level, reducing the physical strains of a long workday, while cable management reduces cable clutter and keeps the workspace neat and professional.

#### **Built-in stereo speakers**



A pair of high-quality stereo speakers built into a display device. They may be visible front firing, or invisible down firing, top firing, rear firing etc. depending on model and design.

















LCD monitor 222S9JML/00

# Highlights

# **DisplayPort connection**



DisplayPort is a digital link from PC to monitor without any conversion. With higher capabilities than DVI standard, it is fully capable to support up to 15 metre cables and 10.8 Gbps/sec data transfer. With this high performance and zero latency, you get the fastest imaging and refresh rates — making DisplayPort the best choice for not only general office or home use, but also for

the more demanding gaming and films, video editing and more. It also keeps interoperability in mind via the use of various adapters.

# **HDMI Ready**



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. An HDMI cable enables high-quality digital video and audio to be

transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

### **High-speed data transfer**

USB 3.2 high-speed data transfer













LCD monitor 222S9JML/00

# **Specifications**

#### **Picture/Display**

Panel Size: 21.5 inches/54.6 cm

Aspect ratio: 16:9 LCD panel type: VA LCD Backlight type: W-LED system Pixel pitch: 0.2493 x 0.241 mm Brightness: 250 cd/m<sup>2</sup> Display colours: 16.7 M (8 bit)

Colour gamut (typical): NTSC 88%\*; sRGB 102%\*

Contrast ratio (typical): 3000:1 SmartContrast: 500,000,000:1

Response time (typical): 4 ms (Grey to Grey)\* Viewing angle: 178° (H)/178° (V), @ C/R > 10

Picture enhancement: SmartImage

Maximum resolution: 1920 x 1080 @ 75 Hz\* Effective viewing area: 478.656 (H) x 260.28

Scanning Frequency: 30 - 85 kHz (H)/48 - 75 Hz

(V) sRGB Flicker-free Pixel Density: 102 PPI

LowBlue Mode

Display Screen Coating: Anti-Glare, 3H, Haze

25% EasyRead Adaptive sync

# **Connectivity**

Signal Input: VGA (Analogue) x 1, HDMI 1.4 x 1,

DisplayPort 1.2 x 1 Sync Input: Separate Sync Audio (In/Out): Audio out, Audio-in HDCP: HDCP 1.4 (HDMI/DisplayPort) USB Hub: USB 3.2 Gen 1 / 5 Gbps, USB-B upstream x 1, USB-A downstream x 4 (with 1 for

fast charge B.C 1.2)

# **Convenience**

Built-in Speakers: 2 W x 2

Plug and Play Compatibility: DDC/CI, Mac OS X,

sRGB, Windows 11/10

User convenience: SmartImage/Back,

Brightness/UP, Input/Down, Menu/OK, Power

On/Off, SmartControl

OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek,

Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Spanish, Simplified Chinese, Swedish, Turkish, Traditional Chinese, Ukrainian

Other convenience: Kensington lock, VESA

mount (100 x 100 mm)

Control software: SmartControl

Height adjustment: 130 mm Pivot: -/+ 90 degree Swivel: -/+ 180\* degree Tilt: -5/25 degree

#### **Power**

ECO mode: 12.1 W (typ.)

Power supply: Built-in, 100-240 VAC, 50-60 Hz

Off mode: 0.3 W (typ.)

On mode: 13.3 W (typ.) (EnergyStar test method)

Standby mode: 0.3 W (typ.)

Power LED indicator: Operation - White, Standby

mode - White (flashing) **Energy Label Class: D** 

#### **Dimensions**

Packaging in mm (W x H x D):

690 x 141 x 420 mm

Product without stand (mm): 439 x 286 x 49 mm

Product with stand (max height):

493 x 439 x 205 mm

#### Weight

Product with packaging (kg): 6.73 kg Product with stand (kg): 4.16 kg Product without stand (kg): 2.44 kg

#### **Operating conditions**

Altitude: Operation: +12,000 ft (3658 m), Non-

operation: +40,000 ft (12,192 m)

Temperature range (operation): 0°C to 40 °C MTBF: 70,000 (Excluding backlight) hour(s)

Relative humidity: 20%-80 %

Temperature range (storage): -20°C to 60 °C

# **Sustainability**

Environmental and energy: Energy Star, EPEAT\*,

TCO Certified Edge, RoHS

Post-consumer recycled plastic: 85% Recyclable packaging material: 100 %

Specific Substances: Mercury free, PVC/BFR free

housing

### **Compliance and standards**

Regulatory Approvals: CB, CE Mark, CU-EAC, EAEU RoHS, FCC Class B, ICES-003, TUV Ergo, TUV/GS, EPA, TCO Certified

#### **Cabinet**

Finish: Textured Foot: Black Front bezel: Black Rear cover: Black

#### What's in the box?

Cables: HDMI cable, DisplayPort cable, Power

cable

Monitor with stand

© 2025 Koninklijke Philips N.V. All Rights reserved

Issue date 2025-04-28

EAN: 87 12581 80600 2

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com



\* The maximum resolution works for either HDMI input or DP input.

<sup>\*</sup> Response time value equal to SmartResponse

<sup>\*</sup> NTSC Area based on CIE 1976

<sup>\*</sup> EPEAT rating is valid only where Philips registers the product. Please visit https://www.epeat.net/ for registration status in your country

<sup>\*</sup> When you adjust the angle of the monitor screen, the entire stand and rotating disk will also move with it as this is a swivel-adjustable monitor.

<sup>\*</sup> The products and accessories listed on this leaflet may differ by country and region

<sup>\*</sup> The monitor may look different from feature images.