

Philips
Multimedia Speaker 5.1

MMS260



Compelling quality surround sound

The 5.1 channel audio experience

With 80-watt music power output and Dynamic Bass Boost for rich low tones, the MMS260 high-performance 5.1 channel PC speakers make your multimedia experiences sound more involving than ever

Experience true multimedia

- Easy to connect to either a PC or a laptop
- Compatible with music, games, film and Internet audio sources
- 5.1 channel sound for Dolby Digital® and EAX® reproduction

Your computer never sounded so good

- Enjoy PC audio with the quality of a home audio system
- Over 75 years of audio experience

Hear every detail

- Bass Reflex Speaker System delivers a powerful, deeper bass
- Subwoofer for deep bass plus satellites for clear highs
- Digital Dynamic Bass Boost for optimized bass at any volume
- Wooden housing for quality bass reproduction

Easy to use

- Magnetic Shielding eliminates computer screen distortion
- Labelled and colour-coded connectors get you going in minutes

PHILIPS

Highlights

Home audio quality on the PC

Philips has used over 75 years' experience at the leading edge of audio to create PC audio products with the same performance as our award-winning home audio systems.

75 Years of audio experience

Philips invented the CD, led the team that wrote the USB audio specification and has produced millions of audio systems, home cinema sets and TVs over many decades. As a leader in audio innovation, you can trust Philips to make PC sound systems of the highest sound quality.

Music, games, films, Internet

All types of music, games, films and Internet audio sources can be played, so no matter what you want to hear, we make your multimedia experiences sound more involving than ever.

5.1 channel playback

5.1 channel sound for reproduction of Dolby Digital® and EAX® sound sources

For PC or Laptop

Can be connected to either a PC or a laptop

Subwoofer + satellite speakers

The audio system is separated into a subwoofer that is optimised to reproduce bass frequencies and satellite speakers that are optimised for mid- and high-range frequencies. The result is a system that powerfully reproduces the full range of audio frequencies from deep bass to crystal clear high notes with the minimum of distortion.

Digital Dynamic Bass Boost



Digital Dynamic Bass Boost is an intelligent bass booster that delivers maximum bass enhancement at high volumes without sound distortion and at low volumes without compromising on bottom-end bass frequencies. Technologically advanced electronics constantly monitor volume and bass levels, precisely calibrating both to prevent sound distortion, thus producing optimised bass. Digital Dynamic Bass Boost enables the enjoyment of superb bass performance - regardless of the chosen volume level.

Wooden subwoofer

The housing of the subwoofer is made from wood, giving it superior stability and acoustic performance.

Bass Reflex Speaker System



Bass Reflex Speaker System delivers a deep bass experience from a compact loudspeaker

box system. It differs from a conventional loudspeaker box system in the addition of a bass pipe that is acoustically aligned to the woofer to optimise the low frequency roll-off of the system. The result is deeper controlled bass and lower distortion. The system works by causing the air mass in the bass pipe to vibrate like a conventional woofer. Combined with the response of the woofer, the system extends the overall low frequency sounds to create a completely new dimension of deep bass.

Quick set-up



Colour-coded cables, clear labelling and easy to understand documentation mean you'll be up and running in minutes

Magnetic Shielding

Because the powerful magnets in speaker drivers are magnetically shielded, there is no danger of image distortion or damage when placed close to your PC monitor screen.

Specifications

Sound

- Bass enhancement: Digital Bass Boost
- Output power (RMS): 5 x 4 + 20 W
- Music Power: 80 W
- Volume Control: Analogue Volume Control
- Wires: Fixed Wires

Loudspeakers

- Loudspeaker Enhancement: Magnetic Shielded LSB
- Satellite speaker freq range: 200-20000 Hz Hz
- Subwoofer freq range: 20-200 Hz Hz

Connectivity

- Cable length: 2 m
- Connector: 3 x 3.5 mm
- Power: AC Adapter 18 V

Convenience

- Power on indication

Power

- Power LED indicator: Blue

Packaging Data

- 12NC: 908210002955
- EAN/UPC/GTIN: 8710895819206
- Height: 247 mm
- Quantity: 1
- Length: 356 mm
- Gross weight: 6.34 kg
- Width: 245 mm
- Tare weight: 0.4 kg

Outer Carton

- 12NC: 908210002955
- Gross weight: 13.48 kg
- Tare weight: 0.8 kg
- EAN/UPC/GTIN: 8710895830300
- Height: 375 mm
- Quantity: 2
- Length: 475 mm
- Width: 340 mm



Issue date 2024-04-13

Version: 4.0.5

EAN: 87 10895 81920 6

© 2024 Koninklijke Philips N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips N.V.
or their respective owners.

www.philips.com