

Philips  
Multimedia Speaker 5.1



MMS460

# Hi-fidelity surround sound

## 5.1 Surround Sound

Immerse yourself in a 5.1 surround sound experience with the MMS460 multichannel speaker system. The open face speakers and a rigid wooden subwoofer deliver superb clarity so you hear every detail. The bass boost level is adjustable too.

### Ultimate bass performance

- Bass boost technology with level control
- Octagonal wooden subwoofer
- Dynamic bass boost - hear the deepest, richest bass

### Connect to all your gear

- Perfect for MP3, PC, TV, CD & more

### Contemporary design

- Open-faced designed speakers for superb sound clarity

### Multimedia sound sensation

- 5.1 Surround sound - Immersive sound experience

# PHILIPS

# Highlights

## 5.1 surround sound

Be at the heart of the movie and gaming experience and totally immerse yourself in sound.

## Dynamic bass boost



Innovative technology delivers unbelievably deep, rich bass from compact speakers.

Dynamic bass boost emphasizes the bass content of the music throughout the range of volume settings from low to high – at the touch of a button!

## Bass with level control

Unique subwoofer design produces a much deeper, richer bass. You also have the possibility to set the bass level to your choice.

## Octagonal wooden subwoofer

Extra rigid construction of the octagonal wooden subwoofer delivers breathtaking bass performance.

## Perfect for MP3, PC, TV & more

Connect your speakers to all your gear. A great way to listen to your MP3 player, PC, TV, CD, DVD and all your multimedia stuff.

## Open-faced designed speakers

The open-faced design improves the sound reproduction with superb clarity and reduces any possible distortion. Aerodynamic protectors are used instead of a cloth or metal cover over the speaker face.

# Specifications

## Sound

- Bass enhancement: Digital Bass Boost
- Output power (RMS): 5x10W + 30 W
- Music Power: 160 W
- Volume Control: Analogue Volume Control
- Wires: Fixed Wires

## Loudspeakers

- Loudspeaker Enhancement: Magnetic Shielded LSB
- Satellite speaker freq range: 200-20.000 Hz
- Subwoofer freq range: 20-180 Hz

## Connectivity

- Cable length: 2 m
- Connector: 3 x 3.5mm
- Power: AC Adaptor 16V

## Convenience

- Power on indication

## Power

- Power LED indicator: Blue

## Packaging Data

- 12NC: 908210002957

- EAN/UPC/GTIN: 8710895819213
- Height: 340 mm
- Quantity: 1
- Length: 464 mm
- Gross weight: 6.82 kg
- Width: 244 mm
- Tare weight: 0.52 kg

## Outer Carton

- 12NC: 908210002957
- Gross weight: 15.83 kg
- Tare weight: 1.35 kg
- EAN/UPC/GTIN: 8710895830270
- Height: 360 mm
- Quantity: 2
- Length: 505 mm
- Width: 490 mm

## Packaging content

- Subwoofer
- Number of satellites: 5
- Amplifier
- 3.5 mm stereo line cable
- Quick installation guide



Issue date 2024-04-13

Version: 10.0.13

EAN: 87 10895 81921 3

© 2024 Koninklijke Philips N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips N.V.  
or their respective owners.

[www.philips.com](http://www.philips.com)