

Hot

Reverse Osmosis purification

Instant Hot purified water

3 temperature and 4 volume presets

UV-C LED keeps water fresh

NASA/ESA tested Aquaporin Inside $^{\text{TM}}$

Aquaporin Inside



ADD6901HBK01/79

Purified water, ambient, 45°C, 85°C or 95°C

Aquaporin Inside™ removes 110 kinds of substances

With instant heating technology, this RO water dispenser provides water of various temperatures within seconds. The innovative Aquaporin™ all-in-one RO filter removes 110 kinds of harmful substances that may exist in the tap water*.

Cleaner water assured

• Aquaporin Inside™ Reverse Osmosis

RO filtration removes 110 kinds of harmful substan

- Fresh hot water on demand in 3 seconds
- 4 preset temperatures for your different needs
- 4 preset water volumes for your different needs
- 2,000L filtration capacity
- Safety lock to prevent mis-operation or burning
- ClearSmart intelligent system
- Plug and play; no installation required
- UV-C LED keeps water fresh

Worry-free to use and maintain

Excellent filtration efficiency

RO Water Station, Hot

Highlights

Aquaporin Inside™ Reverse Osmosis technology



Harnessing the power of nature. The biomimetic Reverse Osmosis membrane incorporates aquaporin proteins to replicate natures own water filtration process and filters water faster and better than ever before. Aquaporin Inside™ Reverse Osmosis filtration technology is developed by Aquaporin A/S (Denmark) and tested in collaboration with NASA and ESA for aerospace activities. This partnership highlights the level of technical innovation, performance and durability.

Fresh hot water on demand in 3 seconds



Thanks to instant heating technology, freshly purified hot water is dispensed within seconds.

UV-LED eliminates 99.99% of bacteria**



UV-C LED technology in the purified water tank inhibits bacteria growth in the freshly filtered water by up to 99.9%**.

Excellent filtration efficiency



Traditional RO processes typically waste a significant amount of water: usually 9 to 12 liters of water are wasted for every 3 liters of purified water produced. This can be an environmental concern, especially in areas with water scarcity. This Philips cartridge with Aquaporin Inside™ Reverse Osmosis technology offers excellent filtration efficiency: only 1 litre of water is wasted for every 3 litres of purified water produced.

4 preset temperatures for your different needs

Precisely controlled temperatures for your different needs. No more waiting for cooling down to a specific temperature. No matter coffee, tea or honey water, you can always make your favorate drink within seconds.

4 preset water volumes for your different needs

150ml, 200ml, 300ml, and 500ml, you can always find the best volume setting for your favorite cups.

2,000L filtration capacity

The RO filter is good for filtering 2,000 liters of water, helping to save thousands of plastic bottles every year. So its not only good for you, its good for the environment too.

Plug and play; no installation required

No installation needed for the dispenser. With a compact design, you can put it anywhere at home.

ClearSmart intelligent system

Real-time filter status display, remind you to replace the filter if it is needed.

Safety lock to prevent mis-operation or burning

When the output water temperature is above 45 celsius, the safety lock will be automatically activated to prevent mis-operation or scalding.

Reverse Osmosis purification

RO Water Station, Hot

ADD6901HBK01/79

Specifications

Filtration performance

Pesticides reduction Filtration level: 5-stage Water hardness reduction Lead reduction Recommended filter lifetime: 12 months** PFOA reduction **PFOS** reduction

Purification system

Chlorine removal

Heating performance

Heating method: Instant heating

Filter specifications

Filter precision: RO:0.0001um Filtration capacity: 2000L

Input water conditions

Input water temperature: 5-38°C °C

General specifications

Voltage and frequency: 220V-240V~, 50Hz/60Hz Applicable inlet water: Municipal tap water Replacement filter cartridge: ADD541

Product color: Black

Inlet water temperature: 5-38°C °C Water temperature: Ambient, 45, 85, 95 °C Water volume: 150, 200, 300, 500ml

Raw water tank: 4L

Product size: 200*302*404mm

UV sterilaztion

Filter lifetime indicator

© 2024 Koninklijke Philips N.V. All Rights reserved.

EAN: 48 95244 61304 0 Specifications are subject to change

Issue date 2024-12-13

www.philips.com

Version: 21.21.1

without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.



^{* *} Tested by 3rd party testing agency under laboratory conditions. The contaminants or other substances reduced by this water filter are not necessarily in all users' water.

^{* **} Tested by 3rd party testing agency under laboratory conditions.