



Philips Ultinon Pro9200 HL
Unrivalled LED automotive
performance

LED-HL [~H4]

Up to 400% brighter light
Broad fleet compatibility
High-end Style and Safety

11342U92X2

Master the light, defy the dark

Unrivalled LED automotive performance

Defy the dark with the Philips Ultinon Pro9200, the pinnacle of LED retrofit lighting performance. Enjoy the power of cutting-edge LED technology with up to 400%* increased brightness from one of the most compact bulbs on the market.

Broad fleet compatibility

- Ultra-compact design for broad fleet compatibility

Revolutionary brightness and high-end style

- Unrivalled driving comfort, whatever the season
- Concentrated power - up to 400% brighter light
- Up to 5,800 Kelvin color temperature for cool white light

Best-in-class cut-off line

- Light, just where you need it

Performance made to last

- 12V- and 24V-compatible for wider usability
- Enhanced lifetime of up to 5,000 hours


Automotive-grade quality

- The durability that today's drivers demand

PHILIPS


Highlights

Ultra-compact design




Our latest technology is easy to install. The Philips Ultinon Pro9200 LED range combines the power of LED technology with an ultra-compact housing to suit any lighting application. Completely redesigned to eliminate the bulky old heatsink and replicate the shape of halogen lamps, this new generation of H4 bulbs is quick and easy to fit even in the narrowest headlamps, offering drivers hassle-free functionality.

Better year-round comfort




The new generation of Ultinon Pro9200 H4 bulbs features a new heat-dispersion system, which draws air from the base to the front of the bulb. As this flow of air warms the headlamp diffuser, the headlamp can be defrosted during harsh winters without further intervention. The result is unrivalled driving comfort, whatever the season.

Superior visibility and style



Master the light on the road. Meticulously engineered to ignite your passion for driving, our Philips Ultinon Pro9200 headlight bulbs provide unrivalled performance and the exceptional visibility you want while driving, whatever the conditions. Thanks to our unique LED selection and meticulous product refinement, you enjoy unrivalled brightness of up to 400% more than the legal minimum for halogen bulbs. See road signs better with their unique optimal spectrum, and improve your view of the road ahead. Our bulbs empower you to navigate with confidence.

Best-in-class cut-off line



Drive safely and precisely with the Philips Ultinon Pro9200. Thanks to the precise positioning of the LED chips on our Philips Ultinon Pro9200 bulbs, you have light exactly where you need it on the road without dazzling


oncoming vehicles. Our bulbs also feature our innovative Philips SafeBeam technology, producing the best useable beam and glare-free pattern. This means optimal visibility while driving.

High-end style



Embrace your passion for driving with the Philips Ultinon Pro9200, the perfect blend of practicality and performance. With a color temperature of up to 5800 K, endorsed by Original Equipment Manufacturers for its ability to enhance eye comfort during night-time driving, our new bulb lets you navigate dark roads with ease and comfort. Rely on our Philips Ultinon Pro9200 for your night-time driving adventures!

12V-24V for wider usability



Philips Ultinon Pro9200 is compatible with both 12V and 24V electrical systems, making it suitable for most vehicle types.

Specifications

Marketing specifications

- Product highlight: Up to +400% brightness, AirBoost heat management, SafeBeam technology, glare-free light beam
- Expected benefits: Brighter Lights, Better vision, Easy-to-fit

Product description

- Application: High Beam, Low Beam
- Base: P43t-38
- Designation: LED H4 11342 U92 12/24V 18W X2
- Designation LED Type: LED-HL [~H4]
- Ingress protection rating (IP): IP55
- Lifespan: 5,000 hours
- Operating Temperature: -40 to +105 °C
- Range: Ultinon Pro9200 HL
- Technology: LED
- Type: H4
- Voltage: 12/24 V
- Wattage: 18 W
- Homologation ECE R37: no
- Homologation ECE R10
- Polarity free
- Diameter: 22 mm
- Length - mm: 84 mm

Light characteristics

- Color temperature: 5800 K
- Lumens [lm]: 1000 lm /1650 lm

Ordering information

- Order entry: 11342U92X2
- Ordering code: 2763494

Logistic data

- Quantity in box: 2 pcs

Packaging Data

- Packing: Set box
- EAN1: 8719018027634
- EAN3: 8719018027641
- Packaging type: Carton

Packed product information

- Net weight per piece: 39.2 g
- Net weight per pack: 78.4 g
- Gross weight: 252.4 g
- Height [mm]: 130 mm
- Length [mm]: 111 mm
- Width [mm]: 60 mm

Outerpack information

- Length: 230 cm
- Width: 128 cm
- Height: 140 cm
- Quantity: 8 pcs (4 sets)
- Gross weight per outerpack: 1.1146 kg



Issue date 2024-06-25

Version: 1.1.1

EAN: 87 19018 02763 4

© 2024 Koninklijke Philips N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips N.V.
or their respective owners.

www.philips.com

* Compared to minimum legal requirement. Applies to H4, H7. May vary depending on car model & bulb type.

** Non-ECE compliant, not for use on public roads. You are responsible for complying with legal requirements applicable in your country.

*** The Philips Ultinon Pro9200 LED range is covered by a 2-year guarantee on purchase + 3 years' free extended warranty upon registration. Visit philips.com/auto-warranty to know more about our warranty policy. The Philips warranty covers manufacturing defects and non-commercial use only.