

PHILIPS

Collaboration
Display

Signage Solutions

65"

Powered by Android

Multi-touch



65BDL4152E



Interactive education display

Featuring multi-touch technology

This interactive display, powered by Android 13, has up to 40 touchpoints, maximising engagement and collaboration. Toughened anti-glare, anti-reflection and anti-fingerprint glass are ideal for heavy daily use in busy environments.

Smart and powerful

- OPS slot allows PC embedding without cabling
- Android SoC for seamless software and app integration
- PPDS Wave-ready for remote display management and control
- Built-in ambient light sensor

Style and safety built-in

- Near Field Communication (NFC) for security
- Designed with Sustainability in mind
- Cast directly from any device
- Anti-glare and anti-reflection toughened glass 7 MOH
- Palm rejection
- Blue light filter

Interactive and collaborative

- Wireless presentations
- Multi-touch technology capable of 40 touchpoints

Highlights

OPS slot

Integrate a full-power PC or Android-powered CRD module directly into your Philips Professional Display. The OPS slot contains all the connections you need to run your slot-in solution, including a power supply.

Powered by Android

Our integrated Android 13 OS has been specially developed to bring a next level secure professional System on Chip. Save your favorite apps and software directly into the display or, choose from the large library of Android apps .

PPDS Wave-ready

Your PPDS Wave-ready display enables you to manage and maintain this device remotely, wherever you are, whenever you choose. This evolutionary cloud platform puts you fully in control, with simplified installation and set-up, monitoring and controlling displays, upgrading firmware, managing central content needs, and setting power schedules. Saving you time, energy and environmental impact.

Built-in ambient light sensor

Built-in ambient light sensors contribute to energy savings by automatically adjusting the screen brightness to the surrounding lighting conditions.

Anti-glare and anti-reflection

Anti-glare, anti-reflection, anti-fingerprint coatings, 7 MoH hardness.

Blue light filter

Blue light filter to help protect eyes and avoid eye fatigue.

Palm rejection

Palm rejection for enhanced precision.

Multi-touch technology

Create a memorable interactive experience with up to 40 touchpoints at the same time for slick, agile lessons or brainstorming sessions. Perfect for collaborative and co-creation applications, this display connects your audience with any content. Offering enhanced user friendliness with eraser functionality, palm rejection and tip size recognition.

Advanced IR touch

Advanced 0-gap IR touch with smaller, shallower bezels.

Wireless presentations

Philips ScreenShare makes it easy for teachers, students or employees to wirelessly share their screens from their own device, whatever the

operating system, via the browser or their favorite apps, onto the Philips Collaboration display.

Cast directly from any device

Teachers, students or employees can cast directly from their device with AirPlay, Google Cast, and Miracast.

Embedded whiteboard application

The embedded whiteboard application enables seamless collaboration and brainstorming directly on the display.

Near Field Communication (NFC) for security

NFC (Near Field Communication) offers secure authentication and access control, enhancing security with encrypted data transfer. Its contactless operation minimizes the risk of unauthorized access or data interception, ensuring reliable security of the displays.

Sustainability

Recognised by and registered with EPEAT with a Silver Ecolabel, the displays meet the robust set of criteria laid out by the worlds premier ecolabel for electronics. The displays are also Energy Star 8.0 compliant.

Specifications

Picture/Display

Diagonal screen size (metric): 163.9 cm
Diagonal screen size (inch): 64.5 inch
Aspect ratio: 16:9
Panel resolution: 3840 x 2160
Pixel pitch: 0.372 x 0.372 mm
Optimum resolution: 3840 x 2160 @ 60 Hz
Brightness: 400 cd/m²
Display colors: 1.07 Billion
Contrast ratio (typical): 1200:1
Dynamic contrast ratio: 500,000:1
Response time (typical): 8 ms
Viewing angle (horizontal): 178 degree
Viewing angle (vertical): 178 degree
Picture enhancement: 3/2 - 2/2 motion pull down, 3D Combfilter, Motion compens. deinterlacing, Progressive scan, 3D MA deinterlacing, Dynamic contrast enhancement
Panel technology: ADS
Operating system: Android 13
OS UI resolution: 3840 x 2160 @ 60 Hz

Connectivity

Audio output: 3.5 mm Mini Jack (x1)
Video input: HDMI 2.0 (x3), USB 3.0 (x2), USB 2.0 (x1), USB-C (up to 65W), USB-C
Audio input: 3.5 mm mini jack (x1)
Other connections: OPS, USB-B (x2), Micro USB (x1) (OTG)
Video output: HDMI 2.0 (x1)
External control: IR (in/out) 3.5 mm jack, RS232C (in/out) 2.5 mm jack, Gb LAN x2
Bluetooth: 5.2 BLE

Convenience

Placement: Landscape (18/7)
Screen saving functions: Pixel Shift, Low Brightness
Keyboard control: Lockable
Remote control signal: Lockable
Signal loop through: RS232, IR Loophrough
Other convenience: Carrying handles, NFC, Bluetooth
Network controllable: RS232, RJ45

Sound

Built-in speakers: 2 x20 W

Power

Mains power: 100 ~ 240 VAC, 50 ~ 60 Hz
Consumption (Typical): 132 W
Standby power consumption: <0.5W
Power Saving Features: Smart Power
Energy Label Class: G, EPEAT Silver.

Supported Display Resolution

Computer formats: 800 x 600, 56, 60, 72, 75Hz, 848 x 480, 60Hz, 1024 x 768, 60, 70, 75, 85Hz, 1152 x 864, 75Hz, 1280 x 960, 60, 85Hz, 1280x1024, 60,67,75Hz, 1360 x 768, 60Hz, 1366 x 768, 60Hz, 1600 x 1200, 60Hz, 1920 x 1080, 60Hz, 1920 x 1200, 60Hz, 3840 x 2160, 24,25,30,60Hz
Video formats: 480p, 60Hz, 720p, 50, 60Hz, 1080i, 50, 60Hz, 1080p, 50, 60Hz, 2160p, 50, 60Hz, 480i, 60Hz

Dimensions

Set Width: 1492.02 mm
Set Height: 892.28 mm
Set Depth: 116.15 mm
Set Width (inch): 58.74 inch
Set Height (inch): 35.13 inch
Wall Mount: 500x400mm,M8
Set Depth (inch): 4.57 inch
Bezel width: 16.7mm(T/R/L), 41.9mm(B)

Weight

Product with packaging (kg): 42.8 kg
Product with packaging (lb): 94.36 lb
Product without stand (kg): 34.7 kg
Product without stand (lb): 76.50 lb

Operating conditions

Altitude: 0 ~ 3000 m
Temperature range (operation): 0 ~ 40 °C
MTBF: 50,000 hour(s)
Temperature range (storage): -20 ~ 60 °C
Humidity range (operation)[RH]: 20 ~ 80% (without condensation)
Humidity range (storage) [RH]: 5 ~ 95% (without condensation)

Multimedia Applications

USB Playback Video: H.263, H.264, H.265, MPEG1/2, MPEG4, VP8, VP9
USB Playback Picture: BMP, JPEG, PNG, WEBP
USB Playback Audio: AAC, HEAAC, MPEG

Internal Player

CPU: 4xA73 + 4xA53
GPU: Multi-Core Mali-G52
Memory: 8GB
Storage: 32 GB eMMC
Wifi: 2T/2R 2.4/5/6 GHz

Accessories

Included Accessories: Philips logo (x1), Quick start guide (x1), USB A to B cable (3m) (x1), AC Power Cord, AC switch cover & Screw x1, Cleaning cloth (x1), HDMI cable (1.8 m) (x1), Remote control & AAA batteries, Touch Pen (x2)
Optional accessories: Pen tray with 3x color stylus and eraser

Miscellaneous

On-Screen Display Languages: Arabic, Dutch, Danish, English, French, Finnish, German, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Simplified Chinese, Turkish, Traditional Chinese
Warranty: 3 year warranty
Regulatory approvals: CE, FCC, Class A, RoHS, CB, EAC, EMF, ETL

Interactivity

Multi-touch technology: 0-gap Infrared touch
Touch points: 40 simultaneous touch points
Plug and play: HID compliant
Protection glass: Anti-Glare, Tempered safety glass 7MOHS, Blue light filter

