PHILIPS

Automotive lighting

Catalog 2024-2025

Table of content

Introduction 4

Safety you can see

LED Road-legal 6

Cars and two-wheelers

Ultinon Pro6000 Boost HL 9
Ultinon Pro6000 HL 10
Ultinon Pro6000 Standard HL 11
LED CANbus Adapters 14
LED Adapter Rings 14

LED O -road 16

Cars and trucks

Ultinon Pro9200 HL 20
Ultinon Pro5100 HL 22
Ultinon Pro3022 HL 23
Ultinon Access HL 24
Ultinon Classic HL 25
Ultinon Pro7000 SI 26
Ultinon Pro3100 SI 27
LED CANbus Adapters 28
LED Adapter Rings 28
Which LED lighting for which function? 30

Halogen 44

Cars

RacingVision GT200 48
X-tremeVision Pro150 49
VisionPlus 50
Vision 50
WhiteVision ultra 51
LongLife EcoVision 51
Which lamp for which function? 52

Halogen 70

Two-wheelers

RacingVision GT200 moto 73
CityVision moto 73
WhiteVision ultra moto 74
Vision moto 74
Which lamp for which function? 75

Halogen 78

24V Bus and trucks

MasterDuty 81
MasterLife 82
MasterDuty BlueVision 82
Which lamp for which function? 83

Halogen 90

Kits

12V spare kits 92
24V spare kits 93
Headlight restoration kit 93

Xenon 94

Cars and trucks

Xenon X-tremeVision gen2 97
Xenon WhiteVision gen2 97
Xenon LongerLife 98
Xenon Vision 98

Annexes 102

Specimen packaging 102
Understanding Philips ordering codes 103
Technical illustrations bases 104
Product index 105

Safety you can see!

Our advanced light engine technology has been on the forefront of automotive lighting for more than 100 years.
As a **leading supplier** of lamps and lighting products to the automotive industry and aftermarket, we combine technical innovations with a genuine concern for **safety** and driving comfort.
Our automotive lighting is today the choice of many consumers and major automobile manufacturers.
Our mission is to introduce **innovative products** that constantly improve road safety and increase workshop productivity.

Our products are designed to perform effici tly and durably for continuous **customer satisfaction**.
Many garages and workshops already appreciate our new range of professional LED work lights for their outstanding light output and robustness.

High-quality lighting really does make a di erence.
That's safety you can see!

Original equipment quality

We are committed to producing **best-in-class products** and services in the Original Equipment Manufacturer (OEM) market and automotive aftermarket. Our products are manufactured from **high-quality materials** and tested to the highest specifi ations to maximize **safety** and driving **comfort** of our customers.

- We are the **choice** of major car manufacturers
- Our lighting equips **one in two cars** in Europe and one in three in the world
- Manufacturing processes that **exceed** current industry **specification**

Philips anti-UV-quartz glass for optimal lighting performance

All Philips quartz-glass lamps also o er a UV shield to protect your modern plastic optics from harmful UV rays.

- **More powerful light**
  Quartz glass high resistance allows for increased pressure inside the lamp and thus generates more powerful light.
- **Better resistance**
  Philips quartz glass lamps (filame t at 2 800°C and glass up to 800°C) are capable of withstanding severe thermal shocks.
- **Optimal protection against ultraviolet rays**
  All Philips quartz-gla ss lamps also offer a UV shield to protect your modern plastic optics from harmful UV rays.

LED Road-legal



Car and two-wheeler
lighting

Which **road-legal LED lamp** do you need?

Ultimate road-legal performance

Ultinon Pro6000 Boost

2 years +3 extended warranty

Beam performance*

Light color

Up to **5800 K**

Standard halogen: 3100 K

Lifetime

Up to **3000 h**

Standard halogen: 500 h

Available in

HL H1-LED, H4-LED, H7-LED

Great LED driving experience

Ultinon Pro6000

2 years +1 extended warranty

Beam performance*



Light color

Up to **5800 K**

Standard halogen: 3100 K

Lifetime

Up to **3000 h**

Standard halogen: 500 h

Available in

HL H4-LED, H7-LED

Remarkable LED brightness

Ultinon Pro6000 Standard

2 years +1 extended warranty

Beam performance*



Light color

Up to **5800 K**

Standard halogen: 3100 K

Lifetime

Up to **2000 h**

Standard halogen: 500 h

Available in

HL H4-LED, H7-LED

Images for illustration purposes only.

* Compared to the minimum legal requirement. Applies to H4, H7. It may vary depending on the car model and bulb type.

The Philips Ultinon Pro6000 Boost, Philips Ultinon Pro6000 Standard, and Philips Ultinon Pro6000 LED ranges are approved for road traffic in the respective countries where approval exists and for the listed range of vehicle models and lighting functions only.

For more information about the legal requirements that apply in your country and to check our latest compatibility list, visit: **Philips.com/roadlegalLED**. Drivers are responsible for complying with legal requirements applicable in their country.

Philips.com/RoadLegalLED

Ultinon Pro6000 Boost

Ultimate road-legal performance

Explore a new era where pethe next generation of retrofit LED ighting and enter rformance and light quality reach new heights.

- **Approved for road-traffic in Europe***
- Impressive **300% brighter light** on the road**
- High-performance **industry-exclusive LEDs**
- **Optimal spectrum** for improved visibility of road signs
- **30% smaller footprint** for H7-LED that fits a wide range of vehicles
- **Easy installation** for high- and low-beam functions
- Reliable performance thanks to our unique **AirBoost cooling technology**
- Extended lifetime of up to **3,000 hours**

* The Philips Ultinon Pro6000 LED Boost range is approved for road traffic in the espective countries where approval exists and for the listed range of vehicle models and lighting functions only. For more information about the legal requirements that apply in your country and to consult our latest compatibility list, visit Philips.com/roadlegalLED. You are responsible for complying with legal requirements applicable in your country.
** Compared to the minimum legal requirement. Applies to H4, H7. It may vary depending on the car model and bulb type.

Standard Halogen

Ultinon Pro6000 Boost

Available in X1 and X2 packaging

Available in

H1-LED

H4-LED

H7-LED

Ultinon Pro6000 HL

Taking brigh t white light to the next level

Experience unprecedented driving experience with **Philips's first road-approved* LED headlight bulbs.**

- **100% road-legal***
- Lumileds' exclusive high-performance automotive LEDs
- Up to **230% brighter homogeneous light**** for optimal light distribution
- **5800 Kelvin** color temperature for crisp white light
- Special light spectrum for improved contract and visibility
- Reliable, long-lasting performance thanks to our innovating Airboost cooling technology
- **SafeBeam** technology for glare-free driving
- Over 350 compatible vehicle models***
- Longer lifetime of up to **3,000 hours**

*Check the legal requirement applying in our country at Philips.com/RoadLegalLED
**Compared to the minimum legal requirement. Applies to H4, H7. It may vary depending on the car model and bulb type. ***The Philips Ultinon Pro6000 bulbs are approved for road traffic i the respective countries where approval exists and for listed range of vehicle models and lighting functions only.
Check at Philips.com/RoadLegalLED

Standard Halogen

Ultinon Pro6000

Available in X1 and X2 packaging

Available in

H4-LED

H7-LED

W5W-LED

Ultinon Pro6000 Standard HL

A bright new journey ahead

Introducing the groundbreaking Philips Ultinon Pro6000 Standard LED replacement lamp at a pocket-friendly price.

- **100% road-legal***
- **+220%** remarkable brightness**
- Covers both low- and high-beam functions
- **5800 Kelvin** color temperature for crisp white light
- Special light spectrum for improved contract and visibility
- **SafeBeam** technology for glare-free driving
- Compatible with many vehicle models***
- Lifetime of up to **2,000 hours**

*Check the legal requirement applying in our country at Philips.com/RoadLegalLED
**Compared to the minimum legal requirement. Applies to H4, H7. It may vary depending on the car model and bulb type.
***The Philips Ultinon Pro6000 Standard bulb is approved for road traffic i the respective countries where approval exists and for listed range of vehicle models and lighting functions only. Check at Philips.com/RoadLegalLED

Automotive Grade Quality

2 years **+1** extended warranty

Standard Halogen

Ultinon Pro6000 Standard

Available in X2 packaging

Available in

H4-LED

H7-LED

12V LED Headlighting and Signaling lighting

H1-LED Ultinon Pro6000 Boost

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11258U60BX2	12/24	11,5	P14,5s	02759794	8 719018 027597	-	8719018027603	Yes	4

H4-LED Ultinon Pro6000 Boost

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11342U60B2X2	12/24	18	P43t-38	02792431	8 719018 027924	-	8719018027931	Yes	6
11342U60B2X1	12	18	P43t-38	02790094	8 719018 027900	-	8719018027917	Yes	4

H4-LED Ultinon Pro6000

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11342U6000X2	12	18	P43t-38	01365131	8 719018 013651	-	8719018013668	Yes	6
11342U6000X1	12	18	P43t-38	02424494	8 719018 024244	-	8719018024237	Yes	4

H4-LED Ultinon Pro6000 Standard

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11342U60SX2	12	19	P43t-38	02786331	8 719018 027863	-	8719018027870	Yes	6

H7-LED Ultinon Pro6000 Boost

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11972U60BX2	12	15	PX26d	02563031	8 719018 025630	-	8719018025647	Yes	6
11972U60BX1	12	16	PX26d	02788794	8 719018 027887	-	8719018027894	Yes	4

H7-LED Ultinon Pro6000

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11972U6000X2	12	15	PX26d	01361331	8 719018 013613	-	8719018013644	Yes	6
11972U6000X1	12	15	PX26d	02422094	8 719018 024220	-	8719018024251	Yes	4

H7-LED Ultinon Pro6000 Standard

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11972U60SX2	12	17	PX26d	02556231	8 719018 025562	-	8719018025579	Yes	6

W5W-LED Ultinon Pro6000

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11961HU60X2	12	0,9	W2.1x9.5d	01638630	8 719018 016386	-	8719018016393	Yes	10

23-AA
75

CANbus Adapters

- Designed to **prevent inaccurate dashboard error messages** for vehicles equipped with bulb failure detection
- **Avoid ickering and light-dimming issues**
- Ensure smooth installation of Philips HL-LED bulbs
- EMI compliance on electromagnetic interference
- IP65 ingress protection from dust and water

H4-LED

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
18960X2	12	12	-	72831594	6 974260 728315	-	6974260728322	Yes	4

H7-LED

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
18952X2	12	12	-	72837794	6 974260 728377	-	6974260728384	Yes	4

W5W-LED

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12956X2	12	5	-	39722294	8 719018 005007	-	8727900397222	Yes	4

Adapter Rings

Almost every car model has a di erent type of socket in which halogen bulbs are secured. When replacing your halogen bulbs with LED lighting, you may need a connector ring to secure the LED bulbs inside the headlamp.

If another type of adapter ring is needed, you can find the concerning ring type mentioned in the Philips application list.

Philips.com/LEDcompatibility-check

Type A

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11184X2	-	-	-	02009331	8 719018 020093	-	8719018020109	Yes	6

Type D

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11176X2	-	-	-	01681231	8 719018 016812	-	8719018016829	Yes	6

Type E

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11178X2	-	-	-	01679931	8 719018 016799	-	8719018016805	Yes	6

Type H

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11172X2	-	-	-	01630031	8 719018 016300	-	8719018016317	Yes	6

Type I

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11179X2	-	-	-	01683631	8 719018 016836	-	8719018016843	Yes	6

Type K

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11180X2	-	-	-	01675131	8 719018 016751	-	8719018016768	Yes	6

Type L

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11023X2	-	-	-	02804431	8 719018 028044	-	8719018028051	Yes	6

Type N

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11183X2	-	-	-	01636231	8 719018 016362	-	8719018016379	Yes	6

Type P

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11182X2	-	-	-	01677531	8 719018 016775	-	8719018016782	Yes	6

Type Q

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11024X2	-	-	-	02806831	8 719018 028068	-	8719018028075	Yes	6

Type V

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11022X2	-	-	-	02802031	8 719018 028020	-	8719018028037	Yes	6

Type X

Left

Right

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11020X2	-	-	-	02798631	8 719018 027986	-	8719018027993	Yes	6

LED Off-roa

Car and truck
lighting

Which **LED lamp** do you need?

Professional **performance**

Master the light, defy the dark

Ultinon Pro9200

2 years +3 extended warranty



Beam performance*



Light color

Up to **5800 K**

Standard: 3100 K

Lifetime

Up to **5000 h**

Available in

HL [≈H1], [≈H3], [≈H4], [≈H7], [≈HB3/HB4], [≈H9/H11], [≈HIR2]

FL [≈H8/H11/H16]

White light for brighter roads

Ultinon Pro5100

2 years +1 extended warranty



Beam performance*

Light color

Up to **5800 K**

Standard: 3100 K

Lifetime

Up to **3000 h**

Available in

HL [≈H1], [≈H3], [≈H4], [≈H7], [≈HB3/HB4], [≈H11], [≈HIR2]

FL [≈H8/H11/H16]

Stylish LED light

Ultinon Pro3022

2 years +1 extended warranty



Beam performance*



Light color

Up to **6000 K**



Standard: 3100 K

Lifetime

Up to **2000 h**

Available in

HL [≈H1], [≈H3], [≈H4], [≈H7], [≈HB3/HB4], [≈H11], [≈HIR2]

FL [≈H8/H11/H16]

Classic **style**

Classic warm white light

Ultinon Classic

2 years



Beam performance*

Light color

Up to **3500 K**

Standard: 3100 K

Lifetime

Up to **1500 h**

Available in

HL [≈H4/H19], [≈H7/H18], [≈H11]

Images for illustration purposes only.

* Compared to the minimum legal requirement. Applies to [≈H4] and [≈H7]. It may vary depending on the car model and bulb type.

ECE R37

It is your own responsibility to ensure that the use of the LED retrofit lights complies with applicable local legal requirements.

Philips.com/led-bulbs

Quick and easy **installation**

Upgrade. Drive. Enjoy.

Ultinon Access

2 years **+1** extended warranty



Beam performance*



Light color

Up to **6000 K**



Standard: 3100 K

Lifetime

Up to **1500 h**



Available in

HL [≈H1], [≈H3], [≈H4/H19], [≈H7/H18], [≈HB3/HB4], [≈H11], [≈HIR2]

FL [≈H8/H9/H16]

Ultinon Pro9200

Master the light, defy the dark

- **Ultra-compact design** for better fit: 30% smaller footprint and easy fitting ven in narrow headlamps
- Superior visibility on the road: up to **400% brighter light***
- **Optimal spectrum** enhancing the visibility of road signs
- **5800 Kelvin** cool white light, reducing eye strain and fatigue
- **Philips SafeBeam** technology, ensuring a glare-free beam pattern
- Compatible with 12V and 24V systems
- Lifespan of up to **5,000 hours** with advanced AirBoost heat-management technology
- Extended **warranty up to 5 years****
- Up to IP55-rated for dust and water resistance
- EMI-rated against electromagnetic interference

Automotive Grade Quality

2 years +3 extended warranty

*Compared to the minimum legal requirement. Applies to H4, H7. It may vary depending on the car model and bulb type.
** 2-year guarantee on purchase + 3 years' free extended warranty upon registration: www.philips.com/auto-warranty

Standard halogen



Ultinon Pro9200

Available in X2 packaging

Available in

HL [≈H1]

HL [≈H3]

HL [≈H4]

HL [≈H7]

FL [≈H8/H11/H16]

HL [≈H9/H11]

HL [≈HB3/HB4]

HL [≈HIR2]

ECE R37 / It is your own responsibility to ensure that the use of the LED retrofit ights complies with applicable local legal requirements.

Ultinon Pro5100

White light, for brighter roads

- Get up to **+160% brighter light*** for superior visibility
- Up to **5800 K** color temperature for **bright white light and modern look**
- **SafeBeam** technology for glare-free driving
- Lifetime up to **3,000 hours**
- **High compatibility** with major vehicle models
- **Extended warranty** up to **3 years**.
- Compatible with 12V and 24V electrical systems

*Compared to the minimum legal standard for halogen bulbs

Automotive Grade Quality

2 years **+1** extended warranty

Standard halogen

Ultinon Pro5100

Available in X2 packaging

Available in

HL [≈H1]

HL [≈H3]

HL [≈H4]

HL [≈H7]

FL [≈H8/H11/H16]

HL [≈H11]

HL [≈HB3/HB4]

HL [≈HIR2]

Ultinon Pro3022

Stylish LED lighting that's easy to fit

- Up to **100 brighter light***
- Up to **6000 K color temperature** for a cool-white-light look
- Compact **all-in-one design** for plug and play use
- Compatible with major vehicle models
- **Long-lasting performance**
- Extended **warranty** up to **3 years**
- Compatible with 12V and 24V electrical systems

*Compared to the legal minimum standard for halogen bulbs

Automotive Grade Quality

2 years +1 extended warranty

Standard halogen



Ultinon Pro5100

Available in X2 packaging

Available in

HL [≈H1]

HL [≈H3]

HL [≈H4]

HL [≈H7]

FL [≈H8/H11/H16]

HL [≈H11]

HL [≈HB3/HB4]

HL [≈HIR2]

ECE R37 / It is your own responsibility to ensure that the use of the LED retrofit ights complies with applicable local legal requirements.

Ultinon Access

Upgrade. Drive. Enjoy.

- **Plug-and-play installation:** as simple and fast to install as halogen bulbs!
- **Direct-fit design** very compact body and integrated IEC 60061 compatible base
- **Better light performance:** up to +80% brighter light*
- Lifetime up to **1,500 hours**
- Up to **6000 K** color temperature for a cool white look
- **Extended warranty** up to **3 years**.

*Compared to the minimum legal standard for halogen bulbs.

Automotive Quality Grade

2 years +1 extended warranty

Standard halogen



Ultinon Access

Available in

HL [≈H1]

HL [≈H3]

HL [≈H4/H19]

HL [≈H7/H18]

FL [≈H8/H9/H16]

HL [≈H11]

HL [≈HB3/HB4]

HL [≈HIR2]

Available in CX packaging

This special CX pack includes 2x individual C1 pack

Ultinon Classic

Match your style

The perfect match between the cozy glow of classic halogen lighting and the enhanced performance of LEDs!

- **Warm 3500 K classic white light**
- **Color-match other halogen lights** while benefitin from the improved brightness of LEDs
- **Improved vision: 80% extra brightness*** on the road
- **Direct-fit design** very compact body and iIntegrated IEC 60061 base for wider compatibility
- Long-term durability and long-lasting performance

*Compared to the minimum legal standard for halogen bulbs

Automotive Grade Quality

2 years

Standard halogen

Ultinon Classic

Available in C2

Available in

HL [≈H4/H19]

HL [≈H7/H19]

HL [≈H11]

Ultinon Pro7000 SI

Superior brightness, safer drive

Best-in-class light e ect

- **High light output** for maximum visibility
- **Radiant colors**, from crisp white to intense red and amber
- **Instant-on light** for safer signals on road
- **360° uniform light distribution** from top and side LEDs*

Ease of installation

- **Standard base caps** for easy replacement
- Polarity-free for **plug-and-play installation****
- **Wide range type** to fulfi l most applications and vehicle models
- Up to 5 color options available
- 12 and 24V applications

Philips Reliability

- **High-emissive passive cooling** technology to maximize LED performance
- Vibration resistance tested
- **Long lifetime of 5000 hours**
- **3-year warranty** (2 years standard + 1 year extended)***

Except Festoon and WY5W ** ExceptFestoon 30/38/43mm, WY5W-type, W5W XU-type.
*** Visit philips.com/auto-warranty for more information.
It is your own responsibility to ensure that the use of the LED retrofit ights complies with applicable local legalrequirements.

Ultinon Pro3100 SI

Stand out from the crowd

The Philips Ultinon Pro3100 signaling range provides the best value for your money. Whether you're looking for a bright, new interior or a stunning style.

Powerful brightness and performance

- Stylish white light, up to cool blue 8000 K for some types
- New amber signaling bulb types
- Matching the performance standard*

Simple plug-and-play

- Easily upgrade from conventional bulbs to LED with a simple installation

Philips Reliability

- Lifetime of up to 3,000 hours

Compatible with major vehicle models

- Compatible with 12V electrical systems
- Optional CANbus available for troubleshooting

*Comply with ECE R37 lumen output requirement
(for indication use only)

It is your own responsibility to ensure that the use of the LED retrofit ights complies with applicable local legal requirements.

CANbus Adapters

- Designed to **prevent inaccurate dashboard error messages** for vehicles equipped with bulb failure detection
- **Avoid ickering and light-dimming issues**
- Ensure smooth installation of Philips HL-LED bulbs
- EMI compliance on electromagnetic interference
- IP65 ingress protection from dust and water
- Available for the main headlight types: H7, H4, H11, FOG, HB3, HB4 and HIR2

Available in

HL [≈H4] HL [≈H7] FL [≈H8/ H11/H16] HL [≈HB3/ HB4/HIR2]

Available in X2 packaging

Adapter Rings

Almost every car model has a di erent type of socket in which halogen bulbs are secured. When replacing your halogen bulbs with LED lighting, you may need a connector ring to secure the LED bulbs inside the headlamp.

Philips.com/LEDcompatibility-check

It is your own responsibility to ensure that the use of the LED retrofit ights complies with applicable local legal requirements.

Which **LED** for which function?

Headlights	Front fog lights	Front position/ parking lights	Front indicators	Dashboard lights	Interior lights	Side indicators

Ultinon Pro9200 HL

Headlights	Front fog lights
HL [≈H1] 5800K	FL [≈H8/H11/H16] 5800K
HL [≈H3] 5800K	
HL [≈H4] 5800K	
HL [≈H7] 5800K	
HL [≈HB3/HB4] 5800K	
HL [≈H9/H11] 5800K	
HL [≈HIR2] 5800K	

Ultinon Pro5100 HL

Headlights	Front fog lights
HL [≈H1] 5800K	FL [≈H8/H11/H16] 5800K
HL [≈H3] 5800K	
HL [≈H4] 5800K	
HL [≈H7] 5800K	
HL [≈HB3/HB4] 5800K	
HL [≈H11] 5800K	
HL [≈HIR2] 5800K	

Ultinon Pro3022 HL

Headlights	Front fog lights
HL [≈H1] 6000K	FL [≈H8/H11/H16] 6000K
HL [≈H3] 6000K	
HL [≈H4] 6000K	
HL [≈H7] 6000K	
HL [≈HB3/HB4] 6000K	
HL [≈H11] 6000K	
HL [≈HIR2] 6000K	

Ultinon Classic HL

Headlights	Front fog lights
HL [≈H4/H19] 3500K	
HL [≈H7/H18] 3500K	
HL [≈H11] 3500K	

Ultinon Access HL

Headlights	Front fog lights
HL [≈H1] 6000K	FL [≈H8/H9/H16] 6000K
HL [≈H3] 6000K	
HL [≈H4/H19] 6000K	
HL [≈H7/H18] 6000K	
HL [≈HB3/HB4] 6000K	
HL [≈H11] 6000K	
HL [≈HIR2] 6000K	

Ultinon Pro7000 SI

Front position/ parking lights	Front indicators	Dashboard lights	Interior lights	Side indicators
SI-T10 [≈W5W] 4000K 6000K 8000K	SI-AMB [≈P21W] AMBER	SI-T10 [≈W5W] 4000K 6000K	SI-T10 [≈W5W] 4000K 6000K	SI-AMB [≈W5W] AMBER
SI-WHITE [≈R5W/R10W] 6000K	SI-AMB [≈P21/5W] AMBER			SI-T10 [≈W5W] 6000K 8000K
	SI-AMB [≈W21W] AMBER	SI-FEST 30/38/43 mm 4000K 6000K	SI-FEST 30/38/43 mm 4000K 6000K	
	SI-AMB [≈W21/5W] AMBER			
	SI-WHITE [≈P21W] 6000K			
	SI-WHITE [≈W21W] 6000K			

Ultinon Pro3100 SI

Front position/ parking lights	Front indicators	Dashboard lights	Interior lights	Side indicators
SI-WHITE [≈W5W] 6000K	SI-AMB [≈P21W]	SI-WHITE [≈W5W] 6000K	SI-WHITE [≈W5W] 6000K	
SI-WHITE [≈R5W/R10W] 6000K	SI-AMB [≈W21W] AMBER			
	SI-WHITE [≈P21/5W] 6000K		SI-FEST 30/38/43 mm 6000K	

Philips.com/LED-bulbs

ECE R37

It is your own responsibility to ensure that the use of the LED retrofit lights complies with applicable local legal requirements.



Glove compartment lights	Rear position/ parking lights	Rear indicators	Rear fog lights	Trunk lights	License plate lights	Stop lights	Reversing light	3rd stop light
SI-T10 [≈W5W] 4000K 6000K	SI-RED [≈P21/5W] RED; SI-RED [≈W21/5W] RED	SI-AMB [≈P21W] AMBER	SI-RED [≈P21W] RED; SI-RED [≈W21W] RED	SI-T10 [≈W5W] 4000K 6000K 8000K	SI-T10 [≈W5W] 4000K 6000K	SI-RED [≈P21W] RED; SI-RED [≈W21W] RED	SI-WHITE [≈P21W] 6000K	SI-RED [≈P21W] RED; SI-RED [≈W21W] RED
SI-FEST 30/38/43 mm 4000K 6000K	SI-WHITE [≈P21/5W] 6000K; SI-WHITE [≈W21/5W] 6000K	SI-AMB [≈W21W] AMBER	SI-WHITE [≈P21W] 6000K; SI-WHITE [≈W21W] 6000K	SI-FEST 30/38/43 mm 4000K 6000K	SI-FEST 30/38/43 mm 6000K	SI-RED [≈P21/5W] RED; SI-RED [≈W21/5W] RED	SI-WHITE [≈W21W] 6000K	SI-WHITE [≈P21W] 6000K; SI-WHITE [≈W21W] 6000K
SI-WHITE [≈R5W/R10W] 6000K	SI-AMB [≈P21/5W] AMBER; SI-AMB [≈W21/5W] AMBER	SI-WHITE [≈P21W] 6000K	SI-WHITE [≈W16W] 6000K	SI-WHITE [≈R5W/R10W] 6000K	SI-WHITE [≈R5W/R10W] 6000K	SI-WHITE [≈P21W] 6000K; SI-WHITE [≈W21W] 6000K	SI-T16 [≈W16W] 6000K	SI-WHITE [≈R5W/R10W] 6000K
	SI-WHITE [≈R5W/R10W] 6000K	SI-WHITE [≈W21W] 6000K				SI-WHITE [≈P21/5W] 6000K; SI-WHITE [≈W21/5W] 6000K		

SI-WHITE [≈W5W] 6000K	SI-RED [≈P21/5W] RED	SI-AMB [≈P21W] AMBER	SI-RED [≈P21W] RED	SI-WHITE [≈W5W] 6000K	SI-WHITE [≈W5W] 6000K	SI-RED [≈P21W] RED; SI-RED [≈P21/5W] RED	SI-WHITE [≈P21W] 6000K; SI-WHITE [≈W21W] 6000K	SI-RED [≈P21W] RED; SI-RED [≈W21W] RED
SI-FEST 30/38/43 mm 6000K	SI-RED [≈W21/5W] RED	SI-AMB [≈W21W] AMBER	SI-RED [≈W21W] RED	SI-FEST 30/38/43 mm 6000K	SI-FEST 30/38/43 mm 6000K	SI-RED [≈W21W] RED; SI-RED [≈W21/5W] RED	SI-T16 [≈W16W] 6000K	SI-WHITE [≈R5W/R10W] 6000K
SI-WHITE [≈R5W/R10W] 6000K				SI-WHITE [≈R5W/R10W] 6000K	SI-WHITE [≈R5W/R10W] 6000K			

12V/24V LED Headlighting

HL [≈H1] Ultinon Pro9200

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11258U92X2	12/24	13	P14,5s	02775794	8 719018 027757	-	8719018027764	-	4

HL [≈H1] Ultinon Pro5100

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
11258U51X2	12/24	12,5	P14,5s	01878694	8 719018 018786	-	8719018018793	-	4

HL [≈H1] Ultinon Pro3022

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
11258U3022X2	12/24	18	P14,5s	01812094	8 719018 018120	-	8719018018137	-	4

HL [≈H1] Ultinon Access

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11258U2500CX	12	13	P14,5s	02583850	-	8 719018 025845	8719018025852	-	4x2

HL [≈H3] Ultinon Pro9200

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
11336U92X2	12/24	11	PK22s	02777194	8 719018 027771	-	8719018027788	-	4

HL [≈H3] Ultinon Pro5100

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
11336U51X2	12/24	12	PK22s	01890894	8 719018 018908	-	8719018018915	-	4

HL [≈H3] Ultinon Pro3022

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11336U3022X2	12/24	18	PK22s	01814494	8 719018 018144	-	8719018018151	-	4

HL [≈H3] Ultinon Access

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11336U2500CX	12	13	PK22s	02586950	-	8 719018 025876	8719018025883	-	4x2

HL [≈H4] Ultinon Pro9200

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11342U92X2	12/24	18	P43t-38	02763494	8 719018 027634	-	8719018027641	-	4

HL [≈H4] Ultinon Pro5100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11342U51X2	12/24	12	P43t-38	01882394	8 719018 018823	-	8719018018830	-	4

HL [≈H4] Ultinon Pro3022

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
11342U3022X2	12/24	20	P43t-38	01800794	8 719018 018007	-	8719018018014	-	4

HL [≈H4/H19] Ultinon Access

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11342U2500CX	12	20/22	P43t-38/ PU43t-3	02565450	-	8 719018 025661	8719018025678	-	4

HL [≈H4/H19] Ultinon Classic

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
11342U2510C2	12	20	P43t-38/ PU43t-3	02727694	-	8 719018 027276	8719018027283	-	4

HL [≈H7] Ultinon Pro9200

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
11972U92X2	12/24	21	PX26d	02765894	8 719018 027658	-	8719018027665	-	4

HL [≈H7] Ultinon Pro5100

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
11972U51X2	12/24	12	PX26d	01884794	8 719018 018847	-	8719018018854	-	4

HL [≈H7] Ultinon Pro3022

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11972U3022X2	12/24	20	PX26d	01802194	8 719018 018021	-	8719018018038	-	4

HL [≈H7/H18] Ultinon Access

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11972U2500CX	12	16	PX26d/ PY26d-1	02568550	-	8 719018 025708	8719018025692	-	4

HL [≈H7/H18] Ultinon Classic

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
11972U2510C2	12	16	PX26d/ PY26d-1	02729094	-	8 719018 027290	8719018027313	-	4

HL [≈H9/H11] Ultinon Pro9200

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
11362U92X2	12/24	21	PGJ19-2/5	02773394	8 719018 027733	-	8719018027740	-	4

HL [≈H11] Ultinon Pro5100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11362U51X2	12/24	12	PGJ19-2	01880994	8 719018 018809	-	8719018018816	-	4

It is your own responsibility to ensure that the use of the LED retrofit ights complies with applicable local legal requirements.

12V/24V LED Headlighting

HL [≈H11] Ultinon Pro3022

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
11362U3022X2	12/24	20	PGJ19-2	01810694	8 719018 018106	-	8719018018113	-	4

HL [≈H11] Ultinon Access

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11362U2500CX	12	20	PGJ19-2	02571550	-	8 719018 025722	8719018025739	-	4

HL [≈H11] Ultinon Classic

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
11362U2510C2	12	20	PGJ19-2	02732094	-	8 719018 027320	8719018027306	-	4

FL [≈H8/H11/H16] Ultinon Pro9200

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
11366U92X2	12/24	18	PGJ19-1/2/3	02767294	8 719018 027672	-	8719018027689	-	4

FL [≈H8/H11/H16] Ultinon Pro5100

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
11366U51X2	12/24	9	PGJ19-1/2/3	01876294	8 719018 018762	-	8719018018779	-	4

FL [≈H8/H11/H16] Ultinon Pro3022

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11366U3022X2	12/24	20	PGJ19-1/2/3	01804594	8 719018 018045	-	8719018018052	-	4

FL [≈H8/H9/H16] Ultinon Access

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11366U2500CX	12	20	PGJ19-1/3/5	02580750	-	8 719018 025814	8719018025821	-	4x2

HL [≈HIR2] Ultinon Pro9200

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
11012U92X2	12/24	21	PX22d	02771994	8 719018 027719	-	8719018027726	-	4

HL [≈HIR2] Ultinon Pro5100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11012U51X2	12/24	12	PX22d	01888594	8 719018 018885	-	8719018018892	-	4

HL [≈HIR2] Ultinon Pro3022

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11012U3022X2	12/24	20	PX22d	01808394	8 719018 018083	-	8719018018090	-	4

It is your own responsibility to ensure that the use of the LED retrofit ights complies with applicable local legal requirements.

HL [≈HIR2] Ultinon Access

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11012U2500CX	12	20	PX22d	02577750	-	8 719018 025784	8719018025791	-	4x2

HL [≈HB3/HB4] Ultinon Pro9200

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
11005U92X2	12/24	21	P20d/P22d	02769694	8 719018 027696	-	8719018027702	-	4

HL [≈HB3/HB4] Ultinon Pro5100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11005U51X2	12/24	12	P20d/P22d	01886194	8 719018 018861	-	8719018018878	-	4

HL [≈HB3/HB4] Ultinon Pro3022

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
11005U3022X2	12/24	20	P20d/P22d	01806994	8 719018 018069	-	8719018018076	-	4

HL [≈HB3/HB4] Ultinon Access

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11005U2500CX	12	20	P20d/P22d	02574650	-	8 719018 025753	8719018025760	-	4x2

12V LED Signaling and interior lighting

SI-WHITE [≈Fest 30 mm] 6000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11860CU70X1	12	1	SV8.5	02305630	8 719018 023056	-	8719018023063	-	1x10

SI-FEST 30 mm 6000 K Ultinon Pro3100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11860CU31B1	12	0,8	SV8.5	02184730	8 719018 021847	-	8719018021854	-	1x10

SI-WHITE [≈Fest 30 mm] 4000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11860WU70X1	12	1	SV8.5	02299830	8 719018 022998	-	8719018023001	-	1x10

SI-WHITE [≈Fest 38 mm] 6000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11854CU70X1	12	1	SV8.5	02307030	8 719018 023070	-	8719018023087	-	1x10

SI-FEST 38 mm 6000 K Ultinon Pro3100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11854CU31B1	12	0.6	SV8.5	02210330	8 719018 022103	-	8719018022110	-	1x10

SI-WHITE [≈Fest 38 mm] 4000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11854WU70X1	12	1	SV8.5	02301830	8 719018 023018	-	8719018023025	-	1x10

SI-WHITE [≈Fest 43 mm] 6000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11866CU70X1	12	1	SV8.5	02309430	8 719018 023094	-	8719018023100	-	1x10

SI-FEST 43 mm 6000 K Ultinon Pro3100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11866CU31B1	12	0.6	SV8.5	02212730	8 719018 022127	-	8719018022134	-	1x10

SI-WHITE [≈Fest 43 mm] 4000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11866WU70X1	12	1	SV8.5	02303230	8 719018 023032	-	8719018023049	-	1x10

SI-AMBER [≈P21/5W] Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11499AU70X2	12	2.7/0.9	BAY15d	02279030	8 719018 022790	-	8719018022806	-	2x10

SI-RED [≈P21/5W] Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11499RU70X2	12	2.6/0.9	BAY15d	02281330	8 719018 022813	-	8719018022820	-	2x10

SI-RED [≈P21/5W] Ultinon Pro3100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11499RU31B2	12	1.75/ 0.65	BAY15d	02190830	8 719018 021908	-	8719018021915	-	2x10

SI-WHITE [≈P21/5W] 6000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11499CU70X2	12	2.7/0.9	BAY15d	02277630	8 719018 022776	-	8719018022783	-	2x10

SI-WHITE [≈P21/5W] 6000 K Ultinon Pro3100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11499CU31B2	12	2.4/0.48	BAY15d	02200430	8 719018 022004	-	8719018022011	-	2x10

SI-AMBER [≈PY21W] Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11498AU70X2	12	2,5	BAU15s	02273830	8 719018 022738	-	8719018022745	-	2x10

SI-AMBER [≈PY21W] Ultinon Pro3100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11496AU31B2	12	2,15	BAY15d	02202830	8 719018 022028	-	8719018022035	-	2x10

SI-RED [≈P21W] Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11498RU70X2	12	2,6	BA15s	02275230	8 719018 022752	-	8719018022769	-	2x10

SI-RED [≈P21W] Ultinon Pro3100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11498RU31B2	12	1,73	BA15s	02188530	8 719018 021885	-	8719018021892	-	2x10

SI-WHITE [≈P21W] 6000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11498CU70X2	12	2,6	BA15s	02271430	8 719018 022714	-	8719018022721	-	2x10

SI-WHITE [≈P21W] 6000 K Ultinon Pro3100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11498CU31B2	12	2,2	BA15s	02186130	8 719018 021861	-	8719018021878	-	2x10

SI-WHITE [≈W16W] 6000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11067CU70X1	12	2,5	W2.1x9.5d	02283730	8 719018 022837	-	8719018022844	-	10

12V LED Signaling and interior lighting

SI-WHITE [≈W16W] 6000 K Ultinon Pro3100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11067CU31B1	12	1,8	W2.1x9.5d	02204230	8 719018 022042	-	8719018022059	-	2x10

SI-AMBER [≈W21/5W] Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11066AU70X2	12	2.7/0.9	W3x16q	02267730	8 719018 022677	-	8719018022684	-	2x10

SI-RED [≈W21/5W] Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11066RU70X2	12	2.6/0.9	W3x16q	02269130	8 719018 022691	-	8719018022707	-	2x10

SI-RED [≈W21/5W] Ultinon Pro3100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11066RU31B2	12	1.75/ 0.65	W3x16q	02196030	8 719018 021960	-	8719018021977	-	2x10

SI-WHITE [≈W21/5W] 6000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11066CU70X2	12	2.7/0.9	W3x16q	02265330	8 719018 022653	-	8719018022660	-	2x10

SI-WHITE [≈W21/5W] 6000 K Ultinon Pro3100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11066CU31B2	12	2.4/0.48	W3x16q	02208030	8 719018 022080	-	8719018022097	-	2x10

SI-AMBER [≈WY21W] Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11071AU70X2	12	2,5	WX3x16d	02261530	8 719018 022615	-	8719018022622	-	2x10

SI-AMBER [≈WY21W] Ultinon Pro3100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11071AU31B2	12	2,15	WX3x16d	02198430	8 719018 021984	-	8719018021991	-	2x10

SI-RED [≈W21W] Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11065RU70X2	12	2,6	W3x16d	02263930	8 719018 022639	-	8719018022646	-	2x10

SI-RED [≈W21W] Ultinon Pro3100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11065RU31B2	12	1,73	W3x16d	02194630	8 719018 021946	-	8719018021953	-	2x10

SI-WHITE [≈W21W] 6000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11065CU70X2	12	2,6	W3x16d	02259230	8 719018 022592	-	8719018022608	-	2x10

SI-WHITE [≈W21W] 6000 K Ultinon Pro3100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11065CU31B2	12	2,2	W3x16d	02192230	8 719018 021922	-	8719018021939	-	2x10

SI-AMBER [≈W5W] 6000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12202AU70X2	12	0,5	W2,1x9,5d	02313130	8 719018 023131	-	8719018023148	-	2x10

SI-T10 [≈W5W] 8000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11961XU70X2	12	0,62	W2,1x9,5d	02297430	8 719018 022974	-	8719018022981	-	2x10

SI-T10 [≈W5W] 6000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11961CU70X2	12	0,87	W2,1x9,5d	02291230	8 719018 022899	-	8719018022929	-	2x10

SI-WHITE [≈W5W] 6000 K Ultinon Pro3100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11961CU31B2	12	0,74	W2.1x9.5d	02182330	8 719018 021823	-	8719018021830	-	2x10

SI-T10 [≈W5W] 4000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11961WU70X2	12	0,87	W2,1x9,5d	02289930	8 719018 015143	-	8719018022905	-	2x10

SI-WHITE [≈R5/R10W] 6000 K Ultinon Pro3100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11090CU31B2	12	1,8	BA15s	02206630	8 719018 022066	-	8719018022073	-	2x10

SI-WHITE [≈R5/R10W] 4000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
24805CU70X2	12	1,05	BA15s	02315530	8 719018 023131	-	8719018023162	-	2x10

CANbus Adapters

SI [≈W5W]

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12956X2	12	5	-	39722294	8 727900 397222	-	8719018005007	Yes	4

SI [≈W21W]

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
18957X2	12	5	-	39587794	8 727900 395877	-	8719018004956	-	4

HL [≈H4]

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
18960X2	12	12	-	72831594	6 974260 728315	-	6974260728322	Yes	4

HL [≈H7]

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
18952X2	12	12	-	72837794	6 974260 728377	-	6974260728384	Yes	4

FL [≈H8/H11/H16]

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
18954X2	12	12	-	72833994	6 974260 728339	-	6974260728346	-	4

HL [≈HB3/HB4/HIR2]

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
18956X2	12	12	-	72835394	6 974260 728353	-	6974260728360	-	4

Adapter Rings

Type A for U9200

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11184X2	-	-	-	02009331	8 719018 020093	-	8719018020109	-	6

Type D for U9200

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11176X2	-	-	-	01681231	8 719018 016812	-	8719018016829	-	6

Type E for U9200

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11178X2	-	-	-	01679931	8 719018 016799	-	8719018016805	-	6

Type H for U9200, U5100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11172X2	-	-	-	01630031	8 719018 016300	-	8719018016317	-	6

Type I for U9200, U5100, U3022

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11179X2	-	-	-	01683631	8 719018 016836	-	8719018016843	-	6

Type K for U9200, U5100, U3022

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11180X2	-	-	-	01675131	8 719018 016751	-	8719018016768	-	6

Type L for U9200

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11023X2	-	-	-	02804431	8 719018 028044	-	8719018028051	-	6

Type N for U9200, U5100, U3022

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11183X2	-	-	-	01636231	8 719018 016362	-	8719018016379	-	6

Type P for U9200

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11182X2	-	-	-	01677531	8 719018 016775	-	8719018016782	-	6

Type Q for U9200

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11024X2	-	-	-	02806831	8 719018 028068	-	8719018028075	-	6

Type RCD for U5100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11009RCDX2	-	-	-	02058131	8 719018 020581	-	8719018020598	-	6

Type RCE for U5100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11010RCEX2	-	-	-	02060431	8 719018 020604	-	8719018020611	-	6

Type RCP for U5100

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11011RCPX2	-	-	-	02062831	8 719018 020628	-	8719018020635	-	6

Type RAH for U3022

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11013RAHX2	-	-	-	02046831	8 719018 020468	-	8719018020475	-	6

Type RAP for U3022

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11016RAPX2	-	-	-	02052931	8 719018 020529	-	8719018020536	-	6

Type RAE for U3022

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11015RAEX2	-	-	-	02050531	8 719018 020505	-	8719018020512	-	6

Type RAD for U3022

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11014RADX2	-	-	-	02048231	8 719018 020482	-	8719018020499	-	6

Type V for U9200

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11022X2	-	-	-	02802031	8 719018 028020	-	8719018028037	-	6

Type X for U9200

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11020X2	-	-	-	02798631	8 719018 027986	-	8719018027993	-	6

24V LED Signaling and interior lighting

SI-WHITE [≈Fest 30 mm] 6000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
24844CU70X1	24	1,5	SV8.5	02311730	8 719018 023117	-	8719018023124	-	1x10

SI-AMBER [≈P21/5W] Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11499AU70X2	24	3.3/1.5	BAY15d	02279030	8 719018 022790	-	8719018022806	-	2x10

SI-RED [≈P21/5W] Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11499RU70X2	24	3.3/1.5	BAY15d	02281330	8 719018 022813	-	8719018022820	-	2x10

SI-WHITE [≈P21/5W] 6000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11499CU70X2	24	3.5/1.6	BAY15d	02277630	8 719018 022776	-	8719018022783	-	2x10

SI-AMBER [≈PY21W] Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11496AU70X2	24	3,2	BAU15s	02273830	8 719018 022738	-	8719018022745	-	2x10

SI-RED [≈P21W] Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11498RU70X2	24	3,2	BA15s	02275230	8 719018 022752	-	8719018022769	-	2x10

SI-WHITE [≈P21W] 6000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11498CU70X2	24	3,3	BA15s	02271430	8 719018 022714	-	8719018022721	-	2x10

SI-AMBER [≈W21/5W] Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11066AU70X2	24	3.3/1.5	W3x16q	02267730	8 719018 022677	-	8719018022684	-	2x10

SI-RED [≈W21/5W] Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11066RU70X2	24	3.3/1.5	W3x16q	02269130	8 719018 022691	-	8719018022707	-	2x10

SI-WHITE [≈W21/5W] 6000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11066CU70X2	24	3.5/1.6	W3x16q	02265330	8 719018 022653	-	8719018022660	-	2x10

SI-AMBER [≈WY21W] Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11071AU70X2	24	3,2	WX3x16d	02261530	8 719018 022615	-	8719018022622	-	2x10

SI-RED [≈W21W] Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11065RU70X2	24	3,2	W3x16d	02263930	8 719018 022639	-	8719018022646	-	2x10

SI-WHITE [≈W21W] 6000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11065CU70X2	24	3,3	W3x16d	02259230	8 719018 022592	-	8719018022608	-	2x10

SI-WHITE [≈W16W] 6000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
11067CU70X1	24	2,7	W2,1x9,5d	02283730	8 719018 022837	-	8719018022844	-	10

SI-WHITE [≈W5W] 6000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
24961CU70X2	24	1	W2,1x9,5d	02295030	8 719018 022950	-	8719018022967	-	2x10

SI-WHITE [≈W5W] 4000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
24961WU70X2	24	1	W2,1x9,5d	02293630	8 719018 022936	-	8719018022943	-	2x10

SI-WHITE [≈R5/R10W] 4000 K Ultinon Pro7000 SI

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
24805CU70X2	24	1,25	BA15s	02315530	8 719018 023155	-	8719018023162	-	2x10

Halogen

Car lighting

Which **car lamp** do you need?

Enhanced **brightness**

Up to 200% more brightness*

RacingVision GT200

Beam up to +80 m***

Beam performance*



Light color**

Up to **3500 K**

Standard: 3100 K

Lifetime**

Up to **250 h**

Available in
H4, H7

Up to 150% more brightness*

X-tremeVision Pro150

Beam up to +70 m***

Beam performance*



Light color**

Up to **3400 K**

Standard: 3100 K

Lifetime**

Up to **450 h**

Available in
H1, H4, H7, H11, HB3, HB4, HIR2

Up to 60% more vision*

VisionPlus

Beam performance*



Light color**

Up to **3250 K**

Standard: 3100 K

Lifetime**

Up to **500 h**

Available in
H1, H4, H7

Up to 30% more vision*

Vision

Beam performance*



Light color**

Up to **3200 K**

Standard:3100 K

Lifetime**

Up to **600 h**

Available in
H1, H3, H4, H7, H11, HB3, HB4

Images for illustration purposes only.

* Compared to the minimum legal standard. ** Lifetime and color temperature differ per type, indication for H7 only.

Philips.com/Halogen

Unique **style**

Sharp
white look

WhiteVision ultra

H4, H7 up to **4200 K**

Beam performance*



Light color**

Up to **4200 K**

Standard: 3100 K

Lifetime**

Up to **350 h**

Available in
H1, H3, H4, H7, H8, H11, HB3, HB4, HIR2, PSX24W

Extended **lifetime**

Lifetime up to
1500 hours**

LongLife EcoVision



Beam performance



Light color**

Up to **3100 K**

Standard: 3100 K

Lifetime**

Up to **1500 h**



Available in
H1, H3, H4, H7, H11, H18, H19, HIR2

*** Compared to derived minimum after ECE regulation, based on 1 Lux. Farthest distance from the car, applies to H4 and H7.

RacingVision GT200

Incredible performance in a road-legal bulb

- **Up to 200% brighter light* to transform your drive**
- **Extends your beam by 80 meters****
- **Fully road-legal for an enjoyable drive**

If you're passionate about driving, let Philips RacingVision GT200 car bulbs elevate your automotive experience. Up to 200% brighter light that shines over 80 meters longer means better vision and faster reactions for a more exciting drive.

*Compared to minimum legal standard.
**Compared to derived minimum after ECE regulation, based on 1 Lux. Farthest distance from the car.

Standard

RacingVision GT200

Available in S2 and B1 packaging

Available in

H4

H7

X-tremeVision Pro150

The best blend of high performance and lifetime

- **See the road better with up to 150% brighter light***
- **Longer lasting for a lifetime of safety****
- **High-performance beam throws light 70 meters further*****
- **More contrast and visibility with cool light**

Combining striking brightness with the kind of lifespan previously unavailable in such a high-performance bulb, Philips X-tremeVision Pro150 provides the visibility to keep you and your loved ones even safer on the road.

*Compared to minimum legal standard. Applies to headlight bulbs.
**Lifetime di ers per type. Indication for H7: up to 450 hours.
***Compared to derived minimum after ECE regulation, based on 1 Lux. Farthest distance from the car. Applies to H4, H7.

Standard

X-tremeVision Pro150

Available in S2 and B1 packaging

Available in

H1

H4

H7

H11

HB3

HB4

HIR2

W5W

VisionPlus

Fast reactions save lives

- **Up to 60% more vision***
- **Greater driving comfort with enhanced visibility**
- **High-quality and ultra-resistant car lamp**

Philips VisionPlus headlamps allow drivers to see farther for greater **safety** and **comfort**.

*Compared to the minimum legal standard

Standard

VisionPlus

Available in S2 and B1 packaging

Available in

H1

H4

H7

Vision

Feel safe, drive safe

- **Up to 30% more vision***
- **Competitive price-performance ratio**
- **High-quality and ultra-resistant car lamp**

Philips Vision headlamps ensure excellent light-beam performance at a very **competitive price.**

*Compared to the minimum legal standard

Standard

Vision

Available in C1 and B1 packaging

Available in

H1

H3

H4

H7

HB3

HB4

H11

WhiteVision ultra

Sharp white look

- **Superior white stylish look with up to 4 200 Kelvin***
- **Driving comfort with up to 60% more vision****
- **100% road-legal performance**

Philips WhiteVision ultra, featuring the latest gradient ultra-white coating formula, delivers a stunning white light of up to 4 200 Kelvin. These are the whitest road-legal halogen lights in our portfolio and the perfect choice if you're looking for a cool, stylish look and a safer drive.

*Applies to H4, H7. Light temperature di ers per technical type.
**Compared to the minimum legal standard. Applies to headlight bulbs.

Standard

WhiteVision ultra

Available in S2, B1 and B2 packaging

Available in

LongLife EcoVision

Longer Lifetime, less replacement

- **Lasts signifi antly longer***
- **High-quality and ultra-resistant car lamp**

Tired of **changing** your headlamps all the time? With **longer lifetime**, Philips LongLife EcoVision is the choice for drivers seeking to **minimize maintenance** on their vehicles.

*Lifetime di ers per type. Indication for H7: up to 1 500 hours.

Available in S2, C1 and B1 packaging

Available in

Which lamp for which **function?**

12620	12475	12258	12336	12342	12972	12361	9145	12362	9008	12580	12643	12644	9005	9006	9007	9012
R2	R2 Visio	H1	H3	H4	H7	H9	H10	H11	H13	H15	H18	H19	HB3	HB4	HB5	HIR2

Low beam – high beam

12356	12146	12498	12496	12496SV	12065	12071	12188	12180	12174	12190	12274
H21W	HY21W	P21W	PY21W	PY21WSV	W21W	WY21W	PSY24W	PSY24WSV	PWY24W	PY24W	PY24WSV

Front indicators

12277	12177	12085	12278	12197
P13W	PW16W	PS19W	PSX26W	HiPerLCP

Daytime Running Lights

12929	12023	12961	12040	12844	12866	12799	12946
T4W	H5W	W5W	WBT10	C5W	FEST10W	LED-T10 [≈W5W]	LED-FEST 43mm

Interior lights

12256	12961	12521	
W3W	W5W	WBT5	Bax

Dashboard lights

12256	12929	12821	12023	12961	12036	12066
W3W	T4W	R5W	H5W	W5W	H6W	W21/5W

Front parking lights

12256	12929	12821	12961	12396	12271
W3W	T4W	R5W	W5W	WY5W	PCY16W

Side indicators

12258	12336	12972	12360	12362	12366	12643	9005	9006	12059	12060	12276	12086
H1	H3	H7	H8	H11	H16	H18	HB3	HB4	H27W/1	H27W/2	PSX24W	PS24W

Front fog lights

RacingVision GT200 | X-tremeVision Pro150 | VisionPlus | Vision | WhiteVision ultra | LongLife EcoVision

Philips.com/mylamps

12844	12821	12866
C5W	R5W	FEST10W

Trunk lights

12814	12093	12067	12356	12146	12498	12496	12496SV	12065	12071	12275	12174	12180	12190	12274
R10W	RY10W	W16W	H21W	HY21W	P21W	PY21W	PY21WSV	W21W	WY21W	PSY19W	PWY24W	PSY24WSV	PY24W	PY24WSV

Rear indicators

12256	12961	12067	12065	12814
W3W	W5W	W16W	W21W	R10W

3rd stop light

12067	12356	12498	12065	12085	12276
W16W	H21W	P21W	W21W	PS19W	PSX24W

Reversing light

12844	12821	12961
C5W	R5W	W5W

Glove compartment lights

12929	12821	12961	12036	12814	12594	12499	12495
T4W	R5W	W5W	H6W	R10W	P21/4W	P21/5W	PR21/5W

Rear parking lights

12256	12844	12821	12961	12814
W3W	C5W	R5W	W5W	R10W

License plate lights

12067	12356	12498	12088	12085
W16W	H21W	P21W	PR21W	PS19W

Rear fog lights

12067	12498	12088	12594	12499	12495	12065	12066
W16W	P21W	PR21W	P21/4W*	P21/5W*	PR21/5W*	W21W	W21/5W*

Stop lights

*Combines stop and rear parking light function

Philips RacingVision GT200 and X-tremeVision Pro150 ranges are not available in all countries. For more information, please contact your Philips representative.

Headlighting

H1 Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12258PRB1	12	55	P14,5s	47516930	8 711500 475169	-	8711500475176	ECE	10
12258PRC1	12	55	P14,5s	47518360	8 711500 475183	8727900363791	8711500475190	ECE	100

H1 VisionPlus

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12258VPS2	12	55	P14,5s	36322728	8 727900 363227	-	8727900363210	ECE	5
12258VPB1	12	55	P14,5s	36320330	8 727900 363203	-	8727900363197	ECE	10

H1 X-tremeVision Pro150

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
12258XVPS2	12	55	P14,5s	00565628	8 719018 005656	-	8719018005663	ECE	5
12258XVPB1	12	55	P14,5s	00549630	8 719018 005496	-	8719018005502	ECE	10

H1 LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12258LLECOS2	12	55	P14,5s	36255828	8 727900 362558	-	8727900362565	ECE	5
12258LLECOB1	12	55	P14,5s	36196430	8 727900 361964	-	8727900361971	ECE	10
12258LLECOC1	12	55	P14,5s	36187230	8 727900 361872	-	8727900370683	ECE	10

H1 WhiteVision ultra

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
12258WVUSM	12	55	P14,5s	00525028	8 719018 005250	-	8719018005267	ECE	5
12258WVUB1	12	55	P14,5s	00523630	8 719018 005236	-	8719018005243	ECE	10

H1 Spot

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12258SPC1	12	55	P14,5s	40460230	8 711500 404602	-	8727900370690	ECE	10

H2

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12311C1	12	55	X511	47752130	8 711500 477521	-	8727900370782	ECE	10

H3 Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12336PRB1	12	55	PK22s	69561130	8 711500 695611	-	8711500695628	ECE	10
12336PRC1	12	55	PK22s	69534560	8 711500 695345	8711500775696	8711500695352	ECE	100

Packing quantity: number of packs per outer box

H3 LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12336LLECOC1	12	55	PK22s	77704130	8 711500 777041	-	8711500779366	ECE	10

H3 WhiteVision ultra

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
12336WVUB1	12	55	PK22s	00531128	8 719018 005311	-	8719018005328	ECE	5

H4 Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12342PRB1	12	60/55	P43t-38	47480330	8 711500 474803	-	8711500474810	ECE	10
12342PRC1	12	60/55	P43t-38	49099560	8 711500 490995	8711500827807	8711500490988	ECE	100
12342PRC2	12	60/55	P43t-38	78028760	8 711500 780287	8711500780294	8711500780300	ECE	50

H4 VisionPlus

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12342VPS2	12	60/55	P43t-38	39925728	8 727900 399257	-	8727900350937	ECE	5
12342VPB1	12	60/55	P43t-38	39934930	8 727900 399349	-	8727900399332	ECE	10
12342VPC2	12	60/55	P43t-38	37435360	8 727900 374353	-	8727900374377	ECE	50

H4 X-tremeVision Pro150

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
12342XVPS2	12	60/55	P43t-38	00567028	8 719018 005670	-	8719018005687	ECE	5
12342XVPB1	12	60/55	P43t-38	00553330	8 719018 005533	-	8719018005540	ECE	10

H4 LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12342LLECOS2	12	60/55	P43t-38	36257228	8 727900 362572	-	8727900362589	ECE	5
12342LLECOB1	12	60/55	P43t-38	36198830	8 727900 361988	-	8727900361995	ECE	10
12342LLECOC1	12	60/55	P43t-38	36189630	8 727900 361896	-	8727900370836	ECE	10

H4 WhiteVision ultra

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
12342WVUSM	12	60/55	P43t-38	35490428	8 727900 354904	-	8727900354911	ECE	5
12342WVUB1	12	60/55	P43t-38	35489830	8 727900 354898	-	8727900354881	ECE	10

H4 RacingVision GT200

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12342RGTS2	12	60/55	P43t-38	00575528	8 719018 005755	-	8719018005762	ECE	5
12342RGTB1	12	60/55	P43t-38	00571730	8 719018 005717	-	8719018005724	ECE	10

H7 Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972PRB1	12	55	PX26d	40607130	8 711500 406071	-	8711500406088	ECE	10
12972PRC1	12	55	PX26d	40593760	8 711500 405937	8711500827838	8711500405944	ECE	100
12972PRC2	12	55	PX26d	37432260	8 727900 374322	8727900374339	8727900374346	ECE	50

H7 VisionPlus

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972VPS2	12	55	PX26d	39938728	8 727900 399387	-	8727900399370	ECE	5
12972VPB1	12	55	PX26d	39936330	8 727900 399363	-	8727900399356	ECE	10
12972VPC2	12	55	PX26d	37426160	8 727900 374261	8727900374278	8727900374285	ECE	50

H7 X-tremeVision Pro150

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
12972XVPS2	12	55	PX26d	00569428	8 719018 005694	-	8719018005700	ECE	5
12972XVPB1	12	55	PX26d	00555730	8 719018 005557	-	8719018005564	ECE	10

H7 LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972LLECOS2	12	55	PX26d	36259628	8 727900 362596	-	8727900362602	ECE	5
12972LLECOB1	12	55	PX26d	36200830	8 727900 362008	-	8727900362015	ECE	10
12972LLECOC1	12	55	PX26d	36192630	8 727900 361926	-	8727900371024	ECE	10

H7 WhiteVision ultra

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
12972WVUSM	12	55	PX26d	35495928	8 727900 354959	-	8727900354942	ECE	5
12972WVUB1	12	55	PX26d	35493530	8 727900 354935	-	8727900354928	ECE	10

H7 RacingVision GT200

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972RGTS2	12	55	PX26d	00577928	8 719018 005779	-	8719018005786	ECE	5
12972RGTB1	12	55	PX26d	00573130	8 719018 005731	-	8719018005748	ECE	10

H8 WhiteVision ultra

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
12360WVUB1	12	35	PGJ19-1	00533528	8 719018 005335	-	8719018005342	ECE	5

H8

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12360B1	12	35	PGJ19-1	82416530	8 711500 824165	-	8727900362909	ECE	10
12360C1	12	35	PGJ19-1	47582430	8 711500 475824	-	8727900371017	ECE	10

H9

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12361B1	12	55	PGJ19-5	36308130	8 727900 363081	-	8727900363098	ECE	10
12361C1	12	55	PGJ19-5	47584830	8 711500 475848	-	8727900371000	ECE	10

H10

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
9145C1	12	55	PY20d	52974530	8 711559 529745	-	8727900370737	ECE	10

H11 Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12362PRB1	12	55	PGJ19-2	36428630	8 727900 364286	-	8727900364293	ECE	10
12362PRC1	12	55	PGJ19-2	36430930	8 727900 364309	8711500775696	8727900370751	ECE	10

H11 LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12362LLECOB1	12	55	PGJ19-2	36310430	8 727900 363104	-	8727900363111	ECE	10
12362LLECOC1	12	55	PGJ19-2	36194030	8 727900 361940	-	8727900370744	ECE	10

H11 WhiteVision ultra

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
12362WVUB1	12	55	PGJ19-2	00535928	8 719018 005359	-	8719018005366	ECE	5

H11 X-tremeVision Pro150

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
12362XVPB1	12	55	PGJ19-2	00551928	8 719018 005519	-	8719018005526	ECE	5

H13

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
9008C1	12	60/55	P26,4t	87798730	8 711500 877987	-	8727900370768	ECE	10

H15

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12580B1	12	55/15	PGJ23t-1	02001730	8 719018 020017	-	8719018020031	ECE	10
12580C1	12	55/15	PGJ23t-1	02000030	8 719018 020000	-	8719018020024	ECE	10

H16

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12366C1	12	19	PGJ19-3	36856730	8 727900 368567	-	8727900370775	ECE	10

H18 LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12643LLC1	12	65	PY26d-1	35603830	8 727900 356038	-	8727900356045	ECE	10

H19 LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12644LLC1	12	60/65	PU43t-3	35605230	8 727900 356052	-	8727900356069	ECE	10

HB1 9004

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
9004C1	12	65/45	P29t	47074430	8 711500 470744	-	8727900370997	-	10

HB3 Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
9005PRB1	12	60	P20d	24724730	8 711500 247247	-	8711500247254	ECE	10
9005PRC1	12	60	P20d	24689930	8 711500 246899	-	8727900370980	ECE	10

HB3 WhiteVision ultra

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
9005WVUB1	12	60	P20d	00537328	8 719018 005373	-	8719018005380	ECE	5

HB3 X-tremeVision Pro150

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
9005XVPB1	12	60	P20d	00557128	8 719018 005571	-	8719018005588	ECE	5

HB4 Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
9006PRB1	12	51	P22d	24726130	8 711500 247261	-	8711500247278	ECE	10
9006PRC1	12	51	P22d	24687530	8 711500 246875	-	8727900370973	ECE	10

HB4 WhiteVision ultra

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
9006WVUB1	12	55	P22d	00539728	8 719018 005397	-	8719018005403	ECE	5

HB4 X-tremeVision Pro150

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
9006XVPB1	12	51	P22d	00559528	8 719018 005595	-	8719018005601	ECE	5

HB5 9007

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
9007C1	12	65/55	PX29t	24550230	8 711500 245502	-	8727900370966	-	10

HIR2 LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
9012LLC1	12	55	PX22d	35125530	8 727900 351255	-	8727900370935	ECE	10

HIR2 WhiteVision ultra

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
9012WVUB1	12	55	PX22d	00541028	8 719018 005410	-	8719018005427	ECE	5

HIR2 X-tremeVision Pro150

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
9012XVPB1	12	55	PX22d	00561828	8 719018 005618	-	8719018005625	ECE	5

H27W/1

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12059C1	12	27	PG13	52854030	8 711559 528540	-	8727900370799	ECE	10

H27W/2

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12060C1	12	27	PGJ13	52857130	8 711559 528571	-	8727900370805	ECE	10

R2

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12620B1	12	45/40	P45t-41	5543930	8 711500 055439	-	8711559525327	ECE	10
12620C1	12	45/40	P45t-41	40085730	8 711500 400857	-	8711500779359	ECE	10

R2 Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12475B1	12	45/40	P45t-41	24716230	8 711500 247162	-	8711500247179	ECE	10
12475C1	12	45/40	P45t-41	40466430	8 711500 404664	-	8727900371130	ECE	10

Signaling and interior lighting

P21W VisionPlus

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12498VPB2	12	21	BA15s	36318030	8 727900 363180	-	8727900363173	ECE	10

P21W LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12498LLECOB2	12	21	BA15s	38210530	8 727900 382105	-	8727900382112	ECE	10
12498LLECOCP	12	21	BA15s	38198628	8 727900 381986	8727900381993	8727900391695	ECE	5x10

P21W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12498B2	12	21	BA15s	05549130	8 711500 055491	-	8711559520131	ECE	10
12498CP	12	21	BA15s	49078073	8 711500 490780	8711500490797	8711500490803	ECE	20x10

P21/4W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12594B2	12	21/4	BAZ15d	40485530	8 711500 404855	-	8711500471017	ECE	10
12594CP	12	21/4	BAZ15d	48433828	8 711500 484338	8711500484345	8727900391565	ECE	5x10

P21/5W VisionPlus

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12499VPB2	12	21/5	BAY15d	36316630	8 727900 363166	-	8727900363159	ECE	10

P21/5W LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12499LLECOB2	12	21/5	BAY15d	38212930	8 727900 382129	-	8727900382136	ECE	10
12499LLECOCP	12	21/5	BAY15d	38201328	8 727900 382013	8727900382020	8727900391053	ECE	5x10

P21/5W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12499B2	12	21/5	BAY15d	05545330	8 711500 055453	-	8711559520148	ECE	10
12499CP	12	21/5	BAY15d	48159773	8 711500 481597	8711500481603	8711500481610	ECE	20x10

PR21W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12088CP	12	21	BAW15s	48531128	8 711500 485311	8711500485328	8727900391589	ECE	5x10

PR21/5W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12495CP	12	21/5	BAW15d	48873228	8 711500 488732	8711500488749	8727900391572	ECE	5x10

PY21W SilverVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12496SVB2	12	21	BAU15s	31117730	8 711500 311177	-	8711500311191	ECE	10

PY21W LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12496LLECOCP	12	21	BAU15s	38218128	8 727900 382181	8727900382198	8727900391084	ECE	5x10

PY21W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12496NAB2	12	21	BAU15s	52372930	8 711559 523729	-	8711559523743	ECE	10
12496NACP	12	21	BAU15s	52534173	8 711559 525341	8711559525358	8711559525365	ECE	20x10

Stop P22

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12401CP	12	15	BA15s	87821228	8 711500 878212	8711500878229	8711500790538	-	5x10

Stop P25

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12445CP	12	18	BA15s	48440628	8 711500 484406	8711500484413	8727900391602	-	5x10

R5W LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12821LLECOB2	12	5	BA15s	38208230	8 727900 382082	-	8727900382099	ECE	10
12821LLECOCP	12	5	BA15s	38195528	8 727900 381955	8727900381962	8727900390940	ECE	5x10

R5W BA15s

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12821B2	12	5	BA15s	5546030	8 711500 055460	-	8711500417701	ECE	10
12821CP	12	5	BA15s	48269373	8 711500 482693	8711500482709	8711500482716	ECE	20x10

R5W BA15d

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12822CP	12	5	BA15d	45407228	8 711500 454072	8711500454959	8711500790521	ECE	5x10

R10W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12814B2	12	10	BA15s	5547730	8 711500 055477	-	8711500417718	ECE	10
12814CP	12	10	BA15s	48341673	8 711500 483416	8711500483423	8711500483430	ECE	20x10

RY10W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12093NACP	12	10	BAU15s	48362128	8 711500 483621	8711500483638	8727900391619	ECE	5x10

BA7

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12829CP	12	2	BA7s	52123728	8 711559 521237	8711500401236	8727900390933	-	5x10

T2W - T3W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12913CP	12	2	BA9s	21997828	8 711500 219978	8711500219985	8711500220820	-	5x10
12910CP	12	3	BA9s	21949728	8 711500 219497	8711500219503	8711500220837	-	5x10

T4W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12929B2	12	4	BA9s	5550730	8 711500 055507	-	8711559520094	ECE	10
12929CP	12	4	BA9s	21979473	8 711500 219794	8711500219800	8711500219817	ECE	20x10

Miniature halogen signaling USA

H5W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12023CP	12	5	BA9s	51270928	8 711559 512709	8711559512464	8727900371222	-	5x10

H6W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12036B2	12	6	BAX9s	24720930	8 711500 247209	-	8711500247216	ECE	10
12036CP	12	6	BAX9s	87603428	8 711500 876034	8711500876041	8727900370676	ECE	5x10

H6W WhiteVision ultra

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
12036WVUB2	12	6	BAX9s	00543430	8 719018 005434	-	8719018005441	ECE	10

H10W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12024CP	12	10	BA9s	52941728	8 711559 529417	8711559529424	8727900371192	-	5x10

H20W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12025CP	12	20	BA9s	87600328	8 711500 876003	8711500876010	8727900371154	-	5x10

H21W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12356CP	12	21	BAY9s	87989928	8 711500 879899	8711500879905	8727900371116	ECE	5x10

HY21W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12146CP	12	21	BAW9s	35244328	8 727900 352443	8727900352450	8727900370867	ECE	5x10

Wedge base

W1,2W - W2,3W - W2W - WBT5

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12521CP	12	1	W2x4,6d	48321828	8 711500 483218	8711500483225	8727900391671	-	5x10
12516B2	12	1.2	W2x4,6d	5554530	8 711500 055545	-	8711500417763	-	10
12516CP	12	1.2	W2x4,6d	48153573	8 711500 481535	8711500481542	8711500481559	-	20x10
12505CP	12	2	W2x4,6d	48327028	8 711500 483270	8711500483287	8727900391657	-	5x10
12061CP	12	2.3	W2x4,6d	48330028	8 711500 483300	8711500483317	8727900391640	ECE	5x10

W2,2W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12960CP	12	2.2	W2,1x9,5d	48150428	8 711500 481504	8711500481511	8727900391633	-	5x10

W3W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12256B2	12	3	W2,1x9,5d	52410830	8 711559 524108	-	8711559524122	ECE	10
12256CP	12	3	W2,1x9,5d	48144328	8 711500 481443	8711500481450	8727900391664	ECE	5x10

W5W LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12961LLECOB2	12	5	W2,1x9,5d	38204430	8 727900 382044	-	8727900382051	ECE	10
12961LLECOCP	12	5	W2,1x9,5d	38189428	8 727900 381894	8727900381900	8727900390872	ECE	5x10

W5W X-tremeVision Pro150

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
12961XVPB2	12	5	W2,1x9,5d	00563230	8 719018 005632	-	8719018005649	ECE	10

W5W WhiteVision ultra

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
12961WVUB2	12	5	W2,1x9,5d	35484330	8 727900 354843	-	8727900354874	ECE	10

W5W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12961B2	12	5	W2,1x9,5d	40421330	8 711500 404213	-	8711559520070	ECE	10
12961CP	12	5	W2,1x9,5d	49090273	8 711500 490902	8711500490919	8711500490926	ECE	20x10

WY5W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12396NAB2	12	5	W2,1x9,5d	40058130	8 711500 400581	-	8711500400598	ECE	10
12396NACP	12	5	W2,1x9,5d	53002428	8 711559 530024	8711559530031	8727900390889	ECE	5x10

WBT10 VisionPlus

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12040VPB2	12	6	W2,1x9,5d	52416030	8 711559 524160	-	8711559524184	-	10

W16W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12067B2	12	16	W2,1x9,5d	40587630	8 711500 405876	-	8711559521053	ECE	10
12067CP	12	16	W2,1x9,5d	48272328	8 711500 482723	8711500482730	8727900391626	ECE	5x10

W21W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12065B2	12	21	W3x16d	70146330	8 727900 701463	-	8727900701470	ECE	10
12065CP	12	21	W3x16d	47135228	8 711500 471352	8711500471369	8727900391107	ECE	5x10

W21/5W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12066B2	12	21/5	W3x16d	69739130	8 727900 697391	-	8727900697407	ECE	10
12066CP	12	21/5	W3x16d	47138328	8 711500 471383	8711500471390	8727900391091	ECE	5x10

WY21W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12071B2	12	21	WX3x16d	69741430	8 727900 697414	-	8727900697421	ECE	10
12071CP	12	21	WX3x16d	52539628	8 711559 525396	8711559525402	8727900391688	ECE	5x10

Festoon

Festoon T6,2x27

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12818CP	12	3	SV6	48461128	8 711500 484611	8711500484628	8727900695632	-	5x10

Festoon T6,2x35

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12848CP	12	3	SV6	48467328	8 711500 484673	8711500484680	8727900391558	-	5x10

Festoon C5W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12844B2	12	5	SV8,5	5551430	8 711500 055514	-	8711500417749	ECE	10
12844CP	12	5	SV8,5	48156673	8 711500 481566	8711500481573	8711500481580	ECE	20x10

Festoon T10,5x30 LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12860LLECOCP	12	10	SV8,5	38192428	8 727900 381924	8727900381931	8727900391114	-	5x1 0

Festoon T10,5x38

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12854CP	12	10	SV8,5	48248828	8 711500 482488	8711500482495	8727900391510	-	5x10

Festoon T10,5x43

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12864CP	12	5	SV8,5	48205128	8 711500 482051	8711500482075	8727900391527	-	5x10
12866B2	12	10	SV8,5	5552130	8 711500 055521	-	8711500417756	-	10
12866CP	12	10	SV8,5	48242628	8 711500 482426	8711500482433	8727900391534	-	5x10

Festoon T15x43

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12850CP	12	15	SV8,5	48285328	8 711500 482853	8711500482860	8727900391541	-	5x10

Bax

Bax 8,3s/1,35 black

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12597B2	12	1.2	B8,3s/1,35	53018530	8 711559 530185	-	8711559530192	-	10
12597CP	12	1.2	B8,3s/1,35	48365228	8 711500 483652	8711500483669	8727900390957	-	5x10

Bax 8,3s/1,5 blue

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12602CP	12	2	B8,3s/1,5	48396628	8 711500 483966	8711500483973	8727900390995	-	5x10

Bax 8,5d/2 black

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12598B2	12	1.2	B8,5d/2	40588330	8 711500 405883	-	8711500405890	-	10
12598CP	12	1.2	B8,5d/2	48387428	8 711500 483874	8711500483881	8727900390964	-	5x10

Bax 8,5d/1,5 blue

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12603CP	12	1.2	B8,5d/1,5	48399728	8 711500 483997	8711500484000	8727900391015	-	5x10

Bax 8,5d/2 green

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12600CP	12	2	B8,5d/2	48393528	8 711500 483935	8711500483942	8727900390971	-	5x10

Bax 8,5d green

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12604CP	12	2	B8,5d	40508128	8 711500 405081	8711500404589	8727900391022	-	5x10

Bax 8,5d beige

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12637CP	12	1.5	B8,5d	51487128	8 711559 514871	8711500400178	8727900371048	-	5x10

Bax 10d black halogen

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12615CP	12	5	B10d	52807628	8 711559 528076	8711500243768	8727900370911	-	5x10

Bax 10d brown halogen

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12614CP	12	3	B10d	52805228	8 711559 528052	8711559512723	8727900370928	-	5x10

Bax 8,4d light blue

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12623CP	12	1.2	BX8,4d	51384328	8 711559 513843	8711500244154	8727900370904	-	5x10

Bax 8,4d beige

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12627CP	12	1.5	BX8,4d	51414728	8 711559 514147	8711500247414	8727900370959	-	5x10
12629CP	12	1.8	BX8,4d	51488828	8 711559 514888	8711559512488	8727900371031	-	5x10

Bax 8,4d black

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12625CP	12	1.2	BX8,4d	51409328	8 711559 514093	8711500244420	8727900371208	-	5x10

Bax 8,4d light green

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12626CP	12	2	BX8,4d	51412328	8 711559 514123	8711500246066	8727900370942	-	5x10

Bax 8,4d olive green

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12611CP	12	1.3	BX8,4d	77432328	8 711500 774323	8711500774330	8711500779397	-	5x10

Bax 8,4d orange

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12624CP	12	2	BX8,4d	51411628	8 711559 514116	8711500245137	8727900370898	-	5x10

Bax 8,5d white

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12638CP	12	1.12	BX8,5d	48846628	8 711500 488466	8711500488473	8727900391503	-	5x10

HiPerVision

P13W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12277C1	12	13	PG18,5d-1	69672130	8 727900 696721	-	8727900391008	ECE	10

PCY16W HiPerClick

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12271AC1	12	16	PU20d/2	38965430	8 727900 389654	-	8727900391152	ECE	10

PW16W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12177C1	12	16	WP3,3x14,5/8	39623230	8 727900 396232	-	8727900396249	ECE	10

PS19W LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12085LLC1	12	19	PG20/1	70046630	8 727900 700466	-	8727900390926	ECE	10

PS19W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12085C1	12	19	PG20/1	69653030	8 727900 696530	-	8727900390988	ECE	10

PSY19W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12275NAC1	12	19	PG20/2	52735230	8 711559 527352	-	8727900390858	ECE	10

HiPerVision LCP

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12197HTRC1	12	24	HPSL 2A	39621830	8 727900 396218	-	8727900396225	-	10

PS24W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12086FFC1	12	24	PG20/3	70044230	8 727900 700442	-	8727900390919	ECE	10

PSX24W WhiteVision ultra

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
12276WVUB1	12	24	PG20/7	00545828	8 719018 005458	-	8719018005465	ECE	5

PSX24W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12276C1	12	24	PG20/7	69676930	8 727900 696769	-	8727900390902	ECE	10

PSY24W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12188NAC1	12	24	PG20/4	69668430	8 727900 696684	-	8727900390834	ECE	10

PSY24W SilverVision+

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12180SV+C1	12	24	PG20/4	70379530	8 727900 703795	-	8727900390841	ECE	10

PW24W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12182HTRC1	12	24	WP3,3x14,5/3	39196130	8 727900 391961	-	8727900397369	ECE	10

PWY24W SilverVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12174SVHTRC1	12	24	WP3,3x14,5/4	39200530	8 727900 392005	-	8727900397352	ECE	10

PWY24W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12174NAHTRC1	12	24	WP3,3x14,5/4	39202930	8 727900 392029	-	8727900397345	ECE	10

PY24W SilverVision+

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12274SV+C1	12	24	PGU20/4	69678330	8 727900 696783	-	8727900390780	ECE	10

PY24W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12190NAC1	12	24	PGU20/4	69690530	8 727900 696905	-	8727900390803	ECE	10

PSX26W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12278C1	12	26	PG18,5d/3	38874930	8 727900 388749	-	8727900390896	ECE	10

Halogen

Two-wheeler lighting

Which **two-wheeler lamp** do you need?

Enhanced **brightness**

Up to **200%** **more brightness***

RacingVision GT200 moto

10 G Vibration resistant

Beam performance*

Light color**

Up to **3500 K**

Standard: 3100 K

Lifetime**

Up to **250 h**

Available in **H4, H7**

See and **be seen**

CityVision moto

10 G Vibration resistant

Beam performance*



Light color**

Up to **3200 K**

Standard: 3100 K

Lifetime**

Up to **400 h**

Available in **H4, H7, HS1**

Up to **30%** **more vision***

Vision moto

Beam performance*



Light color**

Up to **3200 K**

Standard: 3100 K

Lifetime**

Up to **550 h**

Available in **H4, H7, HS1**

Unique **style**

Sharp white look

WhiteVision ultra moto

10 G*** Vibration resistant



Beam performance*



Light color**

Up to **4200 K**

Standard: 3100 K

Lifetime**

Up to **350 h**

Available in **H4, H7, HS1**

10 G **Philips two-wheeler lighting is designed to resist extreme vibration – up to 10 G.**

Images for illustration purposes only.

* Compared to the minimum legal requirement.
** Lifetime and color temperature differ per type, indication for H7 only.
*** 10 G applies to H4 and H7.

Philips.com/Motorcycle-lights

RacingVision GT200 moto

Incredible road-legal performance

- **Up to 200% brighter light***
- **Fully road-legal for an enjoyable drive**
- **The best-performing beam in our portfolio**

If you're passionate about driving, let Philips RacingVision GT200 moto bulbs elevate your automotive experience. Up to 200% brighter light* means better vision and faster reactions for a more exciting drive.

*Compared to the minimum legal standard

Standard

RacingVision GT200 moto

Available in

H4

H7

CityVision moto

See and be seen

- **Distinctive orange e ect**
- **Maximum safety**
- **Specifi ally designed for city use**
- **Up to 40% more vision***

For maximum safety and visibility, Philips CityVision moto produces a distinctive, attention-grabbing **orange effec** . Motorcycle riders everywhere are looking for more safety, especially riders in heavy city traffi

*Compared to the minimum legal standard

Standard

CityVision moto

Available in

H4

H7

HS1

WhiteVision ultra moto

The latest stylish white lights

- **White stylish look with up to 4200 Kelvin**
- **Up to 60% more vision***
- **Road-legal performance**

Philips WhiteVision ultra moto bulbs, featuring the latest coating formula, deliver up to 4200 Kelvin.
These are the whitest road-legal halogen lights in our portfolio and the perfect choice if you're looking for a cool, stylish look.

*Compared to the minimum legal standard

Standard

WhiteVision ultra moto

Available in

H4

H7

HS1

Vision moto

Up to 30% more vision*

- **Better performance***
- **High-quality and ultra-resistant motorcycle lamp**

Producing **up to 30% more vision*** than a standard lamp, Philips Vision moto allows riders to see farther with improved light-beam performance at a very **competitive price**.

*Compared to the minimum legal standard

Standard

Vision moto

Available in

H4

H7

HS1

 Images for illustration purposes only

Which lamp for which **function?**

RacingVision GT200 moto | CityVision moto

WhiteVision ultra moto | Vision moto

Philips.com/Motorcycle-lights

12258	12336	12342	12972	12361	12362	12636	9005	9006	12620	12728	12008
H1	H3	H4	H7	H9	H11	HS1	HB3	HB4	R2	S2	S3

Low beam – high beam

12929	12821	12814	12036
T4W	R5W	R10W	H6W

12256	12961	12067	12913	12910
W3W	W5W	W16W	T2W	T3W

Front position light

12961	12067	12065	12071	12396	12356
W5W	W16W	W21W	WY21W	WY5W	H21W

12821	12814	12093	12498	12496	12499
R5W	R10W	RY10W	P21W	PY21W	P21/5W

Front indicators

12067	12066	12498	12088	12499	12495
W16W	W21/5W	P21W	PR21W	P21/5W	PR21/5W

Stop light

12256	12961	12066	12929	12821	12814	12498	12499
W3W	W5W	W21/5W	T4W	R5W	R10W	P21W	P21/5W

Rear position light

12256	12961	12929	12821	12814	12036	12844
W3W	W5W	T4W	R5W	R10W	H6W	C5W

Licence plate light

12356	12961	12067	12065	12071
W5W	W16W	W21W	WY21W	H21W

12821	12814	12093	12498	12496
R5W	R10W	RY10W	P21W	PY21W

Rear indicators

H4 Vision moto

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12342PRBW	12	60/55	P43t-38	49024730	8 711500 490247	-	8711500490254	ECE	10

H4 CityVision moto

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12342CTVBW	12	60/55	P43t-38	39896030	8 727900 398960	-	8727900398977	ECE	10

H4 RacingVision GT200 moto

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12342RGTBW	12	60/55	P43t-38	02381030	8 719018 023810	-	8719018023827	ECE	10

H4 WhiteVision ultra moto

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
12342WVUBW	12	60/55	P43t-38	02385830	8 719018 023858	-	8719018023865	ECE	10

H7 Vision moto

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972PRBW	12	55	PX26d	49026130	8 711500 490261	-	8711500490278	ECE	10

H7 CityVision moto

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972CTVBW	12	55	PX26d	39898430	8 727900 398984	-	8727900398991	ECE	10

H7 RacingVision GT200 moto

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972RGTBW	12	55	PX26d	02383430	8 719018 023834	-	8719018023841	ECE	10

H7 WhiteVision ultra moto

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
12972WVUBW	12	55	PX26d	02387230	8 719018 023872	-	8719018023889	ECE	10

HS1 Vision moto

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12636BW	12	35/35	PX43t	53035330	8 727900 530353	-	8727900530360	ECE	10
12636C1	12	35/35	PX43t	51250130	8 711559 512501	-	8727900370881	ECE	10

HS1 CityVision moto

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12636CTVBW	12	35/35	PX43t	39894630	8 727900 398946	-	8727900398953	ECE	10

HS1 WhiteVision ultra moto

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
12636WVUBW	12	35/35	PX43t	02401530	8 719018 024015	-	8719018024022	ECE	10

S2

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12728BW	12	35/35	BA20d	77385230	8 711500 773852	-	8711500773869	ECE	10
12728C1	12	35/35	BA20d	77359330	8 711500 773593	-	8711500779342	ECE	10

S3

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12008BW	12	15	P26s	77381430	8 711500 773814	-	8711500773845	ECE	10
12008C1	12	15	P26s	77394430	8 711500 773944	-	8711500779335	ECE	10

Signaling lamps

W3W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12256B2	12	3	W2,1x9,5d	52410830	8 711559 524108	-	8711559524122	ECE	10
12256CP	12	3	W2,1x9,5d	48144328	8 711500 481443	8711500481450	8727900391664	ECE	5x10

P21W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12498B2	12	21	BA15s	05549130	8 711500 055491	-	8711559520131	ECE	10
12498CP	12	21	BA15s	49078073	8 711500 490780	8711500490797	8711500490803	ECE	20x10

P21/5W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12499B2	12	21/5	BAY15d	05545330	8 711500 055453	-	8711559520148	ECE	10

Halogen

24V Bus and truck lighting

Which **24 V lamp** do you need?

Safety and **durability**

Built to **last**

MasterDuty

Beam performance*



Lifetime**

Up to **550 h**

Available in
H1, H3, H4, H7, H11

Best-in-class lifetime

MasterLife

Beam performance*



Lifetime**

Up to **1200 h**

Available in
H1, H3, H4, H7, H11

Safety and **style**

Maximum xenon effect

MasterDuty BlueVision

Light color

Up to **3500 K**

Standard: 3100 K

Lifetime**

Up to **500 h**

Available in
H3, H4, H7

Heavy duty vibration resistant

Images for illustration purposes only
* Compared to the minimum legal standard, applies to H1, H4, H7 and H11
** Lifetime differs per type, indication for H7 only

philips.com/trucklight

Safety and durability

Philips 24V headlighting advantage

Combining **vibration resistance** with **high quality**,
Philips truck headlamps last longer than standard lamps.



MasterDuty

Built to last

- **Lasts up to 550 hours***
- **Maximum vibration resistance**
- **Up to 130% more vision****
- **Reinforced mount and base guards against shocks**
- **Extra robust double-coil filamen**

The Philips MasterDuty headlamps are designed for **maximum vibration resistance** and excellent **lifetime**. MasterDuty is the **right choice** for drivers seeking **toughness** that **lasts**.

*Lifetime di ers per type, indication for H7 only
**Compared to the minimum legal standard, applies to H1, H4, H7 and H11.

Available in B1 and C1 packaging

Available in

H1 H3 H4 H7 H11

MasterLife

Best-in-class lifetime

- **Lasts up to 1200 hours***
- **Up to 100% more vision****
- **Maximum vibration resistance***
- **Extra-robust double-coil filamen**

Philips MasterLife lasts up to **1200 hours*** while withstanding extreme **stress** and **vibration**. With a **minimum failure rate** our lamps keep your eet productive and on the move by minimizing time-consuming interruptions.
MasterLife is the smartest choice for large fleet owners

*Lifetime di ers per type, indication for H7 only.
**Compared to the minimum legal standard, applies to H1, H4, H7 and H11.

Available in C1 packaging

Available in

H1 H3 H4 H7 H11

MasterDuty BlueVision

Maximum xenon effect

- **Maximum vibration resistance***
- **High-performance quartz glass with xenon-e ect coating**
- **Distinctive blue cap, looks sharp even when turned o**

For drivers seeking **ultimate style** and **performance**, Philips MasterDuty BlueVision produces a **blue xenon effec** . It combines the **durability**and **vibration resistance** of Philips MasterDuty with an additional blue xenon e ect for maximum style.

*Compared to average H4 or H7 24V lamps on the market

Standard

MasterDuty BlueVision

Available in S2 and B1 packaging

Available in

H3 H4 H7

 Images for illustration purposes only

Which lamp for which **function?**

philips.com/trucklight

13258	13336	13342	13972	24362	13620			
H1	H3	H4	H7	H11	R2	D1S/R	D2S	D2R

Low beam – high beam

13258	13311	13336	13972	24362
H1	H2	H3	H7	H11

Front fog lights

13844	13821	13929	13961
C5W	R5W	T4W	W5W

Interior lights

13256	13961	13516 13521 | 13974	
W3W	W5W	WBT5	Bax

Dashboard lights

24356	13498	13496
H21W	P21W	PY21W

Front indicators

13821	13929	13256	13961
R5W	T4W	W3W	W5W

Front position lights

24356	13821	13814	13961
H21W	R5W	R10W	W5W

Side indicators

13499	13821	13814
P21/5W	R5W	R10W

Rear position lights

13844	13821	13814	13929	13256	13961
C5W	R5W	R10W	T4W	W3W	W5W

Running lights

24356	13498	13496
H21W	P21W	PY21W

Rear indicators

13844	13821	13814	13961
C5W	R5W	R10W	W5W

License plate lights

24356	13498	13499	13401	13445
H21W	P21W	P21/5W	P22	P25

Stop lights

24356	13498
H21W	P21W

Reversing light

24356	13498
H21W	P21W

Rear fog lights

24V Bus and truck lighting

Halogen

24V headlighting

H1 MasterDuty

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13258MDB1	24	70	P14,5s	82585830	8 711500 825858	-	8711500825865	ECE	10
13258MDC1	24	70	P14,5s	82577360	8 711500 825773	8711500828507	8711500825780	ECE	100

H1 MasterLife

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13258MLC1	24	70	P14,5s	82569830	8 711500 825698	-	8727900370812	ECE	10

H2

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13311C1	24	70	X511	47751430	8 711500 477514	-	8727900371079	ECE	10

H3 MasterDuty

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13336MDB1	24	70	PK22s	77459030	8 711500 774590	-	8711500774613	ECE	10
13336MDC1	24	70	PK22s	77460660	8 711500 774606	8711500775313	8711500774637	ECE	100

H3 MasterLife

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13336MLC1	24	70	PK22s	77462030	8 711500 774620	-	8711500779403	ECE	10

H3 MasterDuty BlueVision

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
13336MDBVS2	24	70	PK22s	77486628	8 711500 774866	-	8711500774897	ECE	5
13336MDBVB1	24	70	PK22s	77488030	8 711500 774880	-	8711500774910	ECE	10

H4 MasterDuty

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13342MDB1	24	75/70	P43t-38	82587230	8 711500 825872	-	8711500825889	ECE	10
13342MDC1	24	75/70	P43t-38	82579760	8 711500 825797	8711500828002	8711500825803	ECE	100

H4 MasterLife

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13342MLC1	24	75/70	P43t-38	82571130	8 711500 825711	-	8727900371086	ECE	10

H4 MasterDuty BlueVision

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
13342MDBVS2	24	75/70	P43t-38	53275328	8 727900 532753	-	8727900532760	ECE	5
13342MDBVB1	24	75/70	P43t-38	53281430	8 727900 532814	-	8727900532821	ECE	10

H7 MasterDuty

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13972MDB1	24	70	PX26d	82589630	8 711500 825896	-	8711500825902	ECE	10
13972MDC1	24	70	PX26d	82581060	8 711500 825810	8711500828514	8711500825827	ECE	100

H7 MasterLife

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13972MLC1	24	70	PX26d	82573530	8 711500 825735	-	8727900371147	ECE	10

H7 MasterDuty BlueVision

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
13972MDBVS2	24	70	PX26d	53277728	8 727900 532777	-	8727900532784	ECE	5
13972MDBVB1	24	70	PX26d	53279130	8 727900 532791	-	8727900532807	ECE	10

H11 MasterDuty

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
24362MDC1	24	70	PGJ19-2	82583430	8 711500 825834	-	8727900371055	ECE	10

H11 MasterLife

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
24362MLC1	24	70	PGJ19-2	82575930	8 711500 825759	-	8727900371062	ECE	10

R2

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13620C1	24	55/50	P45t-41	40087130	8 711500 400871	-	8711500779458	ECE	10

24V signaling and interior lighting

P21W MasterDuty

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13498MDCP	24	21	BA15s	69949473	8 727900 699494	8727900699500	8727900699517	ECE	20x10

P21W MasterLife

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13498MLCP	24	21	BA15s	69961628	8 727900 699616	8727900699623	8727900391145	ECE	5x10

P21W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13498B2	24	21	BA15s	40455830	8 711500 404558	-	8711500405449	ECE	10
13498CP	24	21	BA15s	48415473	8 711500 484154	8711500484161	8711500484178	ECE	20x10

P21/5W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13499B2	24	21/5	BAY15d	40456530	8 711500 404565	-	8711500405371	ECE	10
13499CP	24	21/5	BAY15d	48424673	8 711500 484246	8711500484253	8711500484260	ECE	20x10

PY21W MasterLife

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13496MLCP	24	21	BAU15s	69964728	8 727900 699647	8727900699654	8727900391138	ECE	5x10

Stop P22

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13401CP	24	15	BA15s	87826728	8 711500 878267	8711500878274	8711500790507	-	5x10
13402CP	24	15	BA15d	87836628	8 711500 878366	8711500878373	8711500790514	-	5x10

Stop P25

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13445CP	24	18	BA15s	48443728	8 711500 484437	8711500484444	8727900390810	-	5x10

R5W MasterDuty

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13821MDCP	24	5	BA15s	69955528	8 727900 699555	8727900699562	8727900390766	ECE	5x10

R5W MasterLife

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13821MLCP	24	5	BA15s	69970828	8 727900 699708	8727900699715	8727900390773	ECE	5x10

R5W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13821B2	24	5	BA15s	40453430	8 711500 404534	-	8711500405425	ECE	10
13821CP	24	5	BA15s	48338673	8 711500 483386	8711500483393	8711500483409	ECE	20x10
13822CP	24	5	BA15d	40904128	8 711500 409041	8711500878021	8711500790491	ECE	5x10

R10W MasterDuty

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13814MDCP	24	10	BA15s	69952428	8 727900 699524	8727900699531	8727900391121	ECE	5x10

R10W MasterLife

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13814MLCP	24	10	BA15s	69967828	8 727900 699678	8727900699685	8727900390742	ECE	5x10

R10W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13814B2	24	10	BA15s	40452730	8 711500 404527	-	8711559526409	ECE	10
13814CP	24	10	BA15s	48344773	8 711500 483447	8711500483454	8711500483461	ECE	20x10

BA7

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13829CP	24	3	BA7s	52133628	8 711559 521336	8711500401274	8727900390759	-	5x10

T4W MasterDuty

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13929MDCP	24	4	BA9s	69958628	8 727900 699586	8727900699593	8727900391039	ECE	5x10

T4W MasterLife

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13929MLCP	24	4	BA9s	69976028	8 727900 699760	8727900699777	8727900391046	ECE	5x10

T2W - T3W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13913CP	24	2	BA9s	22003528	8 711500 220035	8711500220042	8711500220844	-	5x10
13910CP	24	3	BA9s	21955828	8 711500 219558	8711500219565	8711500220851	-	5x10

T4W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13929B2	24	4	BA9s	40454130	8 711500 404541	-	8711500405432	ECE	10
13929CP	24	4	BA9s	21985573	8 711500 219855	8711500219862	8711500219879	ECE	20x10

Miniature halogen signaling USA

H21W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
24356CP	24	21	BAY9s	87615728	8 711500 876157	8711500876164	8727900371161	ECE	5x10

Wedge base

W2,5W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13960CP	24	2.5	W2,1x9,5d	48147428	8 711500 481474	8711500481481	8727900391275	-	5x10

W3W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13256CP	24	3	W2,1x9,5d	48141228	8 711500 481412	8711500481429	8727900391169	ECE	5x10

W5W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13961B2	24	5	W2,1x9,5d	52420730	8 711559 524207	-	8711559524214	ECE	10
13961CP	24	5	W2,1x9,5d	48138273	8 711500 481382	8711500481399	8711559530376	ECE	20x10

WBT5

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13521CP	24	1	W2x4,6d	48324928	8 711500 483249	8711500483256	8727900391176	-	5x10
13516CP	24	1.2	W2x4,6d	48306573	8 711500 483065	8711500483072	8711500483089	-	20x10
13974CP	24	2	W2x4,6d	48318828	8 711500 483188	8711500483195	8727900391183	-	5x10

Festoon

Festoon T6,2x27

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13818CP	24	3	SV6	48464228	8 711500 484642	8711500484659	8727900391251	ECE	5x10

Festoon T6,2x35

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13848CP	24	3	SV6	48470328	8 711500 484703	8711500484710	8727900391268	ECE	5x10

Festoon T10,5x38 10W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13854CP	24	10	SV8,5	48251828	8 711500 482518	8711500482525	8727900391206	ECE	5x10

Festoon C5W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13844B2	24	5	SV8,5	40463330	8 711500 404633	-	8711500405388	ECE	10
13844CP	24	5	SV8,5	48197973	8 711500 481979	8711500481986	8711500481993	ECE	20x10

Festoon T10,5x43 5W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13864CP	24	5	SV8,5	48233428	8 711500 482334	8711500482341	8727900391213	-	5x10

Festoon T10,5x43 10W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13866CP	24	10	SV8,5	48245728	8 711500 482457	8711500482464	8727900391220	-	5x10

Festoon T15x43 15W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13850CP	24	15	SV8,5	48288428	8 711500 482884	8711500482891	8727900391244	-	5x10

Festoon T15x43 18W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13807CP	24	18	SV8,5	48294528	8 711500 482945	8711500482952	8727900391237	-	5x10

Bax

Bax 8,3s/1,35 grey

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13597CP	24	1.2	B8,3s/1,35	48384328	8 711500 483843	8711500483850	8727900390797	-	5x10

Bax 8,5d/2 grey

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13598CP	24	1.2	B8,5d/2	48390428	8 711500 483904	8711500483911	8727900390827	-	5x10

Bax 8,5d brown

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
24032CP	24	1.2	B8,5d	48852728	8 711500 488527	8711500488534	8727900391077	-	5x10

Bax 8,5d/2 yellow

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
24029CP	24	1.2	B8,5d/2	48402428	8 711500 484024	8711500484031	8727900391190	-	5x10

Kits

Spare and headlight restoration **kits** for cars and trucks

For increased **safety**, it is **recommended** by most European countries that all vehicles be equipped with a **homologated spare kit**. It will not only keep drivers in **compliance** with the law, but will also keep them **safer** as they will always be prepared to **replace** a burned-out lamp.

Our **Headlight restoration kit** renovates car, truck and two-wheeler lenses to like-new condition. It's our **cost-effective alternative** to complete headlight replacement.

12V spare kits

Easy Kit H1

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55472EKKM	12	-	-	69551928	8 727900 695519	-	8727900695533	ECE	5

Content

Lamp type	H1	H4	H7	R2	P21W	P21/5W	PY21W	W5W	Fuse 10A
Quantity	1	-	-	-	1	1	1	1	1

Easy Kit H4

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55473EKKM	12	-	-	69555728	8 727900 695557	-	8727900695571	ECE	5

Content

Lamp type	H1	H4	H7	R2	P21W	P21/5W	PY21W	W5W	Fuse 10A
Quantity	-	1	-	-	1	1	1	1	1

Easy Kit H7

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55474EKKM	12	-	-	69558828	8 727900 695588	-	8727900695601	ECE	5

Content

Lamp type	H1	H4	H7	R2	P21W	P21/5W	PY21W	W5W	Fuse 10A
Quantity	-	-	1	-	1	1	1	1	1

Easy Kit H1/H7

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55475EKKM	12	-	-	69562528	8 727900 695625	-	8727900695656	ECE	5

Content

Lamp type	H1	H4	H7	R2	P21W	P21/5W	PY21W	W5W	Fuse 10A
Quantity	1	-	1	-	1	1	1	1	1

Essential Box H1

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55717EBKM	12	-	-	70032928	8 727900 700329	-	8727900700336	ECE	5

Content

Lamp type	H1	H4	H7	R2	P21W	P21/5W	PY21W	W5W	Fuse 10A	Fuse 15A	Fuse 20A
Quantity	1	-	-	-	1	1	1	1	1	1	1

Essential Box H4

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55718EBKM	12	-	-	70034328	8 727900 700343	-	8727900700350	ECE	5

Content

Lamp type	H1	H4	H7	R2	P21W	P21/5W	PY21W	W5W	Fuse 10A	Fuse 15A	Fuse 20A
Quantity	-	1	-	-	1	1	1	1	1	1	1

Essential Box H7

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55719EBKM	12	-	-	70036728	8 727900 700367	-	8727900700374	ECE	5

Content

Lamp type	H1	H4	H7	R2	P21W	P21/5W	PY21W	W5W	Fuse 10A	Fuse 15A	Fuse 20A
Quantity	-	-	1	-	1	1	1	1	1	1	1

Easy Kit H1/H7

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55720EBKM	12	-	-	70038128	8 727900 700381	-	8727900700398	ECE	5

Content

Lamp type	H1	H4	H7	R2	P21W	P21/5W	PY21W	W5W	Fuse 10A	Fuse 15A	Fuse 20A
Quantity	1	-	1	-	1	1	1	1	1	1	1

24V spare kits

MiniKit H4 MasterDuty

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55554SKMDKM	24	-	-	69586130	8 727900 695861	-	8727900695885	ECE	10

Content

Lamp type	H4	H7	P21W	R5W	R10W	C5W	T4W	Fuse15A	Fuse 20A	Fuse 30A
Quantity	1	-	1	1	1	1	1	1	1	1

MiniKit H7 MasterDuty

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55555SKMDKM	24	-	-	69590830	8 727900 695908	-	8727900695939	ECE	10

Content

Lamp type	H4	H7	P21W	R5W	R10W	C5W	T4W	Fuse15A	Fuse 20A	Fuse 30A
Quantity	-	1	1	1	1	1	1	1	1	1

MaxiKit H4 MasterDuty

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55559LKMDKM	24	-	-	69684494	8 727900 696844	-	8727900696851	ECE	4

Content

Lamp type	H4	P21W	P21/5W	PY21W	R5W	R10W	C5W	W5W	T4W	Fuse 10A	Fuse15A	Fuse 20A	Fuse 30A
Quantity	2	2	2	1	3	2	2	1	1	2	2	2	2

MaxiKit H7 MasterDuty

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55560LKMDKM	24	-	-	69686894	8 727900 696868	-	8727900696875	ECE	4

Content

Lamp type	H7	P21W	P21/5W	PY21W	R5W	R10W	C5W	W5W	T4W	Fuse 10A	Fuse15A	Fuse 20A	Fuse 30A
Quantity	2	2	2	1	3	2	2	1	1	2	2	2	2

MaxiKit H1/H7 MasterDuty

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55561LKMDKM	24	-	-	69688294	8 727900 696882	-	8727900696899	ECE	4

Content

Lamp type	H1	H7	P21W	P21/5W	PY21W	R5W	R10W	C5W	W5W	T4W	Fuse 10A	Fuse15A	Fuse 20A	Fuse 30A
Quantity	1	1	2	2	1	3	2	2	1	1	2	2	2	2

Headlight restoration kit

Ordering number	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
HRK00XM	39976931	8 727900 399769	-	8727900399776	-	6

Xenon

Car and truck
lighting

Which **xenon lamp** do you need?

Enhanced **brightness**

Up to **150%** **more vision***

Xenon X-tremeVision gen2



Beam performance*

Light color

Up to **4800 K**

Standard: 4150 K

Available in

D1S, D2S, D2R, D3S, D4S, D5S

Ideal for **replacement**

Xenon Vision

Beam performance

Light color

Up to **4300 K**

Standard: 4150 K

Available in

D1S, D1R, D2S, D2R, D3S, D3R, D4S, D4R, D5S, D8S

Unique **style**

Homogeneous white LED e„ ect

Xenon WhiteVision gen2

Beam performance*



Light color

Up to **5000 K**



Standard: 4150 K

Available in

D1S, D2S, D2R, D3S

Extended **lifetime**

Peace of mind **4 + 3 years warranty**

Xenon LongerLife**

Beam performance

Lifetime

Up to **7 years**



Available in

D1S, D2S, D2R

Images for illustration purposes only.
* Compared to the minimum legal standard (except for D2R that provides up to 20% more vision)
** Not available in all countries, please contact your sales representative

philips.com/automotive

Xenon X-tremeVision gen2

Our brightest xenon lamp

- **Optimal light performance**
- **Up to 150% more vision***
- **Maximum safety and visibility**
- **Designed for demanding drivers**

Philips Xenon X-tremeVision gen2 is the latest development in **Xenon technology**. It o ers the **most powerful** beam with light emission pushed to the limit. This means outstanding light performance with a unique light setting for **optimal driving comfort**.

www.philips.com/xenongen2

*Compared to the minimum legal standard (except for D2R that provides up to 20% more vision, and D5S which supports up to +120% more vision).

Standard

Xenon X-tremeVision gen2

Available in C1 and S1 packaging

Available in

D1S D2S D2R D3S D4S D5S

Xenon WhiteVision gen2

Ultimate white LED effect

- **Intense homogeneous bright white light**
- **Perfect match with LED lighting on your car**
- **Up to 5 000 K white light on the road**
- **Up to 120% more vision***
- **100% road legal**

Philips Xenon WhiteVision gen2 lamps create an **intense white look** of your car and produce brighter, homogeneous white light on the road.

www.philips.com/xenongen2

*Compared to the minimum legal standard (except for D2R that provides up to 20% more vision).

Standard

Xenon WhiteVision gen2

Available in C1 and S1 packaging

Available in

D1S D2S D2R D3S

Xenon LongerLife

Peace of mind with the longest guarantee

Equip your car with Philips Xenon LongerLife lamps and you can drive up to 7 years without the worry of lamp failures. Philips Xenon LongerLife lamps automatically come with a **4-year warranty**. Register your purchase online and you can extend this warranty by an **extra 3 years**.

Available in C1 and S1 packaging

Available in

D1S

D2S

D2R

Xenon Vision

Ideal for replacement

- **Single-lamp replacement technology: new lamp matches color temperature of the unchanged one**
- Ideal economical solution for **a single-lamp replacement**
- **Homologated 4 300 K**

Philips Xenon Vision allows drivers to replace a single burned-out lamp while **matching** the **color** of the unchanged one.

Standard

Xenon Vision

Available in C1 and S1 packaging

Available in

D1S

D1R

D2S

D2R

D3S

D3R

D4S

D4R

D5S

D8S

Images for illustration purposes only

D1S Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85415VIS1	85	35	PK32d-2	36489733	8 727900 364897	-	8727900364903	ECE	2
85415VIC1	85	35	PK32d-2	36473633	8 727900 364736	-	8727900364743	ECE	2

D1S X-tremeVision gen2

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85415XV2S1	85	35	PK32d-2	37697533	8 727900 376975	-	8727900376982	ECE	2
85415XV2C1	85	35	PK32d-2	37701933	8 727900 377019	-	8727900377026	ECE	2

D1S LongerLife

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85415SYS1	85	35	PK32d-2	37246533	8 727900 372465	-	8727900372472	ECE	2
Ordering codes for Germany, Austria, Switzerland, Netherlands, Scandinavia (Sweden, Norway, Finland, Denmark), United Kingdom									
85415SYC1	85	35	PK32d-2	37516933	8 727900 375169	-	8727900375176	ECE	2
Ordering codes for Germany, Austria, Switzerland, Netherlands									
85415SYC1	85	35	PK32d-2	37250233	8 727900 372502	-	8727900372519	ECE	2
Ordering codes for Scandinavia (Sweden, Norway, Finland, Denmark), United Kingdom									
85415SYC1	85	35	PK32d-2	37522033	8 727900 375220	-	8727900375237	ECE	2
Ordering codes for Central Europe (Poland, Romania, Czech Republic) and other East European countries									

D1S WhiteVision gen2

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
85415WHV2S1	85	35	PK32d-2	36072133	8 727900 360721	-	8727900377248	ECE	2
85415WHV2C1	85	35	PK32d-2	37725533	8 727900 377255	-	8727900377262	ECE	2

D1R Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85409VIC1	85	35	PK32d-3	36475033	8 727900 364750	-	8727900364767	ECE	2

D2S Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85122VIS1	85	35	P32d-2	36491033	8 727900 364910	-	8727900364927	ECE	2
85122VIC1	85	35	P32d-2	36477433	8 727900 364774	-	8727900364781	ECE	2

D2S X-tremeVision gen2

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85122XV2S1	85	35	P32d-2	37703333	8 727900 377033	-	8727900377040	ECE	2
85122XV2C1	85	35	P32d-2	37707133	8 727900 377071	-	8727900377088	ECE	2

Philips Xenon LongerLife lighting is not available in all countries. For more information, please contact your Philips representative.

D2S LongerLife

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85122SYS1	85	35	P32d-2	37254033	8 727900 372540	-	8727900372557	ECE	2
Ordering codes for Germany, Austria, Switzerland, Netherlands, Scandinavia (Sweden, Norway, Finland, Denmark), United Kingdom									
85122SYC1	85	35	P32d-2	37518333	8 727900 375183	-	8727900375190	ECE	2
Ordering codes for Germany, Austria, Switzerland, Netherlands									
85122SYC1	85	35	P32d-2	37244133	8 727900 372441	-	8727900372458	ECE	2
Ordering codes for Scandinavia (Sweden, Norway, Finland, Denmark), United Kingdom									
85122SYC1	85	35	P32d-2	37524433	8 727900 375244	-	8727900375251	ECE	2
Ordering codes for Central Europe (Poland, Romania, Czech Republic) and other East European countries									

D2S WhiteVision gen2

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
85122WHV2S1	85	35	P32d-2	37727933	8 727900 377279	-	8727900377286	ECE	2
85122WHV2C1	85	35	P32d-2	37729333	8 727900 377293	-	8727900377309	ECE	2

D2R Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85126VIS1	85	35	P32d-3	36493433	8 727900 364934	-	8727900364941	ECE	2
85126VIC1	85	35	P32d-3	36479833	8 727900 364798	-	8727900364804	ECE	2

D2R X-tremeVision gen2

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85126XV2S1	85	35	P32d-3	37709533	8 727900 377095	-	8727900377101	ECE	2
85126XV2C1	85	35	P32d-3	37711833	8 727900 377118	-	8727900377125	ECE	2

D2R LongerLife

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85126SYS1	85	35	P32d-3	37248933	8 727900 372489	-	8727900372496	ECE	2
Ordering codes for Germany, Austria, Switzerland, Netherlands, Scandinavia (Sweden, Norway, Finland, Denmark), United Kingdom									
85126SYC1	85	35	P32d-3	37520633	8 727900 375206	-	8727900375213	ECE	2
Ordering codes for Germany, Austria, Switzerland, Netherlands									
85126SYC1	85	35	P32d-3	37252633	8 727900 372526	-	8727900372533	ECE	2
Ordering codes for Scandinavia (Sweden, Norway, Finland, Denmark), United Kingdom									
85126SYC1	85	35	P32d-3	37526833	8 727900 375268	-	8727900375275	ECE	2
Ordering codes for Central Europe (Poland, Romania, Czech Republic) and other East European countries									

D2R WhiteVision gen2

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
85126WHV2S1	85	35	P32d-3	37731633	8 727900 377316	-	8727900377323	ECE	2
85126WHV2C1	85	35	P32d-3	37733033	8 727900 377330	-	8727900377347	ECE	2

Philips Xenon LongerLife lighting is not available in all countries. For more information, please contact your Philips representative.

D3S Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
42403VIS1	42	35	PK32d-5	36495833	8 727900 364958	-	8727900364965	ECE	2
42403VIC1	42	35	PK32d-5	36481133	8 727900 364811	-	8727900364828	ECE	2

D3S X-tremeVision gen2

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
42403XV2S1	42	35	PK32d-5	37713233	8 727900 377132	-	8727900377149	ECE	2
42403XV2C1	42	35	PK32d-5	37717033	8 727900 377170	-	8727900377187	ECE	2

D3S WhiteVision gen2

Ordering number	V	W	Base	GOC	EAN1	EAN1	EAN1	ECE	Packing quantity
42403WHV2S1	42	35	PK32d-5	37735433	8 727900 377354	-	8727900377361	ECE	2
42403WHV2C1	42	35	PK32d-5	37737833	8 727900 377378	-	8727900377385	ECE	2

D3R Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
42306VIC1	42	35	PK32d-6	36483533	8 727900 364835	-	8727900364842	ECE	2

D4S Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
42402VIC1	42	35	P32d-5	36485933	8 727900 364859	-	8727900364866	ECE	2

D4S X-tremeVision gen2

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
42402XV2S1	42	35	P32d-5	37719433	8 727900 377194	-	8727900377200	ECE	2
42402XV2C1	42	35	P32d-5	37721733	8 727900 377217	-	8727900377224	ECE	2

D4R Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
42406VIC1	42	35	P32d-6	36487333	8 727900 364873	-	8727900364880	ECE	2

D5S Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12410C1	12	25	PK32d-7	36981633	8 727900 369816	-	8727900369823	ECE	2

D5S X-tremeVision gen2

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12410XV+C1	12/24	25	PK32d-7	35392133	8 727900 353921	-	8719018005090	ECE	2

D8S Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12411C1	42	25	PK32d-1	00467333	8 719018 004673	-	8719018004680	ECE	2

Specimen packaging

Discover the perfect anti-theft solution for your store.

VP VisionPlus

LLECO LongLife EcoVision

WVU WhiteVision ultra

XVP X-tremeVision Pro150

RGT RacingVision GT200

VI Xenon Vision

SY Xenon LongerLife

XV2 Xenon X-tremeVision gen2

WHV2 Xenon WhiteVision gen2

Ordering information

Description	Ordering number	GOC	EAN1	EAN3
1 2V halogen				
H4 RGT BF	56865 BF	00596030	871 901 8005960	871 901 8005977
H7 R GT BF	56 866BF	00598430	871 901 8005984	871 901 8005991
H4 RGT SF	5687 3SF	00606628	871 901 8006066	8719 01 8006073
H7 R GT SF	56874SF	00608028	871 901 8006080	871 901 8006097
H1 X VP BF	56859 BF	00584730	871 901 8005847	871 901 8005854
H4 X VP BF	56860BF	00586130	871 901 8005861	871 901 8005878
H7 X VP BF	56861 BF	00588530	871 901 8005885	871 901 8005892
H1 X VP SF	56862 SF	00590828	871 901 8005908	871 901 8005915
H4 X VP SF	56863 SF	00592228	871 901 8005922	871 901 8005939
H7 X VP SF	56864SF	00594630	871 901 8005946	871 901 8005953
H1 W VU BF	56869BF	00600430	871 901 8006004	871 901 8006011
H4 W VU BF	5687 0BF	00602830	871 901 8006028	871 901 8006035
H7 W VU BF	5687 1 BF	00604230	871 901 8006042	871 901 8006059
H1 W VU SF	5687 5SF	00610328	871 901 8006103	871 901 8006110
H4 W VU SF	5687 6SF	00612728	871 901 8006127	871 901 8006134
H7 W VU SF	5687 7SF	00614128	871 901 8006141	871 901 8006158
H1 L LECO BF	5627 3BF	26939830	871 8696269398	871 8696269404
H4 L LECO BF	5627 0BF	26933630	871 8696269336	871 8696269343
H7 L LECO BF	5626 8BF	26927530	871 8696269275	871 8696269282
H4 L LECO SF	56292 SF	39002528	8727900390025	8727900390032
H1 L LECO SF	56261 SF	26909128	871 8696269091	871 8696269107
H7 L LECO SF	562 94SF	39004928	8727900390049	8727900390056
H1 VP BF	5627 9BF	26949730	871 8696269497	871 8696269503
H4 V P BF	5627 8BF	26947330	871 8696269473	871 8696269480
H7 V P BF	5627 7BF	26945930	871 8696269459	871 8696269466
H1 V P SF	56252 SF	39991228	8727900399912	8727900399929
H4 V P SF	56293 SF	39010028	8727900390100	8727900390117
H7 V P SF	56295 SF	39012428	8727900390124	8727900390131

Description	Ordering number	GOC	EAN1	EAN3
Xenon				
D1 S XV2 S F	56643 SF	39655333	8727 900396553	8727900396560
D2S XV2 S F	56644SF	39657733	8727 900396577	8727 900396584
D2R XV2 S F	56645 SF	39659133	8727900396591	8727900396607
D3S XV2 S F	56646SF	39661433	8727 900396614	8727900396621
D4S XV2 S F	56647 SF	39663833	8727 900396638	8727 900396645
D1 S WHV2 S F	56640SF	39649233	8727 900396492	8727 900396508
D2S WHV2 S F	56641 SF	39651533	8727900396515	8727 900396522
D3S WHV2 S F	56642 SF	39653933	8727900396539	8727900396546
D1 S SY SF	5647 7SF	39467233	8727900394672	8727 900394689
D2S SY SF	5647 8SF	39469633	8727 900394696	8727 900394689
D2R SY SF	5647 9SF	39470233	8727900394702	8727900394719
D1 S VI SF	85415VISF	36504733	8727900365047	8727 900365054
D2R VI SF	85126VISF	36511533	8727900365115	8727900365122
D2S VI SF	85122VISF	36507833	8727 900365078	8727900365085
D3S VI SF	42403VISF	36515333	8727900365153	8727900365160

Understanding Philips ordering codes

All our automotive lighting products can be ordered using **Philips Order Entry**.
With Philips Order Entry you can identify the **lamp type**, the **product range** and the **packaging type.**

Example: **12972WVUB1**, H7 WhiteVision ultra, single blister

12972	WVU	B1
1/ Lamp type	**2/ Range type**	**3/ Packaging type**

1/ Lamp type

Every **lamp type** is designated by Philips with a unique number called lamp type.
- All 12V lamps start with 12 (for example: 12972 for H7 12V)
- All 24V lamps starting with 13 (for example: 13972 for H7 24V)

2/ Range type

Most lamp types are available in di erent product **ranges**.
These are indicated by a **color code**, to indicate the availability of a lamp in a specific p oduct range.

3/ Packaging type

Commercial pack
Material carton
Content C1 1 lamp
Content CP 10 lamps
Packaging type C1/CP

Single blister
Material carton/plastic
Content 1 lamp
Packaging type B1

Double blister
Material carton/plastic
Content 2 lamps
Packaging type B2

Halogen special pack
Material plastic
Content S2 2 lamps
Content SM 4 lamps
(2 headlamps,
2 position lamps)
Packaging type S2/SM

Xenon single blister
Material carton/plastic
Content 1 lamp
Packaging type S1

LED blister
Material carton/plastic
Content X1 1 lamp
Content X2 2 lamps
Packaging types X1/X2

LED special pack
Material carton
Content X2 2 lamps
Packaging type X2

LED Adapter Rings
Material carton
Content X2 2 rings
Packaging type X2

Color code

RacingVision GT200 Up to 200% brighter light	Range type **RGT**
X-tremeVision Pro150 Up to 150% brighter light	Range type **XVP**
VisionPlus Up to 60% more vision	Range type **VP**
LongLife EcoVision Lifetime up to 1,500 hours	Range type **LLECO**
WhiteVision ultra Sharp white look	Range type **WVU**
Vision Up to 30% more vision	Range type **PR**
Standard	Range type **STD**

Ultinon Pro6000 Boost Ultimate road-legal performance	Range type **U60B**
Ultinon Pro6000 Taking bright white light to the next level	Range type **U60**
Ultinon Pro6000 Standard A bright new journey ahead	Range type **U60S**
Ultinon Pro9200 Original automotive LED performance	Range type **U92**
Ultinon Pro5100 White light, for brighter roads	Range type **U51**
Ultinon Pro3022 Stylish LED lighting that's easy to t!	Range type **U3022**
Ultinon Access Quick, easy installation	Range type **U2500**
Ultinon Classic Match your style	Range type **U2510**
Ultinon Pro7000 SI Superior brightness, safer drive	Range type **U70**
Ultinon Pro3100 SI Stand out from the crowd	Range type **U3100**

Technical illustrations Bases

SV6
IEC 7004-5

SV8,5-8
IEC 7004-81

W2x4,6d
IEC 7004-94

W2,1x9,5d
IEC 7004-91

W3x16d
IEC 7004-105

W3x16q
IEC 7004-106

WX3x16d
IEC 7004-105

BAX 9s
IEC 7004-8



BAY 9s
IEC 7004-9



BA 7s

BA 9s
IEC 7004-14

BA 15s
IEC 7004-11A

BA 15d
IEC 7004-11A

BAU 15s
IEC 7004-11A

BAY 15d
IEC 7004-11B



BAW 9s
IEC 7004-149-1

BAW 15d
IEC 7004-11E-1

BAW 15s
IEC 7004-11E11

BAZ 15d
IEC 7004-11C

BA20d
IEC 7004-12



P43t-38
IEC 7004-39



P45t-41
IEC 7004-95



P20d-PY20d
IEC 7004-31



P22d
IEC 7004-32

PX22d



PG13
IEC 7004-107



PGJ13
IEC 7004-107



PGJ23t-1



HPSL HTR

PG18,5d
IEC 7004-147

PG20
IEC 7004-127



PGU20



PU20d

PGJ19-1/2
IEC 7004-110

PGJ19-3
IEC 7004-110

PGJ19-5
IEC 7004-110



PGJ23t-1



P14,5s
IEC 7004-46



X511
IEC 7004-99



P26s



PX26d,4t
IEC 7004-128-2



PX26d
IEC 7004-5



P29t-PX29t
IEC 7004-66



P32d
IEC 7004-111



P32d-2
IEC 7004-111



P32d-3
IEC 7004-111



P32d-5
IEC 7004-111



P32d-6
IEC 7004-111



PK32d-2
IEC 7004-111



PK32d-3/5/6
IEC 7004-111



PK32d-7
IEC 7004-111

PK22s
IEC 7004-47



PU43t-3
IEC 7004-171-2



PY26d-1
IEC 7004-5-7



W3x16d
IEC 7004-105-1



W3x16q
IEC 7004-106-1

W2,1x9,5d



WP3,3x14,5/3



Bax 8,3s



Bax 8,4d



Bax 8,5d/1

Bax 8,5d/2



Bax 10d

Product index

LED 12 V car and two-wheeler lighting - 24 V truck lighting

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
11005U2500CX	HL [≈HB3/HB4]	U2500	12	20	P20d/P22d	02574650	8719018025753	-	8719018025760	35
11005U3022X2	HL [≈HB3/HB4]	U3022SI	12/24	20	P20d/P22d	01806994	8719018018069	-	8719018018076	35
11005U51X2	HL [≈HB3/HB4]	U5100	12/24	12	P20d/P22d	01886194	8719018018861	-	8719018018878	35
11005U92X2	HL [≈HB3/HB4]	U9200	12	21	P20d/P22d	2769694	8719018027696	-	8719018027702	35
11012U2500CX	HL [≈HIR2]	U2500	12	20	PX22d	02577750	8719018025784	-	8719018025791	35
11012U3022X2	HL [≈HIR2]	U3022SI	12/24	20	PX22D	01808394	8719018018083	-	8719018018090	34
11012U51X2	HL [≈HIR2]	U5100	12/24	12	PX22d	01888594	8719018018885	-	8719018018892	34
11012U92X2	HL [≈HIR2]	U9200	12	21	PX22d	2771994	8719018027719	-	8719018027726	34
11065CU31B2	SI-WHITE [≈W21W]	U3100SI	12	2,2	W3x16d	02192230	8719018021922	-	8719018021939	39
11065CU70X2	SI-WHITE [≈W21W]	U7000SI	12/24	2,6	W3x16d	02259230	8719018022592	-	8719018022608	38
11065RU31B2	SI-RED [≈W21W]	U3100SI	12	1,73	W3x16d	02194630	8719018021946	-	8719018021953	38
11065RU70X2	SI-RED [≈W21W]	U7000SI	12/24	2,6	W3x16d	02263930	8719018022639	-	8719018022646	38
11066AU70X2	SI-AMBER [≈W21/5W]	U7000SI	12/24	2.7/0.9	W3x16q	02267730	8719018022677	-	8719018022684	38
11066CU31B2	SI-WHITE [≈W21/5W]	U3100SI	12	2.4/0.48	W3x16q	02208030	8719018022080	-	8719018022097	38
11066CU70X2	SI-WHITE [≈W21/5W]	U7000SI	12/24	2.7/0.9	W3x16q	02265330	8719018022653	-	8719018022660	38
11066RU31B2	SI-RED [≈W21/5W]	U3100SI	12	1.75/0.65	W3x16q	02196030	8719018021960	-	8719018021977	38
11066RU70X2	SI-RED [≈W21/5W]	U7000SI	12/24	2.6/0.9	W3x16q	02269130	8719018022691	-	8719018022707	43
11067CU31B1	SI-WHITE [≈W16W]	U3100SI	12	1,8	W2.1x9.5d	02204230	8719018022042	-	8719018022059	38
11067CU70X1	SI-T16 [≈W16W]	U7000SI	12/24	2.5	W2.1x9.5d	02283730	8719018022837	-	8719018022844	37
11071AU31B2	SI-AMBER [≈WY21W]	U3100SI	12	2,15	WX3x16d	02198430	8719018021984	-	8719018021991	38
11071AU70X2	SI-AMBER [≈WY21W]	U7000SI	12/24	2,5	WX3x16d	02261530	8719018022615	-	8719018022622	43
11090CU31B2	SI-WHITE [≈R5/R10W]	U3100SI	12	1,8	BA15s	02206630	8719018022066	-	8719018022073	39
11258U2500CX	HL [≈H1]	U2500	12	13	P14,5s	02583850	8719018025845	-	8719018025852	32
11258U3022X2	HL [≈H1]	U3022SI	12/24	18	P14.5s	01812094	8719018018120	-	8719018018137	32
11258U51X2	HL [≈H1]	U5100	12/24	12.5	P14.5s	01878694	8719018018786	-	8719018018793	32
11258U60BX2	HL [≈H1]	U60B	12	13	P14.5s	27597994	8719018027597	-	8719018027603	12
11258U92X2	HL [≈H1]	U9200	12/24	13	P14.5s	2775794	8719018027757	-	8719018027764	32
11336U2500CX	HL [≈H3]	U2500	12	13	PK22s	02586950	8719018025876	-	8719018025883	32
11336U3022X2	HL [≈H3]	U3022SI	12/24	18	PK22s	01814494	8719018018144	-	8719018018151	32
11336U51X2	HL [≈H3]	U5100	12/24	12	PK22s	01890894	8719018018908	-	8719018018915	32
11336U92X2	HL [≈H3]	U9200	12/24	11	PK22s	2777194	8719018027771	-	8719018027788	32
11342U2500CX	HL [≈H4/H19]	U2500	12	20/22	P43t-38/PU43t-3	02565450	8719018025661	-	8719018025678	33
11342U2510C2	HL [≈H4/H19]	U2510	12	20	P43t-38/PU43t-3	02727694	-	8719018027276	8719018027283	35
11342U3022X2	HL [≈H4]	U3022SI	12/24	20	P43t-38	01800794	8719018018007	-	8719018018014	33
11342U51X2	HL [≈H4]	U5100	12/24	12	P43t-38	01882394	8719018018823	-	8719018018830	32
11342U6000X1	HL [≈H4]	U60	12	18	P43t-38	02424494	8719018024244	-	8719018024251	12
11342U6000X2	HL [≈H4]	U60	12	18	P43t-38	01365131	8719018013651	-	8719018013668	12
11342U60SX2	HL [≈H4]	U60S	12	19	P43t-38	02786331	8719018027863	-	8719018027870	12
11342U60B2X2	HL [≈H4]	U60B2	12	18	P43t-38	27924331	8719018027924	-	8719018027931	12
11342U60B2X1	HL [≈H4]	U60B2	12	18	P43t-38	02790094	8719018027900	-	8719018027917	12
11342U92X2	HL [≈H4]	U9200	12/24	18	P43t-38	2763494	8719018027634	-	8719018027641	32
11362U2500CX	HL [≈H11]	U2500	12	20	PGJ19-2	02571550	8719018025722	-	8719018025739	34
11362U2510C2	HL [≈H11]	U2510	12	20	PGJ19-2	02732094	-	8719018027320	8719018027306	34
11362U3022X2	HL [≈H11]	U3022SI	12/24	20	PGJ19-2	01810694	8719018018106	-	8719018018113	34
11362U51X2	HL [≈H11]	U5100	12/24	12	PGJ19-2	01880994	8719018018809	-	8719018018816	33
11362U92X2	HL [≈H11/H9]	U9200	12/24	21	PGJ19-2/5	2773394	8719018027733	-	8719018027740	33
11366U2500CX	FL [≈H8/H9/H16]	U2500	12	20	PGJ19-1/3/5	02580750	8719018025814	-	8719018025821	34
11366U3022X2	FL [≈H8/H11/H16]	U3022SI	12/24	20	PGJ19-1/2/3	01804594	8719018018045	-	8719018018052	34
11366U51X2	FL [≈H8/H11/H16]	U5100	12/24	9	PGJ19-1/2/3	01876294	8719018018762	-	8719018018779	34
11366U92X2	FL [≈H8/H11/H16]	U9200	12/24	18	PGJ19-1/2/3	2767294	8719018027672	-	8719018027689	34
11496AU31B2	SI-AMBER [≈PY21W]	U3100SI	12	2,15	BAY15D	02202830	8719018022028	-	8719018022035	37
11498AU70X2	SI-AMBER [≈PY21W]	U7000SI	12/24	2.5	BAU15S	02273830	8719018022738	-	8719018022745	37
11498CU31B2	SI-WHITE [≈P21W]	U3100SI	12	2,2	BA15S	02186130	8719018021861	-	8719018021878	37
11498CU70X2	SI-WHITE [≈P21W]	U7000SI	12/24	2.6	BA15S	02271430	8719018022714	-	8719018022721	37
11498RU31B2	SI-RED [≈P21W]	U3100SI	12	1,73	BA15S	02188530	8719018021885	-	8719018021892	37
11498RU70X2	SI-RED [≈P21W]	U7000SI	12/24	2.6	BA15S	02275230	8719018022752	-	8719018022769	37
11499AU70X2	SI-AMBER [≈P21/5W]	U7000SI	12/24	2.7/0.9	BAY15d	02279030	8719018022790	-	8719018022806	37
11499CU31B2	SI-WHITE [≈P21/5W]	U3100SI	12	2.4/0.48	BAY15D	02200430	8719018022004	-	8719018022011	37
11499CU70X2	SI-WHITE [≈P21/5W]	U7000SI	12/24	2.7/0.9	BAY15d	02277630	8719018022776	-	8719018022783	37
11499RU31B2	SI-RED [≈P21/5W]	U3100SI	12	1.75/0.65	BAY15D	02190830	8719018021908	-	8719018021915	37
11499RU70X2	SI-RED [≈P21/5W]	U7000SI	12/24	2.6/0.9	BAY15d	02281330	8719018022813	-	8719018022820	36
11854CU31B1	SI-WHITE [≈Fest 38 mm]	U3100SI	12	0,6	SV8.5	02210330	8719018022103	-	8719018022110	36

LED 12 V car and two-wheeler lighting - 24 V truck lighting

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
11 854CU70X1	SI- FEST 38mm 6000K	U7000SI	12	1	SV8.5	02307030	871 901 8023070	-	871 901 8023087	36
11 854WU70X1	SI- FEST 38mm 4000K	U7000SI	12	1	SV8.5	02301830	871 901 8023018	-	871 901 8023025	36
11860CU31 B1	SI- WHITE [≈Fest 30 mm]	U3100SI	12	0,8	SV8.5	021 847 30	871 9018 021 847	-	871 9018 0218 54	36
11 860CU70X1	SI- FEST 30mm 6000K	U7000SI	12	1	SV8.5	02305630	871 901 8023056	-	871 901 8023063	36
11 860WU70X1	SI- FEST 30mm 4000K	U7000SI	12	1	SV8.5	02299830	871 901 8022998	-	871 901 8023001	36
11866CU31 B1	SI- WHITE [≈Fest 43 mm]	U3100SI	12	0,6	SV8.5	0221 27 30	871 901 8022127	-	871 901 8022134	36
11866CU70X1	SI- FEST 43mm 6000K	U7000SI	12	1	SV8.5	02309430	871 901 8023094	-	871 901 8023100	36
11866WU70X1	SI- FEST 43mm 4000K	U7000SI	12	1	SV8.5	023 0323 0	871 901 8023032	-	871 901 8023049	36
11961 CU31 B2	SI- WHITE [≈W5W]	U3100SI	12	0,74	W2.1x9.5d	021 823 30	871 9018 0218 23	-	871 9018 021 830	39
11961CU70X2	SI-T10 [≈W5W] 6000K	U7000SI	12	0.87	W2.1x9.5d	02291230	8719018022899	-	8719018022929	39
11961 HU60X2	SI- WHITE [≈W5W]	U60	12	0.9	W2.1x9.5d	01 638630	871 901 801 6386	-	871 901 801 6393	12
11961WU70X2	SI-T10 [≈W5W] 4000K	U7000SI	12	0.87	W2.1x9.5d	02289930	8719018015143	-	8719018022905	39
11961XU70X2	SI-T10 [≈W5W] 8000K	U7000SI	12	0.62	W2.1x9.5d	02297430	8719018022974	-	8719018022981	39
11972U2500CX	HL [≈H7/ H1 8]	U2500	12	16	PX26d/PY26d-1	02568550	871 9018 025708	-	871 9018 025692	33
11972U2510C2	HL [≈H7/ H1 8]	U2510	12	16	PX26d/PY26d-1	027 29094	-	871 901 8027290	871 901 8027313	33
11972U3022X2	HL [≈H7]	U3022SI	12/24	20	PX26d	01 802194	871 901 801 8021	-	871 901 801 8038	33
11972U51X 2	HL [≈H7]	U5100	12/24	12	PX26d	01 884794	871 901 801 8847	-	871 901 801 8854	33
11972U6000X1	HL [≈H7]	U60	12	15	PX26d	02422094	871 901 8024220	-	871 901 8024237	12
11972U6000X2	HL [≈H7]	U60	12	15	PX26d	01 361 331	871 901 801 3613	-	871 901 801 3644	12
11972U60BX2	HL [≈H7]	U60B	12	16	PX26d	2563031	871 9018 025630	-	871 9018 025647	12
11972U60SX2	HL [≈H7]	U60S	12	17	PX26d	02556231	871 901 8025562	-	871 901 8025579	12
11972U92X2	HL [≈H7]	U9200	12/24	21	PX26d	2765894	8719018027658	-	8719018027665	33
12202A U70X2	SI-AMBER [≈WY5W]	U7000SI	12	0.5	W2.1x9.5d	02313130	8719018023131	-	8719018023148	39
24805CU70X2	SI-WHITE [≈R5W/R10W]	U7000SI	12/24	1.05	BA15s	02315530	8719018023131	-	8719018023162	39
24844CU70X1	SI- FEST 30mm 6000K	U7000SI	12	1 .5	SV8,5	0231 17 30	871 901 8023117	-	871 901 8023124	42
24961CU70X2	SI-T10 [≈W5W] 6000K	U7000SI	24	1	W2.1x9.5d	02295030	8719018022950	-	8719018022967	43
24961WU70X2	SI-T10 [≈W5W] 4000K	U7000SI	24	1	W2.1x9.5d	02293630	8719018022936	-	8719018022943	43

LED CANbus Adapters

Ordering number	Type	V	W	GOC	EAN1	EAN2	EAN3	Page
18952X2	HL [≈H7]	12	12	72837794	6974260728377	-	6974260728384	14, 40
18954X2	FL [≈H8/H11/H16]	12	12	72833994	6974260728339	-	6974260728346	40
18956X2	HL [≈HB3/HB4/HIR2]	12	12	72835394	6974260728353	-	6974260728360	40
12956X2	SI [≈W5W]	12	5	39722294	8727900397222		9719018005007	14, 40
18957X2	SI [≈W21W]	12	21	39587794	8727900395877		8719018004956	40
18960X2	HL [≈H4]	12	12	72831594	6974260728315	-	6974260728322	14, 40

LED Adapter Rings

Ordering number	Type	Range	GOC	EAN1	EAN2	EAN3	Page
11020X2	Type X	U9200	02798631	8719018027986	-	8719018027993	15, 42
11022X2	Type V	U9200	02798631	8719018028020	-	8719018028037	15, 42
11023X2	Type L	U9200	02798631	8719018028044	-	8719018028051	14, 41
11024X2	Type Q	U9200	02798631	8719018028068	-	8719018028075	15, 41
11172X2	Type H	U9200, U5100	01630031	8719018016300	-	8719018016317	14, 41
11176X2	Type D	U9200	01681231	8719018016812	-	8719018016829	14, 41
11178X2	Type E	U9200	01679931	8719018016799	-	8719018016805	14, 41
11179X2	Type I	U9200, U5100, U3022	01683631	8719018016836	-	8719018016843	14, 41
11180X2	Type K	U9200, U5100, U3022	01675131	8719018016751	-	8719018016768	14, 41
11182X2	Type P	U9200	01677531	8719018016775	-	8719018016782	15, 41
11183X2	Type N	U9200, U5100, U3022	01636231	8719018016362	-	8719018016379	41
11184X2	Type A	U9200, U5100, U3022	02009331	8719018020093	-	8719018020109	14, 41
11009RCD X2	Type RCD	U5100	02058131	8719018020581	-	8719018020598	41
11010RCEX2	Type RCE	U5100	02060431	8719018020604		8719018020611	41
11011RCP X2	Type RCP	U5100	02062831	8719018020628		8719018020635	41
11013RAHX2	Type RAH	U3022	02046831	8719018020468		8719018020475	41
11016RAP X2	Type RAP	U3022	02052931	8719018020529		8719018020536	42
11015RAEX2	Type RAE	U3022	02050531	8719018020505		8719018020512	42
11014RAD X2	Type RAD	U3022	02048231	8719018020482		8719018020499	42

Halogen 12 V car lighting

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
120 23CP	H5W	Standard	12	5	BA9s	51 27 0928	8711 55951 2709	8711 55951 2464	8727 900371 222	62
120 24CP	H10 W	Standard	12	10	BA9s	529417 28	8711 55952 9417	8711 55952 9424	8727 900371 192	62
120 25CP	H20 W	Standard	12	20	BA9s	87600328	8711 50087 6003	8711 50087 6010	8727 900371 154	62

Halogen 12 V car lighting

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
120 36B2	H6W	Standard	12	6	BAX9s	24720930	8711500247209	-	8711500247216	62
120 36CP	H6W	Standard	12	6	BAX9s	87603428	8711500876034	8711500876041	8727900370676	62
120 36WVUB2	H6W	WhiteVision ultra	12	6	BAX9s	00543430	8719018005434	-	8719018005441	62
120 40VPB2	WBT10	VisionPlus	12	6	W2,1 x9,5d	5241 6030	8711559524160	-	8711559524184	63
120 59C1	H27 W/1	Standard	12	27	PG13	52854030	8711559528540	-	8727900370799	59
120 60C1	H27 W/2	Standard	12	27	PGJ13	52857130	8711559528571	-	8727900370805	59
120 61 CP	W2,3W	Standard	12	2.3	W2x4,6d	48330028	8711500483300	8711500483317	8727900391640	62
120 65B2	W21W	Standard	12	21	W3x1 6d	7014 6330	8727900701463	-	8727900701470	64
120 65CP	W21W	Standard	12	21	W3x1 6d	471 35228	8711500471352	8711500471369	8727900391107	64
120 66B2	W21 /5W	Standard	12	21 /5	W3x1 6q	69739130	8727900697391	-	8727900697407	64
120 66CP	W21 /5W	Standard	12	21 /5	W3x1 6q	47138328	8711500471383	8711500471390	8727900391091	64
120 67B2	W16 W	Standard	12	16	W2,1 x9,5d	40587630	8711500405876	-	8711559521053	63
120 67CP	W16 W	Standard	12	16	W2,1 x9,5d	4827 2328	8711500482723	8711500482730	8727900391626	63
120 71B2	WY21W	Standard	12	21	WX3x1 6d	6974 1430	8727900697414	-	8727900697421	64
120 71CP	WY21W	Standard	12	21	WX3x1 6d	52539628	8711559525396	8711559525402	8727900391688	67
120 85C1	PS1 9W	Standard	12	19	PG20/1	69653030	8727900696530	-	8727900390988	67
120 85LLC1	PS1 9W	LongLife	12	19	PG20/1	70046630	8727900700466	-	8727900390926	67
120 86FFC1	PS24 W	Standard	12	24	PG20/3	70044230	8727900700442	-	8727900390919	67
120 88CP	PR21W	Standard	12	21	BAW15 s	48531 128	8711500485311	8711500485328	8727900391589	60
120 93NACP	RY10 W	Standard	12	10	BAU15s	48362128	8711500483621	8711500483638	8727900391619	61
1214 6CP	HY21W	Standard	12	21	BAW9s	3524 4328	8727900352443	8727900352450	8727900370867	62
12174NAHTRC1	PWY24 W	Standard	12	24	WP3,3x14,5/4	39202930	8727900392029	-	8727900397345	68
12174SVHTRC1	PWY24 W	SilverVision+	12	24	WP3,3x14,5/4	39200530	8727900392005	-	8727900397352	68
1217 7C1	PW16W	Standard	12	16	WP3,3x14,5/8	39623230	8727900396232	-	8727900396249	67
12180SV+C1	PSY24 W	SilverVision+	12	24	PG20/4	70379530	8727900703795	-	8727900390841	68
12182HTRC1	PW24 W	Standard	12	24	WP3,3x14,5/3	39196130	8727900391961	-	8727900397369	68
1218 8NAC1	PSY24 W	Standard	12	24	PG20/4	69668430	8727900696684	-	8727900390834	68
1219 0NAC1	PY24 W	Standard	12	24	PGU20/4	69690530	8727900696905	-	8727900390803	68
12197HTRC1	HiPerVision LCP	Standard	13.5	24	HPSL 2A	39621830	8727900396218		8727900396225	67
12 256B2	W3W	Standard	12	3	W2,1 x9,5d	5241 0830	8711559524108	-	8711559524122	77
12 256CP	W3W	Standard	12	3	W2,1 x9,5d	481 44328	8711500481443	8711500481450	8727900391664	77
12258LLECOB1	H1	LongLife EcoVision	12	55	P14 ,5s	36196430	8727900361964	-	8727900361971	54
12258LLECOC1	H1	LongLife EcoVision	12	55	P14 ,5s	36187230	8727900361872	-	8727900370683	54
12258LLECOS2	H1	LongLife EcoVision	12	55	P14 ,5s	36255828	8727900362558	-	8727900362565	54
12258PRB1	H1	Vision	12	55	P14 ,5s	4751 6930	8711500475169	-	8711500475176	54
12258PRC1	H1	Vision	12	55	P14 ,5s	4751 8360	8711500475183	8727900363791	8711500475190	54
12258SPC1	H1	Spot	12	55	P14 ,5s	40460230	8711500404602	-	8727900370690	54
12258VPB1	H1	VisionPlus	12	55	P14 ,5s	36320330	8727900363203	-	8727900363197	54
12258VPS2	H1	VisionPlus	12	55	P14 ,5s	36322728	8727900363227	-	8727900363210	54
12258WVUB1	H1	WhiteVision ultra	12	55	P14 ,5s	00523630	8719018005236	-	8719018005243	54
12258WVUSM	H1	WhiteVision ultra	12	55	P14 ,5s	00525028	8719018005250	-	8719018005267	54
12258XVPB1	H1	X-tremeVision Pro150	12	55	P14 ,5s	00549630	8719018005496	-	8719018005502	54
12258XVPS2	H1	X-tremeVision Pro150	12	55	P14 ,5s	00565628	8719018005656	-	8719018005663	54
12271AC1	PCY16W	HiPerClick	12	16	PU20d/2	38965430	8727900389654	-	8727900391152	67
12274SV+C1	PY24	SilverVision+	12	24	PGU20/4	69678330	8727900696783	-	8727900390780	68
12275NAC1	PSY19 W	Standard	12	19	PG20/2	52735230	8711559527352	-	8727900390858	67
12276C1	PSX24 W	Standard	12	24	PG20/7	69676930	8727900696769	-	8727900390902	67
12276WVUB1	PSX24 W	WhiteVision ultra	12	24	PG20/7	00545828	8719018005458	-	8719018005465	67
12277C1	P13W	Standard	12	13	PG18 ,5d-1	69672130	8727900696721	-	8727900391008	67
12278C1	PSX26 W	Standard	12	26	PG18 ,5d/3	38874930	8727900388749	-	8727900390896	68
12311C1	H2	Standard	12	55	X511	47752130	8711500477521	-	8727900370782	54
12336LLECOC1	H3	LongLife EcoVision	12	55	PK22 s	777 04130	8711500777041	-	8711500779366	55
12336PRB1	H3	Vision	12	55	PK22 s	69561130	8711500695611	-	8711500695628	54
12336PRC1	H3	Vision	12	55	PK22 s	69534560	8711500695345	8711500775696	8711500695352	54
12336WVUB1	H3	WhiteVision ultra	12	55	PK22 s	00531128	8719018005311	-	8719018005328	55
12342LLECOB1	H4	LongLife EcoVision	12	60/55	P43t-38	36198830	8727900361988	-	8727900361995	55
12342LLECOC1	H4	LongLife EcoVision	12	60/55	P43t-38	36189630	8727900361896	-	8727900370836	55
12342LLECOS2	H4	LongLife EcoVision	12	60/55	P43t-38	36257228	8727900362572	-	8727900362589	55
12342PRB1	H4	Vision	12	60/55	P43t-38	47480330	8711500474803	-	8711500474810	55
12342PRC1	H4	Vision	12	60/55	P43t-38	49099560	8711500490995	8711500827807	8711500490988	55
12342PRC2	H4	Vision	12	60/55	P43t-38	78028760	8711500780287	8711500780294	8711500780300	55
12342RGTB1	H4	RacingVision GT200	12	60/55	P43t-38	00571730	8719018005717	-	8719018005724	55
12342RGTS2	H4	RacingVision GT200	12	60/55	P43t-38	00575528	8719018005755	-	8719018005762	55
12342VPB1	H4	VisionPlus	12	60/55	P43t-38	39934930	8727900399349	-	8727900399332	55
12342VPC2	H4	VisionPlus	12	60/55	P43t-38	37435360	8727900374353	8727900374360	8727900374377	55

Halogen 12 V car lighting

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
1 2342 VPS2	H4	VisionPlus	12	60/55	P43t-3 8	39925728	8727 900399257	-	8727900350937	55
1 2342 WVUB1	H4	WhiteVision ultra	12	60/55	P43t-3 8	35 489830	8727 900354898	-	8727 900354881	55
1 2342 WVUSM	H4	WhiteVision ultra	12	60/55	P43t-3 8	35490428	8727900354904	-	8727900354911	55
1 2342 XVPB1	H4	X- tremeVision Pro1 50	12	60/55	P43t-3 8	00553330	871 901 8005533	-	871 901 8005540	55
1 2342 XVPS2	H4	X- tremeVision Pro1 50	12	60/55	P43t-3 8	00567028	871 901 8005670	-	871 901 8005687	55
12 356 CP	H21W	Standard	12	21	BAY9s	87989928	8711 50087 9899	8711 50087 9905	8727900371116	62
1 23 60B1	H8	Standard	12	35	PGJ1 9-1	8241 6530	8711 5008241 65	-	8727900362909	56
1 23 60C1	H8	Standard	12	35	PGJ1 9-1	47 582430	8711 500475824	-	8727900371017	56
1 23 60WVUB1	H8	WhiteVision ultra	12	35	PGJ1 9-1	00533528	871 901 8005335	-	871 901 8005342	56
1 2361 B1	H9	Standard	12	65	PGJ1 9-5	36 3081 30	8727 900363081	-	8727 900363098	57
1 2361C 1	H9	Standard	12	65	PGJ1 9-5	47 584830	8711 500475848	-	8727900371000	57
1 23 62XVPB1	H11	X- tremeVision Pro1 50	12	55	PGJ1 9-2	00551 928	8719 01 8005519	-	871 901 8005526	57
1 2362LLECOB1	H11	LongLife EcoVision	12	55	PGJ1 9-2	3631 0430	8727900363104	-	8727900363111	57
1 2362LLECOC1	H11	LongLife EcoVision	12	55	PGJ1 9-2	361 94030	8727900361 940	-	8727900370744	57
1 23 62PRB1	H11	Vision	12	55	PGJ1 9-2	36428630	8727 900364286	-	8727900364293	57
1 23 62PRC1	H11	Vision	12	55	PGJ1 9-2	36430930	8727 900364309	-	8727900370751	57
1 23 62WVUB1	H11	WhiteVision ultra	12	55	PGJ1 9-2	00535928	871 901 8005359	-	871 901 8005366	57
1 23 66C1	H16	Standard	12	19	PGJ1 9-3	36856730	8727 900368567	-	8727 900370775	57
1 2396NAB2	WY5W	Standard	12	5	W2,1 x9,5d	400581 30	871 15 00400581	-	871 15 00400598	63
1 2396NACP	WY5W	Standard	12	5	W2,1 x9,5d	53002428	8711 559530024	8711 559530031	8727900390889	63
1 24 01 CP	Stop P22	Standard	12	15	BA15 s	878 21 228	8711 50087 8212	8711 50087 8229	871 15 00790538	60
1 24 45CP	Stop P25	Standard	12	18	BA15 s	48440628	8711 500484406	871 1 500484413	8727900391 602	61
1 247 5B1	R2	R2 Vision	12	45/40	P45t- 41	247 1 6230	871 1 5002471 62	-	871 1 5002471 79	59
1 247 5C1	R2	R2 Vision	12	45/40	P45t- 41	404 66430	8711 500404 664	-	8727900371 130	59
1 24 95CP	PR21 /5W	Standard	12	21 /5	BAW15 d	4887 3228	8711 5004887 32	8711 5004887 49	8727900391 572	60
1 2496LLECOCP	PY21W	LongLife EcoVision	12	21	BAU1 5s	3821 81 28	8727 9003821 81	8727 9003821 98	8727900391 084	60
1 2496NAB2	PY21W	Standard	12	21	BAU1 5s	5237 2930	8711 559 52 3729	-	8711 559 52 3743	60
1 2496NACP	PY21W	Standard	12	21	BAU1 5s	5253417 3	8711 559 52 5341	8711 559 52 5358	8711 559 52 5365	60
1 24 96SVB2	PY21W	SilverVision	12	21	BAU1 5s	3111 7730	8711 5003111 77	-	8711 5003111 91	60
1 24 98B2	P21W	Standard	12	21	BA15 s	55491 30	871 15 00055491	-	8711 559 52 01 31	77
1 24 98CP	P21W	Standard	12	21	BA15 s	4907 807 3	8711 500490780	8711 500490797	8711 500490803	77
1 2498LLECOB2	P21W	LongLife EcoVision	12	21	BA15 s	38210 530	8727900382105	-	8727 9003821 1 2	59
1 2498LLECOCP	P21W	LongLife EcoVision	12	21	BA15 s	381 98628	8727900381 986	8727900381 993	8727900391 695	59
1 24 98VPB2	P21W	VisionPlus	12	21	BA15 s	3631 8030	8727 9003631 80	-	8727900363173	59
1 24 99B2	P21 /5W	Standard	12	21 /5	BAY1 5d	55 45330	871 15 00055453	-	8711 55 952014 8	60
1 24 99CP	P21 /5W	Standard	12	21 /5	BAY1 5d	481 597 73	871 15 004815 97	8711 500481 603	8711 5004816 1 0	60
1 2499LLECOB2	P21 /5W	LongLife Ecovision	12	21 /5	BAY1 5d	3821 2930	8727 900382129	-	8727900382136	60
1 2499LLECOCP	P21 /5W	LongLife Ecovision	12	21 /5	BAY1 5d	38201 328	8727 900382013	8727900382020	8727900391 053	60
1 24 99VPB2	P21 /5W	VisionPlus	12	21 /5	BAY1 5d	3631 6630	8727 9003631 66	-	8727900363159	60
1 25 05CP	W2W	Standard	12	2	W2x4,6d	48327028	8711 500483270	8711 500483287	8727900391 657	62
1 251 6B2	W1 ,2W	Standard	12	1 .2	W2x4,6d	555 4530	8711 5000555 45	-	8711 500417 763	62
1 251 6CP	W1 ,2W	Standard	12	1 .2	W2x4,6d	481 53 573	871 15 004815 35	8711 500481 542	871 15 004815 59	62
1 2521C P	WBT5	Standard	12	1	W2x4,6d	483 21 828	8711 500483218	8711 500483225	8727900391 671	62
1 25 80C1	H1 5	Standard	12	55 /1 5	PGJ23t-1	02000030	871 901 8020000	-	871 901 8020024	57
1 25 80B1	H1 5	Standard	12	55 /1 5	PGJ23t-1	020017 30	871 901 8020017	-	871 901 8020031	57
1 2594B2	P21 /4W	Standard	12	21 /4	BAZ15 d	404 85530	8711 500404 855	-	871 1 500471 017	60
1 2594CP	P21 /4W	Standard	12	21 /4	BAZ15 d	4843 3828	8711 500484338	8711 500484345	8727900391 565	60
1 2597 B2	Bax 8,3s/1 ,35 black	Standard	12	1 .2	B8,3s/1 ,35	53 01 853 0	8711 5595301 85	-	8711 5595301 92	65
1 2597 CP	Bax 8,3s/1 ,35 black	Standard	12	1 .2	B8,3s/1 ,35	483 65228	871 1 500483652	871 1 500483669	8727900390957	65
1 2598B2	Bax 8,5d/2 black	Standard	12	1 .2	B8,5d/2	40588330	871 15 00405883	-	8711 500405890	65
1 2598CP	Bax 8,5d/2 black	Standard	12	1 .2	B8,5d/2	483 87428	8711 500483874	8711 500483881	8727900390964	65
1 26 00CP	Bax 8,5d/2 green	Standard	12	2	B8,5d/2	483 93528	8711 500483935	8711 500483942	8727 900390971	65
1 2602CP	Bax 8,3s/1 ,5 blue	Standard	12	2	B8,3s/1 ,5	483 96628	8711 500483966	8711 500483973	8727900390995	65
1 2603CP	Bax 8,5d/1 ,5 blue	Standard	12	1 .2	B8,5d/1 ,5	483 99728	8711 500483997	8711 500484000	8727900391 015	65
1 2604 CP	B8,5d green	Standard	12	2	B8,5d	405081 28	871 15 00405081	8711 500404 589	8727900391 022	65
1 2611 CP	BX8,4d olive green	Standard	12	1 .3	BX8,4d	77432 328	8711 500 743 23	8711 500 774 330	8711 500 779 397	66
1 2614 CP	B1 0d brown halogen	Standard	12	3	B10 d	52 8052 28	8711 559 52 8052	8711 55951 2723	8727 900370928	65
1 261 5CP	B1 0d black halogen	Standard	12	5	B10 d	528 07628	8711 559 52 8076	8711 500243768	8727900370911	65
12 620 B1	R2	Standard	12	45/40	P45t- 41	5543930	871 15 00055439	-	8711 559 52 5327	59
12 620 C1	R2	Standard	12	45/40	P45t- 41	400857 30	8711 500400857	-	8711 500 779 359	59
1 2623CP	BX8,4d light blue	Standard	12	1 .2	BX8,4d	51 384328	871 1 55951 3843	871 15 0024415 4	8727900370904	65
1 2624 CP	BX8,4d orange	Standard	12	1 .1	BX8,4d	51 41 1628	8711 55 9514 116	871 1 5002451 37	8727 900370898	66
1 2625CP	BX8,4d black	Standard	12	1 .2	BX8,4d	51 409328	8711 55 9514 093	8711 5002444 20	8727900371208	66
1 2626 CP	BX8,4d light green	Standard	12	2	BX8,4d	51 41 2328	8711 55 9514 123	8711 500246066	8727 900370942	66
1 2627 CP	BX8,4d beige	Standard	12	1 .5	BX8,4d	51 41 47 28	8711 55 9514 147	8711 500247414	8727 900370959	66

Halogen 12 V car lighting

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
1 26 29CP	BX8,4d beige	Standard	12	1 .8	BX8,4d	51 4888 28	8711 55 9514 888	8711 55951 2488	8727900371 031	66
1 2637 CP	B8,5d beige	Standard	12	1 .5	B8,5d	51 4871 28	8711 55951 4871	8711 500400178	8727900371 048	66
1 26 38CP	BX8,5d white	Standard	12	1 .1 2	BX8,5d	488 466 28	8711 500488 466	8711 500488473	8727900391 503	66
1 2643LLC1	H1 8	LongLife EcoVision	12	65	PY26d-1	35603830	8727900356038	-	8727900356045	57
1 2644LLC1	H1 9	LongLife EcoVision	12	60/55	PU43t-3	356052 30	8727900356052	-	8727900356069	58
1 281 4B2	R10 W	Standard	12	10	BA15 s	5547 730	871 15 00055477	-	871 1 500417 71 8	61
1 281 4CP	R10 W	Standard	12	10	BA15 s	48341 673	8711 500483416	8711 500483423	8711 500483430	61
1 281 8CP	Festoon T6,2x27	Standard	12	3	SV6	48461 1 28	8711 500484611	8711 500484628	8727 900695632	64
1 2821 B2	R5W BA1 5s	Standard	12	5	BA15 s	554 6030	871 15 00055460	-	8711 500417 701	61
1 2821C P	R5W BA1 5s	Standard	12	5	BA15 s	482 69373	8711 500482693	8711 5004827 09	871 1 500482716	61
1 2821 LLECOB2	R5W	LongLife EcoVision	12	5	BA15 s	382 082 30	8727900382 082	-	8727 900382099	61
1 2821 LLECOCP	R5W	LongLife EcoVision	12	5	BA15 s	381 95528	8727 900381 955	8727 900381 962	8727900390940	61
1 28 22CP	R5W BA15 d	Standard	12	5	BA15 d	45407228	8711 500454072	8711 500454959	871 15 00790521	61
1 28 29CP	BA7	Standard	12	2	BA7s	521 237 28	8711 559521 237	871 1 500401 236	8727900390933	61
1 28 44B2	Festoon C5W	Standard	12	5	SV8,5	555 14 30	8711 5000555 14	-	8711 500417 749	64
1 28 44CP	Festoon C5W	Standard	12	5	SV8,5	481 56673	871 15 004815 66	871 15 004815 73	871 15 004815 80	64
1 28 48CP	Festoon T6,2x35	Standard	12	3	SV6	48467328	8711 500484673	8711 500484680	8727900391 558	64
1 28 50CP	Festoon T1 5x43	Standard	12	15	SV8,5	4828 5328	8711 500482853	8711 500482860	8727900391 541	65
1 28 54CP	Festoon T1 0,5x38	Standard	12	10	SV8,5	482 48828	8711 500482488	8711 500482495	8727900391 51 0	64
1 2860LLECOCP	Festoon T1 0,5x30	LongLife EcoVision	12	10	SV8,5	381 924 28	8727 900381 924	8727900381 931	8727900391 11 4	64
1 28 64CP	Festoon T1 0,5x43	Standard	12	5	SV8,5	4820512 8	871 15 00482051	8711 500482075	8727 900391 527	65
1 28 66B2	Festoon T1 0,5x43	Standard	12	10	SV8,5	555 21 30	8711 5000555 21	-	8711 500417 756	65
1 28 66CP	Festoon T1 0,5x43	Standard	12	10	SV8,5	4824 2628	8711 500482426	8711 500482433	8727900391 534	65
1 291 0CP	T3W	Standard	12	3	BA9s	21 9497 28	8711 50021 9497	8711 50021 9503	8711 500220837	61
1 291 3CP	T2W	Standard	12	2	BA9s	21 997 828	8711 50021 997 8	8711 50021 9985	8711 500220820	61
1 29 29 B2	T4W	Standard	12	4	BA9s	555 07 30	8711 5000555 07	-	8711 559 52 0094	61
1 29 29 CP	T4W	Standard	12	4	BA9s	219 79473	8711 50021 97 94	8711 50021 9800	8711 50021 9817	61
1 29 60CP	W2,2W	Standard	12	2.2	W2,1 x9,5d	481 50428	871 15 004815 04	8711 500481 511	8727900391 633	63
1 2961 B2	W5W	Standard	12	5	W2,1 x9,5d	404 21 330	8711 500404 21 3	-	8711 559 52 007 0	63
1 2961C P	W5W	Standard	12	5	W2,1 x9,5d	49090273	8711 500490902	8711 500490919	8711 500490926	63
1 2961 LLECOB2	W5W	LongLife EcoVision	12	5	W2,1 x9,5d	38204430	8727900382044	-	8727900382051	63
1 2961 LLECOCP	W5W	LongLife EcoVision	12	5	W2,1 x9,5d	381 89428	8727 900381 894	8727900381 900	8727900390872	63
1 2961W VUB2	W5W	WhiteVision ultra	12	5	W2,1 x9,5d	35484330	8727 900354843	-	8727900354874	63
1 2961 XVPB2	W5W	X-tremeVision Pro1 50	12	5	W2,1 x9,5d	005632 30	871 901 8005632	-	871 901 8005649	63
1 2972 LLECOB1	H7	LongLife EcoVision	12	55	PX26 d	36200830	8727900362008	-	8727 900362015	56
1 2972 LLECOC1	H7	LongLife EcoVision	12	55	PX26 d	361 92630	8727 900361 926	-	8727 900371 024	56
1 2972 LLECOS2	H7	LongLife EcoVision	12	55	PX26 d	362 59628	8727 900362596	-	8727900362602	56
1 297 2PRB1	H7	Vision	12	55	PX26 d	406071 30	8711 500406071	-	8711 500406088	56
1 297 2PRC1	H7	Vision	12	55	PX26 d	40593760	871 15 00405937	8711 500827 838	8711 500405944	56
1 297 2PRC2	H7	Vision	12	55	PX26 d	374 32260	8727900374 322	8727900374 339	8727900374346	56
1 297 2RGTB1	H7	RacingVision GT200	12	55	PX26 d	005731 30	8719 01 800573 1	-	871 901 8005748	56
1 297 2RGTS2	H7	RacingVision GT200	12	55	PX26 d	00577928	871 901 8005779	-	871 901 8005786	56
1 297 2VPB1	H7	VisionPlus	12	55	PX26 d	39936330	8727900399363	-	8727900399356	56
1 297 2VPC2	H7	VisionPlus	12	55	PX26 d	374 261 60	8727900374 261	8727 900374278	8727900374 285	56
1 297 2VPS2	H7	VisionPlus	12	55	PX26 d	39938728	8727900399387	-	8727900399370	56
1 297 2WVUB1	H7	WhiteVision ultra	12	55	PX26 d	35 4935 30	8727900354935	-	8727 900354928	56
1 297 2WVUSM	H7	WhiteVision ultra	12	55	PX26 d	35495928	8727 900354959	-	8727 900354942	56
1 297 2XVPB1	H7	X-tremeVision Pro1 50	12	55	PX26 d	00555 730	871 901 800555 7	-	871 901 8005564	56
1 297 2XVPS2	H7	X-tremeVision Pro1 50	12	55	PX26 d	00569428	871 901 8005694	-	871 901 8005700	56
9004C1	HB1	Standard	12	65/45	P29 t	47 07443 0	8711 500470744	-	8727 900370997	58
9005PRB1	HB3	Vision	12	60	P20 d	247 247 30	8711 500247247	-	8711 500247 254	58
9005PRC1	HB3	Vision	12	60	P20 d	24689930	8711 500246899	-	8727 900370980	58
9005XVPB1	HB3	X-tremeVision Pro1 50	12	60	P20 d	005571 28	871 901 8005571	-	871 901 8005588	58
9005WVUB1	HB3	WhiteVision ultra	12	60	P20 d	00537 328	871 901 800537 3	-	871 901 8005380	58
9006PRB1	HB4	Vision	12	51	P22 d	247 261 30	8711 500247261	-	8711 500247 27 8	58
9006PRC1	HB4	Vision	12	51	P22 d	24 687530	8711 500246875	-	8727 900370973	58
9006XVPB1	HB4	X-tremeVision Pro1 50	12	51	P22 d	00559528	871 901 8005595	-	871 901 8005601	58
9006WVUB1	HB4	WhiteVision ultra	12	51	P22 d	005397 28	871 901 8005397	-	871 901 8005403	58
9007C1	HB5	Standard	12	65/55	PX29 t	2455 0230	8711 5002455 02	-	8727 900370966	58
9008C1	H1 3	Standard	12	60/55	P26,4t	87 7987 30	8711 500877987	-	8727 900370768	57
901 2LLC1	HIR2	LongLife EcoVision	12	55	PX22 d	351 25530	8727900351 255	-	8727900370935	58
901 2WVUB1	HIR2	WhiteVision ultra	12	55	PX22 d	00541 028	871 901 800541 0	-	871 901 8005427	59
901 2XVPB1	HIR2	X-tremeVision Pro1 50	12	55	PX22 d	00561 828	871 9018 005618	-	871 9018 005625	59
91 45C1	H10	Standard	12	45	PY20 d	52974 530	8711 559 52 9745	-	8727 900370737	57

Halogen two-wheeler lighting

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
120 08BW	S3	Standard	12	15	P26s	77381 430	8711 500773814	-	8711 500773845	77
120 08C1	S3	Standard	12	15	P26s	77394430	8711 500773944	-	8711 500779335	77
12 256 B2	W3W	Standard	12	3	W2,1x9,5d	5241 0830	8711 559 52 41 08	-	8711 559 52 41 22	77
12 256 CP	W3W	Standard	12	3	W2,1x9,5d	481 443 28	8711 500481 443	8711500481450	8727900391 664	77
1 2342 CTVBW	H4	CityVision moto	12	60/55	P43t-38	39896030	8727900398960	-	8727 900398977	76
1 2342 PRBW	H4	Vision moto	12	60/55	P43t-38	49024730	8711 500490247	-	8711 500490254	76
1 2342 RGTBW	H4	RacingVision moto	12	60/55	P43t-38	02381 030	871 901 802381 0	-	871 901 8023827	76
1 2342 WVUBW	H4	WhiteVision ultra moto	12	60/55	P43t-38	02385830	871 901 8023858	-	871 901 802386 5	76
1 2498B2	P21W	Standard	12	21	BA15s	055491 30	871 15 00055491	-	8711 559 52 01 31	77
1 2498CP	P21W	Standard	12	21	BA15s	49078073	8711 500490780	8711500490797	8711 500490803	77
1 2499B2	P21 /5W	Standard	12	21 /5	BAY15d	055 45330	871 15 00055453	-	8711 55 952014 8	77
1 2636BW	HS1	Vision moto	12	35 /35	PX43t	53 0353 30	8727 90053 0353	-	8727900530360	76
1 2636C1	HS1	Vision moto	12	35 /35	PX43t	51 2501 30	8711 55951 2501	-	8727 900370881	76
1 2636CTVBW	HS1	CityVision moto	12	35 /35	PX43t	39894630	8727 900398946	-	8727 900398953	77
1 2636WVUBW	HS1	WhiteVision ultra moto	12	35 /35	PX43t	024 01 530	871 901 802401 5	-	871 901 8024022	77
1 27 28BW	S2	Standard	12	35 /35	BA20d	77385230	8711 500773852	-	8711 500773869	77
1 27 28C1	S2	Standard	12	35 /35	BA20d	77359330	8711 500773593	-	8711 500779342	77
1 2972C TVBW	H7	CityVision moto	12	55	PX26d	39898430	8727900398984	-	8727900398991	76
1 2972PRBW	H7	Vision moto	12	55	PX26d	49026130	8711 500490261	-	8711 500490278	76
1 2972RGTBW	H7	RacingVision moto	12	55	PX26d	02383430	871 901 8023834	-	871 901 8023841	76
1 2972WVUBW	H7	WhiteVision ultra moto	12	55	PX26d	023 87230	871 901 8023872	-	871 901 8023889	76

Halogen 24 V lighting

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
1 3256CP	W3W	Standard	24	3	W2,1 x9,5d	481 41 228	8711 500481 41 2	8711 500481 429	8727900391 169	88
1 3258MDB1	H1	MasterDuty	24	70	P14 ,5s	82585830	8711 500825858	-	8711 500825865	84
1 3258MDC1	H1	MasterDuty	24	70	P14 ,5s	82577360	8711 500825773	8711 500828507	8711 500825780	84
1 3258MLC1	H1	MasterLife	24	70	P14 ,5s	82569830	8711 500825698	-	8727 900370812	84
1 331 1 C1	H2	Standard	24	70	X51 1	47751 430	8711 500477514	-	8727900371079	84
1 3336MDB1	H3	MasterDuty	24	70	PK22 s	77459030	8711 500774590	-	871 1 500774613	84
1 3336MDC1	H3	MasterDuty	24	70	PK22 s	77460660	8711 500774606	871 1 500775313	8711 500774637	84
1 3336MDBVB1	H3	MasterDuty BlueVision	24	70	PK22 s	77488030	8711 500774880	-	8711 500774910	84
1 3336MDBVS2	H3	MasterDuty BlueVision	24	70	PK22 s	77486628	8711 500774866	-	8711 500774897	84
1 3336MLC1	H3	MasterLife	24	70	PK22 s	77462030	8711 500774620	-	8711 500779403	84
1 3342 MDB1	H4	MasterDuty	24	75 /70	P43t-38	82587230	8711 500825872	-	8711 500825889	84
1 3342 MDBVB1	H4	MasterDuty BlueVision	24	75 /70	P43t-38	53281 430	8727900532814	-	8727900532821	84
1 3342 MDBVS2	H4	MasterDuty BlueVision	24	75 /70	P43t-38	53275328	8727 900532753	-	8727900532760	84
1 3342 MDC1	H4	MasterDuty	24	75 /70	P43t-38	82579760	8711 500825797	8711 500828002	8711 500825803	84
1 3342MLC1	H4	MasterLife	24	75 /70	P43t-38	82571 130	8711 500825711	-	8727 900371086	84
1 3401 CP	Stop P22	Standard	24	15	BA15 s	87826728	8711 500878267	8711 500878274	8711 500790507	86
1 3402CP	Stop P22	Standard	24	15	BA15 d	87836628	8711 500878366	8711 500878373	871 15 00790514	86
1 3445 CP	Stop P25	Standard	24	18	BA15 s	48443728	8711 500484437	8711 500484444	8727900390810	86
1 3496MLCP	PY21W	MasterLife	24	21	BAU1 5s	69964728	8727900699647	8727900699654	8727900391 138	86
1 3498B2	P21W	Standard	24	21	BA15 s	40455830	8711 500404558	-	8711 500405449	86
1 3498CP	P21W	Standard	24	21	BA15 s	4841 5473	871 15 0048415 4	8711 500484161	8711 500484178	86
1 3498MDCP	P21W	MasterDuty	24	21	BA15 s	69949473	8727900699494	8727900699500	8727900699517	85
1 3498MLCP	P21W	MasterLife	24	21	BA15 s	699616 28	8727 900699616	8727 900699623	8727900391 145	85
1 3499B2	P21 /5W	Standard	24	21 /5	BAY1 5d	40456530	8711 500404565	-	8711 500405371	86
1 3499CP	P21 /5W	Standard	24	21 /5	BAY1 5d	48424673	8711 500484246	8711 500484253	8711 500484260	86
1 351 6CP	WBT5	Standard	24	1 .2	W2x4,6d	48306573	8711 500483065	8711 500483072	8711 500483089	88
1 3521C P	WBT5	Standard	24	1	W2x4,6d	48324928	8711 500483249	8711 500483256	8727900391 17 6	88
1 3597 CP	Bax 8,3s/1 ,35 grey	Standard	24	1 .2	B8,3s/1 ,35	48384328	8711 500483843	8711 500483850	8727 900390797	89
1 3598CP	Bax 8,5d/2 grey	Standard	24	1 .2	B8,5d/2	48390428	8711 500483904	8711 500483911	8727 900390827	89
1 3620C1	R2	Standard	24	55 /50	P45t-41	400871 30	8711 500400871	-	8711 500779458	85
1 3807CP	Festoon T1 5x43	Standard	24	18	SV8,5	48294528	871 1 500482945	871 1 500482952	8727900391 237	89
1 381 4B2	R10 W	Standard	24	10	BA15 s	40452730	8711 500404527	-	8711 559 52 6409	87
1 381 4CP	R10 W	Standard	24	10	BA15 s	48344773	8711 500483447	8711 500483454	8711 500483461	87
1 381 4MDCP	R10 W	MasterDuty	24	10	BA15 s	69952428	8727 900699524	8727900699531	8727900391 1 21	86
1 381 4MLCP	R10 W	MasterLife	24	10	BA15 s	69967828	8727 900699678	8727 900699685	8727900390742	87
1 381 8CP	Festoon T6,2x27	Standard	24	3	SV6	48464228	8711 500484642	8711 500484659	8727900391 251	88
1 3821 B2	R5W	Standard	24	5	BA15 s	40453430	8711 500404534	-	8711 500405425	86
1 3821C P	R5W	Standard	24	5	BA15 s	48338673	8711 500483386	8711 500483393	8711 500483409	86
1 3821 MDCP	R5W	MasterDuty	24	5	BA15 s	699555 28	8727900699555	8727 900699562	8727900390766	86
1 3821 MLCP	R5W	MasterLife	24	5	BA15 s	69970828	8727 900699708	8727 900699715	8727900390773	86
1 3822CP	R5W	Standard	24	5	BA15 d	40904128	8711 500409041	8711 500878021	8711 500790491	86

Halogen 24 V lighting

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
13829 CP	BA7	Standard	24	3	BA7s	52133628	871 1559521336	8711500401274	8727900390759	87
13844B2	C5W	Standard	24	5	SV8,5	40463330	8711500404633	-	8711500405388	88
13844CP	C5W	Standard	24	5	SV8,5	48197973	8711500481979	8711500481986	8711500481993	88
13848CP	Festoon T6,2x35	Standard	24	3	SV6	48470328	8711500484703	871 150048471 0	8727900391268	88
13850CP	Festoon T1 5x43	Standard	24	15	SV8,5	48288428	8711500482884	8711500482891	8727 900391 24 4	89
13854CP	Festoon T1 0,5x38 1 0W	Standard	24	10	SV8,5	48251828	8711500482518	8711500482525	8727900391206	88
13864CP	Festoon T1 0,5x43 5 W	Standard	24	5	SV8,5	48233428	8711500482334	8711500482341	8727900391213	89
13866CP	Festoon T1 0,5x43 1 0W	Standard	24	10	SV8,5	48245728	8711500482457	8711500482464	8727900391220	89
13910CP	T3W	Standard	24	3	BA9s	21955828	8711500219558	8711500219565	8711500220851	87
13913CP	T2W	Standard	24	2	BA9s	22003528	8711500220035	8711500220042	8711500220844	87
13929B2	T4W	Standard	24	4	BA9s	40454130	8711500404541	-	8711500405432	87
13929CP	T4W	Standard	24	4	BA9s	21985573	8711500219855	8711500219862	8711500219879	87
13929MDCP	T4W	MasterDuty	24	4	BA9s	69958628	8727900699586	8727900699593	8727900391039	87
13929MLCP	T4W	MasterLife	24	4	BA9s	69976028	8727900699760	8727900699777	8727900391046	87
13960CP	W2,5W	Standard	24	2.5	W2,1x9,5d	48147428	8711500481474	8711500481481	8727900391275	88
13961B2	W5W	Standard	24	5	W2,1x9,5d	52420730	8711559524207	-	8711559524214	88
13961CP	W5W	Standard	24	5	W2,1x9,5d	48138273	8711500481382	8711500481399	8711559530376	88
13972MDB1	H7	MasterDuty	24	70	PX26d	82589630	8711500825896	-	8711500825902	85
13972MDBVB1	H7	MasterDuty BlueVision	24	70	PX26d	53279130	8727900532791	-	8727900532807	85
13972MDBVS2	H7	MasterDuty BlueVision	24	70	PX26d	53277728	8727900532777	-	8727900532784	85
13972MDC1	H7	MasterDuty	24	70	PX26d	82581060	8711500825810	8711500825814	8711500825827	85
13972MLC1	H7	MasterLife	24	70	PX26d	82573530	8711500825735	-	8727900371147	85
13974CP	WBT5	Standard	24	2	W2x4,6d	48318828	8711500483188	8711500483195	8727900391183	88
24029CP	Bax 8,5d/2 yellow	Standard	24	1.2	B8,5d/2	48402428	8711500484024	8711500484031	8727900391190	89
24032CP	Bax 8,5d brown	Standard	24	1.2	B8,5d	48852728	8711500488527	8711500488534	8727900391077	89
24356CP	H21W	Standard	24	21	BAY9s	87615728	8711500876157	8711500876164	8727900371161	87
24362MDC1	H11	MasterDuty	24	70	PGJ19-2	82583430	8711500825834	-	8727900371055	85
24362MLC1	H11	MasterLife	24	70	PGJ19-2	82575930	8711500825759	-	8727900371062	85

Halogen Kits

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
12V Spare kits										
55472EKKM	H1	Easy Kit	12	–	–	69551928	8727900695519	-	8727900695533	92
55473EKKM	H4	Easy Kit	12	–	–	69555728	8727900695557	-	8727900695571	92
55474EKKM	H7	Easy Kit	12	–	–	69558828	8727900695588	-	8727900695601	92
55475EKKM	H1/H7	Easy Kit	12	–	–	69562528	8727900695625	-	8727900695656	92
55717EBKM	H1	Essential Box	12	–	–	70032928	8727900700329	-	8727900700336	92
55718EBKM	H4	Essential Box	12	–	–	70034328	8727900700343	-	8727900700350	92
55719EBKM	H7	Essential Box	12	–	–	70036728	8727900700367	-	8727900700374	92
55720EBKM	H1/H7	Essential Box	12	–	–	70038128	8727900700381	-	8727900700398	93
24V Spare kits										
55554SKMDKM	MiniKit H4	MasterDuty	24	–	–	69586130	8727900695861	-	8727900695885	93
55555SKMDKM	MiniKit H7	MasterDuty	24	–	–	69590830	8727900695908	-	8727900695939	93
55559LKMDKM	MaxiKit H4	MasterDuty	24	–	–	69684494	8727900696844	-	8727900696851	93
55560LKMDKM	MaxiKit H7	MasterDuty	24	–	–	69686894	8727900696868	-	8727900696875	93
55561LKMDKM	MaxiKit H1/H7	MasterDuty	24	–	–	69688294	8727900696882	-	8727900696899	93
Headlight restoration kit										
HRK00XM	–	–	–	–	–	39976931	8727900399769	-	8727900399776	93

Xenon lighting

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
12410C1	D5S	Vision	12	25	PK32d-7	36981633	8727900369816	-	8727900369823	101
12410XV+C1	D5S	X-tremeVision gen2	12/24	25	PK32d-7	35392133	8727900353921	-	8719018005090	101
12411C1	D8S	Vision	42	25	PK32d-1	00467333	8719018004673	-	8719018004680	101
42306VIC1	D3R	Vision	42	35	PK32d-6	36483533	8727900364835	-	8727900364842	101
42402VIC1	D4S	Vision	42	35	P32d-5	36485933	8727900364859	-	8727900364866	101
42402XV2C1	D4S	X-tremeVision gen2	42	35	P32d-5	37721733	8727900377217	-	8727900377224	101
42402XV2S1	D4S	X-tremeVision gen2	42	35	P32d-5	37719433	8727900377194	-	8727900377200	101
42403VIC1	D3S	Vision	42	35	PK32d-5	36481133	8727900364811	-	8727900364828	101
42403VIS1	D3S	Vision	42	35	PK32d-5	36495833	8727900364958	-	8727900364965	101
42403WHV2C1	D3S	WhiteVision gen2	42	35	PK32d-5	37737833	8727900377378	-	8727900377385	101
42403WHV2S1	D3S	WhiteVision gen2	42	35	PK32d-5	37735433	8727900377354	-	8727900377361	101
42403XV2C1	D3S	X-tremeVision gen2	42	35	PK32d-5	37717033	8727900377170	-	8727900377187	101
42403XV2S1	D3S	X-tremeVision gen2	42	35	PK32d-5	37713233	8727900377132	-	8727900377149	101
42406VIC1	D4R	Vision	42	35	P32d-6	36487333	8727900364873	-	8727900364880	101

Xenon lighting

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
851 22SYC1	D2S	LongerLife	85	35	P32d-2	3751 8333	8727900375183	-	8727900375190	100
Ordering codes for Germany, Austria, Switzerland, Netherlands										
851 22SYC1	D2S	LongerLife	85	35	P32d-2	372441 33	8727 900372441	-	8727 900372458	100
Ordering codes for Scandinavia (Sweden, Norway, Finland, Denmark), United Kingdom										
851 22SYC1	D2S	LongerLife	85	35	P32d-2	37524433	8727 900375244	-	8727900375251	100
Ordering codes for Central Europe (Poland, Romania, Czech Republic) and other East European countries										
851 22SYS1	D2S	LongerLife	85	35	P32d-2	37 254033	872 7900372 540	-	872 7900372 557	100
Ordering codes for Germany, Austria, Switzerland, Netherlands, Scandinavia (Sweden, Norway, Finland, Denmark), United Kingdom										
851 22VIC1	D2S	Vision	85	35	P32d-2	364774 33	8727900364774	-	8727900364781	99
851 22VIS1	D2S	Vision	85	35	P32d-2	36491 033	8727900364910	-	8727 900364927	99
851 22WHV2C1	D2S	WhiteVision gen2	85	35	P32d-2	377 29333	872 7900377 293	-	8727 900377309	100
851 22WHV2S1	D2S	WhiteVision gen2	85	35	P32d-2	377 27933	8727 900377279	-	872 7900377286	100
851 22XV2C1	D2S	X-tremeVision gen2	85	35	P32d-2	377071 33	8727 900377071	-	8727 900377088	100
851 22XV2S1	D2S	X-tremeVision gen2	85	35	P32d-2	377 03333	8727900377033	-	8727900377040	100
851 26SYC1	D2R	LongerLife	85	35	P32d-3	37 520633	8727 900375206	-	8727 900375213	100
Ordering codes for Germany, Austria, Switzerland, Netherlands										
851 26SYC1	D2R	LongerLife	85	35	P32d-3	37 252633	872 7900372 526	-	872 7900372 533	100
Ordering codes for Scandinavia (Sweden, Norway, Finland, Denmark), United Kingdom										
851 26SYC1	D2R	LongerLife	85	35	P32d-3	37 526833	8727 900375268	-	8727 900375275	100
Ordering codes for Central Europe (Poland, Romania, Czech Republic) and other East European countries										
851 26SYS1	D2R	LongerLife	85	35	P32d-3	372489 33	8727 900372489	-	8727 900372496	100
Ordering codes for Germany, Austria, Switzerland, Netherlands										
851 26VIC1	D2R	Vision	85	35	P32d-3	3647 9833	87279 0036479 8	-	8727900364804	100
851 26VIS1	D2R	Vision	85	35	P32d-3	36493433	8727900364934	-	8727900364941	100
851 26WHV2C1	D2R	WhiteVision gen2	85	35	P32d-3	377 33033	8727 900377330	-	8727900377347	100
851 26WHV2S1	D2R	WhiteVision gen2	85	35	P32d-3	377 31 633	8727900377316	-	8727 900377323	100
851 26XV2C1	D2R	X-tremeVision gen2	85	35	P32d-3	37 711 833	8727 900377118	-	8727 900377125	100
851 26XV2S1	D2R	X-tremeVision gen2	85	35	P32d-3	37 709533	8727 900377095	-	8727900377101	100
85409VIC1	D1 R	Vision	85	35	PK32d-3	3647 5033	8727900364750	-	8727900364767	99
8541 5SYC1	D1 S	LongerLife	85	35	PK32d-2	3751 6933	8727900375169	-	8727900375176	99
Ordering codes for Germany, Austria, Switzerland, Netherlands										
8541 5SYC1	D1 S	LongerLife	85	35	PK32d-2	37 250233	872 7900372502	-	872 7900372 519	99
Ordering codes for Scandinavia (Sweden, Norway, Finland, Denmark), United Kingdom										
8541 5SYC1	D1 S	LongerLife	85	35	PK32d-2	37 522033	8727 900375220	-	8727900375237	99
Ordering codes for Central Europe (Poland, Romania, Czech Republic) and other East European countries										
8541 5SYS1	D1 S	LongerLife	85	35	PK32d-2	372 4 6533	8727 900372465	-	872 7900372 472	99
Ordering codes for Germany, Austria, Switzerland, Netherlands, Scandinavia (Sweden, Norway, Finland, Denmark), United Kingdom										
8541 5VIC1	D1 S	Vision	85	35	PK32d-2	36 4736 33	8727900364736	-	8727900364743	99
8541 5VIS1	D1 S	Vision	85	35	PK32d-2	364897 33	8727 900364897	-	8727900364903	99
8541 5WHV2C1	D1 S	WhiteVision gen2	85	35	PK32d-2	377 255 33	872 7900377 255	-	872 7900377 262	99
8541 5WHV2S1	D1 S	WhiteVision gen2	85	35	PK32d-2	36 072 1 33	872 7900360721	-	8727 900377248	99
8541 5XV2C1	D1 S	X-tremeVision gen2	85	35	PK32d-2	37 701 933	8727900377019	-	8727 900377026	99
8541 5XV2S1	D1 S	X-tremeVision gen2	85	35	PK32d-2	37697533	8727 900376975	-	8727900376982	99

2024 © Lumileds Holding B.V. All rights reserved.

The Philips trademark and the Philips shield emblem are registered trademarks of Koninklijke Philips N.V. Specifi ations are subject to change without notice.

Philips.com/Automotive

EN-EN · 2024