

PHILIPS

Unrivalled LED
automotive performance

Ultinon Pro9200 HL

LED-HL [~H1]

Superior brightness

Broad fleet compatibility

High-end Style and Safety

11258U92X2



Master the light, defy the dark

Unrivalled LED automotive performance

Defy the dark with the Philips Ultinon Pro9200, the pinnacle of LED retrofit lighting performance. Enjoy the power of cutting-edge LED technology with up to 400%* increased brightness from one of the most compact bulbs on the market.

Broad fleet compatibility

- Ultra-compact design for broad fleet compatibility

Revolutionary brightness and high-end style

- Brighter light on the road
- Up to 5,800 Kelvin color temperature for cool white light

Best-in-class cut-off line

- Light, just where you need it

Performance made to last

- 12V- and 24V-compatible for wider usability
- Enhanced lifetime of up to 5,000 hours

Automotive-grade quality

- The durability that today's drivers demand


Highlights

Ultra-compact design




The Philips Ultinon Pro9200 LED range combines the power of LED technology with an ultra-compact housing to suit any lighting application. Enjoy a 30% smaller footprint than its predecessor, designed for effortless fitting even in the narrowest headlamps. Retrofitting is easy, offering passionate drivers and customizers hassle-free functionality.

Superior visibility and style



Philips Ultinon Pro9200 headlight bulbs provide the exceptional visibility that you need while driving. Thanks to our unique LED selection and meticulous product refinement, you enjoy unrivalled brightness that is way above the legal minimum for halogen bulbs. See road signs better with their unique optimal spectrum, and improve your view of the road ahead. Our bulbs empower you to navigate with confidence.

Best-in-class cut-off line



Drive safely and precisely with the Philips Ultinon Pro9200. Thanks to the precise positioning of the LED chips on our Philips Ultinon Pro9200 bulbs,

you have light exactly where you need it on the road without dazzling oncoming vehicles. Our bulbs also feature our innovative Philips SafeBeam technology, producing the best usable beam and glare-free pattern. This means optimal visibility while driving.

High-end style



Embrace your passion for driving with the Philips Ultinon Pro9200, the perfect blend of practicality and performance. With a color temperature of up to 5800 K, endorsed by Original Equipment Manufacturers for its ability to enhance eye comfort during night-time driving, our new bulb lets you navigate dark roads with ease and comfort. Rely on our Philips Ultinon Pro9200 for your night-time driving adventures!

12V-24V for wider usability



Philips Ultinon Pro9200 is compatible with both 12V and 24V electrical systems, making it suitable for most vehicle types.

Up to 5,000 hours' lifetime



Drive longer and brighter with Philips Ultinon Pro9200 headlamp bulbs. Our bulbs offer bright, elegant light engineered to last. Boasting longevity-enhancing technology such as the dual AirBoost heat-management system, they last for up to 5,000 hours of operation and provide constant light throughout their lifespan. The Philips Ultinon Pro9200 range is covered by a 5-year warranty, including a 2-year standard warranty and an additional 3 years of extended protection***.

Durability for today's drivers



Rated IP54 against dust and splash ingress, Philips Ultinon Pro9200 bulbs are also guaranteed EMI-compliant, conforming to automotive-industry standards on electromagnetic interference. Precision-engineered to withstand the rigors of modern motoring life, they offer the durability that today's drivers demand. Their daily performance provides confidence behind the wheel and brighter, consistent light throughout the journey.

Ultinon Pro9200 HL

Unrivalled LED automotive performance

LUM11258U92X2/10

Specifications

Marketing specifications

Product highlight: Brighter lights, AirBoost heat management, SafeBeam technology, glare-free light beam

Expected benefits: Brighter Lights, Easy-to-fit

Product description

Application: High Beam, Low Beam, Fog

Base: P14.5s

Designation: LED H1 11258 U92 12/24V 13W X2

Designation LED Type: LED-HL [~H1]

Ingress protection rating (IP): IP54

Lifespan: 5,000 hours

Operating Temperature: -40 to +105 °C

Range: Ultinon Pro9200 HL

Technology: LED

Type: H1

Voltage: 12/24 V

Wattage: 13 W

Homologation ECE R37: no

Homologation ECE R10

Polarity free

Diameter: 11 mm

Length - mm: 75 mm

Light characteristics

Color temperature: 5800 K

Lumens [lm]: 1550 lm

Ordering information

Order entry: 11258U92X2

Ordering code: 2775794

Logistic data

Quantity in box: 2 pcs

Packaging Data

Packing: Set box

EAN1: 8719018027757

EAN3: 8719018027764

Packaging type: Carton

Packed product information

Net weight per piece: 47.4 g

Net weight per pack: 94.8 g

Gross weight: 149.8 g

Height [mm]: 130 mm

Length [mm]: 111 mm

Width [mm]: 60 mm

Outerpack information

Length: 230 cm

Width: 128 cm

Height: 140 cm

Quantity: 8 pcs (4 sets)

Gross weight per outerpack: 0.7042 kg

