



Signage 4050 Series



32BDL4050Q

# Philips Signage 4050 Series

Efficiency made easy – your versatile 24/7 display

Inform and enthral with Philips Signage 4050 Q-Line. FHD resolution is matched with enhanced brightness and high haze, and the efficiency of the tried-and-tested Android 10 SoC. Wave-ready for remote management, putting you in full control.

### **Energy Star compliant. EPEAT rating in progress**

• Supporting business sustainability and energy savings.

#### 24/7 operation

• Higher haze rate for better visibility

#### Plug and play with Android 10

• Proven reliability. No need for an external media player.

Signage 4050 Series 32BDL4050Q/00

# Highlights

### Plug and play with Android 10

Tried, tested and proven intuitive user experience, with a professional Android 10 SoC built in for easy app and solution integrations, and no need for an external media player.

### **Energy Star compliant. EPEAT rating in progress**

Supporting business sustainability and energy savings, with power-saving features and more environmentally friendly materials in the product and the packaging.

## Specifications

#### **Picture/Display**

Diagonal screen size (metric): 80 cm Diagonal screen size (inch): 31.5 inch

Aspect ratio: 16:9

Panel resolution: 1920 x 1080p Pixel pitch: 0.36375 x 0.36375 mm Optimum resolution: 1920 x 1080 @ 60 Hz

Brightness: 400 cd/m<sup>2</sup> Display colours: 16.7 Million Contrast ratio (typical): 1200:1 Dynamic contrast ratio: 500,000:1 Response time (typical): 8 ms Viewing angle (horizontal): 178 degree

Viewing angle (vertical): 178 degree Picture enhancement: 3/2 - 2/2 motion pull down, Dynamic contrast enhancement,

Progressive scan Panel technology: ADS Operating system: Android 10

Haze: 25%

#### **Connectivity**

Audio output: 3.5 mm jack

Video input: HDMI 2.0 (x 2), USB 2.0 (x 2), DVI-I (x

1), USB 3.0 (x 2)

Audio input: 3.5 mm jack Other connections: micro SD

External control: RJ45, RS232C (in/out) 2.5 mm

jack, IR (in/out) 3.5 mm jack

#### **Convenience**

Placement: Landscape (24/7), Portrait (24/7)

Tiled Matrix: Up to 3 x 3

Keyboard control: Lockable, Hidden Remote control signal: Lockable

Signal loop through: RS232, IR Loop through **Energy-saving functions: Smart Power** Network controllable: RS232, RJ45

#### Sound

Built-in speakers: 2 x 10 W RMS

Mains power: 100-240 V~, 50-60 Hz, 1.5 A Standby power consumption: <0.5 W **Power Saving Features: Smart Power** 

**Energy Label Class: G** 

#### **Supported Display Resolution**

Computer formats: 720 x 400, 70 Hz, 640 x 480, 60, 67, 75 Hz, 800 x 600, 60 Hz, 832 x 624, 75 Hz, 1024 x 768, 60 Hz, 1152 x 870, 75 Hz, 1280 x 720, 60 Hz, 1920 x 1080, 60 Hz, 1680 x 1050, 60 Hz, 3840 x 2160, 30, 60 Hz

Video formats: 480i, 60 Hz, 480p, 60 Hz, 576p, 50 Hz, 576i, 50 Hz, 720p, 50, 60 Hz, 1080i, 50, 60 Hz, 1080p, 50, 60 Hz, 3840 x 2160, 30, 60 Hz

#### **Dimensions**

Set Width: 726.5 mm Product weight: 5.7 kg Set Height: 425.4 mm

Set Depth: 69.1 (D@Handle)/65.1 (D@Wall

mount) mm

Set Width (inch): 28.6 inch Set Height (inch): 16.75 inch

Wall Mount: 100 mm x 100 mm, 200 mm x

200 mm, M4

Set Depth (inch): 2.72 (D@Handle) / 2.56

(D@Wall mount inch

Bezel width: 11.9 mm (L/R/T) 17.2 (B) Product weight (lb): 12.57 lb

#### **Operating conditions**

Altitude: 0 ~ 3000 m

Temperature range (operation): 0 ~ 40 °C

MTBF: 50,000 hour(s)

Temperature range (storage): -20 ~ 60 °C Humidity range (operation)[RH]: 20~80% RH

(No condensation)

Humidity range (storage) [RH]: 5~95% RH (No

condensation)

#### **Multimedia Applications**

USB Playback Video: MPEG 1/2 (1080p 60 Hz), MPEG 4 (1080p 60 Hz), H.263 (1080p 60 Hz), H.264 (4K2K 60 Hz), H.265 (4K2K 60 Hz), VP8 (1080p 60 Hz), VP9 (4K2K 60 Hz) USB Playback Picture: JPEG, PNG, BMP, WEBP USB Playback Audio: AAC, HEAAC, MPEG 1/2/2.5

Layer 3, MPEG 1/2 Layer 1, MPEG 1/2 Layer 2

#### **Internal Player**

CPU: Quad-Core Cortex A55 **GPU: G52 MC1** 

Memory: 16 GB, 3 GB DDR

#### **Accessories**

Included Accessories: RS232 daisy-chain cable, Philips logo (x 1), AC Power Cord, Quick start guide, Remote control and AAA batteries, RS232 cable, USB cover and screws

Miscellaneous

On-Screen Display Languages: English, French, German, Italian, Polish, Turkish, Russian, Simplified Chinese, Spanish, Traditional Chinese,

Arabic, Japanese

Warranty: 3 year warranty

Regulatory approvals: CB, CE, FCC, Class A, VCCI,

RoHS, UL

© 2025 Koninklijke Philips N.V. All Rights reserved.

Issue date 2025-03-03 Version: 11.11.1

EAN: 87 21038 10170 6

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.



