



Redefining workflow productivity

with pop-up webcam

34B2U6603CH

This monitor introduces you to lightning-fast connectivity. With its Thunderbolt 4 port, Smart KVM feature, and Display HDR 400 qualification, this combination offers power delivery, source switching, and beautiful imagery in one monitor.

Thunderbolt™ 4 for flexibility and performance

• Thunderbolt[™] 4 Connection: for lightning-fast connectivity

Superb Picture Quality

- VA display delivers awesome images with wide viewing angles
- DisplayHDR 400 for more lifelike and outstanding visuals


Designed for the way you work

- PowerSensor 2: for optimized energy efficiency
- CrystalClear images with UltraWide QHD 3440 x 1440 pixels
- Collaboration-ready webcam with noise-cancelling mic.
- Curved display design for more immersive experience
- Busylight: for setting your working status
- Earphone Hook: for customizable storage
- SmartKVM: for easily switching between sources.
- AI-enhanced Webcam Autoframing: for dynamic video calls.
- Adjustable Webcam: for video conferencing in comfort.

WQHD monitor with Thunderbolt[™] 4

Highlights

VA display



Philips VA LED display uses an advanced multidomain vertical alignment technology which gives you super-high static contrast ratios for extra vivid and bright images. While standard office applications are handled with ease, it is especially suitable for photos, web-browsing, movies, gaming, and demanding graphical applications. It's optimized pixel management technology gives you 178/178 degree extra wide viewing angle, resulting in crisp images.

DisplayHDR 400



VESA-certified DisplayHDR 400 delivers a significant step-up from normal SDR displays. Unlike, other 'HDR compatible' screens, true DisplayHDR 400 produces astonishing brightness, contrast and colors. With global dimming and minimum 400 nits brightness, images come to life with notable highlights while featuring deeper, more nuanced blacks. It renders a fuller palette of rich new colors, delivering a visual experience that engages your senses.

Curved display design



Desktop monitors offer a personal user experience, which suits a curve design very well. The curved screen provides a pleasant yet subtle immersion effect, which focuses on you at the center of your desk.

SmartKVM



Unlike traditional built-in KVM monitor button, the smart KVM allows for switching between sources with the click of a button on your keyboard. When all devices are properly connected, users can easily switch between sources by clicking the "Ctrl" key three times.

UltraWide CrystalClear images



These Philips screens deliver CrystalClear, UltraWide Quad HD 3440 x 1440 pixel images. Utilizing high performance panels with highdensity pixel count, 178/178 wide viewing angles, these new displays will make your images and graphics come alive. The UltraWide 21:9 format enables more productivity with more room for side-by-side comparisons and more viewable spreadsheet columns. Whether you are demanding professional requiring extremely detailed information for CAD-CAM solutions, or a financial wizard working on huge spreadsheets, Philips displays delivers CrystalClear images.

Webcam & noise cancelling mic



This Philips monitor comes with a built-in 5MP webcam, noise-cancelling microphone, and speakers, making it perfect for working from home and collaborating remotely. It is equipped with advanced sensors that work seamlessly with Windows Hello facial recognition, allowing you to log into your Windows devices in less than 2 seconds. For added privacy, a physical camera switch lets you disable the webcam when not in use. The noise-cancelling microphone and dual 5watt integrated speakers ensure clear communication.

Adjustable Webcam



Level up the comfort of video conferencing with this feature. By adjusting the webcam back and forth by 30 degrees, users can now comfortably call and attend meetings from any position that best suits them.















WQHD monitor with Thunderbolt[™] 4

Highlights

AI-enhanced Webcam Autoframing




This AI-enhanced feature is perfect for multiperson video conferencing. When one or more people join the webcam view, the AI-powered feature will automatically adjust and zoom to fit all team members in the frame. Likewise, when participants leave the webcam view, the AIenhanced webcam will adjust accordingly; thereby making it ideal for long meetings as well as team calls.

Earphone Hook



Earphone storage is unmatched with this feature. Carefully pull down the hook located on the side of the monitor: This feature makes for a tidy desktop and provides a handy cable management solution for your workspace.

Busylight



This feature allows for privacy and optimal collaboration when working in a busy office setting. To transmit to others that they are busy, users can simply press the Busylight hotkey located on the bottom left menu of the monitor bezel and the light located on the webcam will turn red. In addition to this, the Busylight feature can also sync with user's Microsoft Teams status.

PowerSensor 2



This monitor's PowerSensor 2 feature reduces energy consumption by detecting when users move closer and further away from the screen. After switching the OSD setting to "User", it is then needed to adjust the settings in Windows 11 for this feature to function properly. When adjustments are made, the monitor and connected PC/laptop will wake when someone approaches it and will sleep when someone walks away; effectively reducing the amount of wake time. The distance for detection can be changed from 50, 75, to 120cm from the user's laptop. Please note that Windows 11 must be installed.

Thunderbolt™ 4 for flexibility and performance



This Philips docking monitor is equipped with Thunderbolt 4 connection. Compared with conventional USB-C monitors, Thunderbolt 4 technology provides lightning-fast data transfer speeds, supports high resolution video, offers multi-stream transport for daisy chaining, and has the capability of up to 100W of power delivery to external devices.













WQHD monitor with Thunderbolt[™] 4

Specifications

Picture/Display

Panel Size: 34 inch / 86.36 cm Aspect ratio: 21.9 LCD panel type: VA LCD Backlight type: W-LED system Pixel pitch: 0.23175 x 0.23175 mm Brightness: 450 nits (SDR), 550 nits (DHR) cd/m² Display colors: 16.7 M (8 bit) Color gamut (typical): NTSC area: 9.39%, sRGB area: 120.63%* Contrast ratio (typical): 4000:1 SmartContrast: 50,000,000:1 Response time (typical): 4 ms (Gray to Gray)* Viewing angle: 178° (H) / 178° (V), @ C/R > 10 Picture enhancement: SmartImage Maximum resolution: HDMI: 3440 x 1440 @ 100 Hz; DP1.4 / Thunderbolt 4: 3440 x 1440 @ 120 Hz

Effective viewing area: 797.22 (H) x 333.72 (V) - at a 1500R curvature*

Scanning Frequency: 30 - 190 kHz (H) / 48 - 120 Hz (V) sRGB Delta E: < 2 (for sRGB) SoftBlue Flicker-free Pixel Density: 110 PPI Display Screen Coating: Anti-Glare, 3H, Haze 25% SmartUniformity: 93 ~ 105% EasyRead Adaptive sync HDR: Supported VESA HDR 400 EyeSafe

Connectivity

Signal Input: HDMI 2.0 x 2, DisplayPort 1.4 x 1, Thunderbolt 4 x 1 (upstream, Data, video, PD up to 100 W)

Sync Input: Separate Sync, Sync on Green Audio (In/Out): Audio out / Microphone in combo jack

RJ45: Ethernet LAN up to 2.5G*, Wake on LAN Signal Output: Thunderbolt 4 x1 (downstream, data, video, PD 15W)

HDCP: HDCP 1.4 (HDMI / DisplayPort /Thunderbolt); HDCP 2.2 (HDMI / DisplayPort /Thunderbolt)

HBR3: HBR 3 (DisplayPort / Thunderbolt) USB Hub: USB 3.2, Gen 2 / 10 Gbps, Upstream: Thunderbolt 4 x 1, USB-C1 (Data) ; Downstream : Thunderbolt4 x 1 , USB-A X 4 (with 1 for fast charge B.C 1.2), USB-C2 x 1 (Data, 45W)

Power Delivery

Max power delivery: USB up to 100 W* (5V/3A, 7V/3A, 9V/3A, 10V/3A, 12V/3A, 15V/3A, 20V/4.8A) Version: USB PD version 3.0

Convenience

Built-in Speakers: 5 W x 2 Plug & Play Compatibility: DDC/CI, Mac OS, sRGB, Windows 11 / 10 User convenience: SmartImage, Input, User, Menu, Power On/Off, Mute, Handup, Busylight OSD Languages: Brazil Portuguese, Czech, Dutch, English, French, Finnish, German, Greek, Hungarian, Italian, Japanese, Korean, Portuguese, Polish, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian

Other convenience: Kensington lock, VESA mount (100x100mm), Earphone hook Control software: SmartControl MultiView: PIP/PBP mode, 2x devices Built-in webcam: Pop-up 5.0 megapixel camera with microphone and LED indicator Webcam with auto framing Webcam tilt function: Yes, -/+30 degree Busylight KVM: Yes (Thunderbolt 4/USB-C1) Noise cancellation SmartKVM

Stand

Height adjustment: 180 mm Swivel: -/+180 degree Tilt: -5/30 degree

Power

ECO mode: 26.6 W (typ.) Power supply: Built-in, 100-240VAC, 50-60Hz On mode: 31.59 W (typ.) (EnergyStar test method) Standby mode: 0.4 W (typ.) Power LED indicator: Operation - White, Standby mode- White (blinking) Energy Label Class: F

WQHD monitor with Thunderbolt[™] 4

Specifications

Dimensions

Packaging in mm (WxHxD): 980 x 525 x 188 mm Product without stand (mm): 807 x 369 x 112 mm

Product with stand(max height): 807 x 575 x 281 mm

Weight

Product with packaging (kg): 11.15 kg Product with stand (kg): 10.61 kg Product without stand (kg): 7.85 kg

Operating conditions

Altitude: Operation: +12,000ft (3,658m), Nonoperation: +40,000ft (12,192m) Temperature range (operation): 0°C to 40 °C Relative humidity: 20%-80 % Temperature range (storage): -20°C to 60 °C MTBF (demonstrated): 70,000 hrs (excluded backlight)

Sustainability

Environmental and energy: PowerSensor 2*, LightSensor, Energy Star, EPEAT*, TCO Certified, RoHS Post consumer recycled plastic: 85%+OBP 5% Recyclable packaging material: 100 % Specific Substances: Mercury free, PVC / BFR free housing

Compliance and standards

Regulatory Approvals: CB, CE Mark, EPA, TUV/GS, TUV Ergo, TCO Certified, EAC, EAEU RoHS, MEPS, UKCA, EMF, FCC, ICES-003, eyesafe[®] CERTIFIED 2.0, TÜV Rheinland Low Blue Light (Hardware Solution)

Cabinet

Finish: Texture Foot: Silver Front bezel: Charcoal Rear cover: Charcoal

What's in the box?

Cables: HDMI cable, DisplayPort cable, TBT4 cable, Power cable Monitor with stand User Documentation

- * Radius of the arc of the display curvature in mm
- * Response time value equal to SmartResponse
- * NTSC Area based on CIE1976, sRGB Area based on CIE1931
 * Activities such as screen sharing, on-line streaming video and audio over the Internet can impact your network performance. Your hardware, network bandwidth and its performance will determine overall audio and video quality.
- * Please note that the resolutions and refresh rates of a daisy chain connection via Thunderbolt 4 depend on the input configuration. The following configurations illustrate the possible resolutions and associated data transfer rates: 1. Thunderbolt Input/ Output: Resolution: 3440x1440 @ 75Hz, 8-bit USB USB 3.2 Gen 2, 10G 2. 2. Thunderbolt Input/ Output: Resolution: 3440x1440 @ 100Hz, 8-bit USB: USB 3.2 Gen 1, 5G 3. 3. Thunderbolt Input/ Output: Resolution: 3440x1440 @ 120Hz, 8-bit USB: 2.0 These configurations are dependent on the specific Thunderbolt 4 input settings and therefore may vary.
- * If your Ethernet connection seems slow, please enter OSD menu and select higher data speed which can support the LAN speed to 2.5 G.
- * Please note that the PowerSensor 2 is only functional with Windows 11 installed. When PowerSensor 2 is activated, WAL means Walk Away Lock and WOA means Wake On Approach.
- * When calculating energy costs saving from PowerSensor, both USB and Power delivery are excluded.
- * EPEAT rating is valid only where Philips registers the product. Please visit https://www.epeat.net/ for registration status in your country.
- * The products and accessories listed on this leaflet may differ by country and region.
- * The monitor may look different from feature images.

© 2025 Koninklijke Philips N.V. All Rights reserved.

Specifications are subject to change

without notice. Trademarks are the

their respective owners.

property of Koninklijke Philips N.V. or

Issue date 2025-02-28 Version: 1.1.1

EAN: 87 21038 00393 2

www.philips.com

