PHILIPS

Full HD LCD monitor

Monitor

1000 series 22 (21.5"/54.5 cm diag.) 1920 x 1080 (Full HD)

22E1N1100



Work in style

This monitor is equipped with essentials for the workplace, such as LowBlue mode to protect the eyes. An overclockable 120Hz refresh rate and 1ms MPRT showcase detailed imagery.

Features designed for you

- EasySelect menu toggle key for quick on-screen menu access
- EasyRead mode for a paper-like reading experience
- LowBlue mode and Flicker-free easy-on-the eyes viewing

Good for Gaming

- 1ms (MPRT) fast response for crisp image and smooth gameplay
- 100Hz refresh rates for ultra-smooth, brilliant images
- Effortlessly smooth action with Adaptive-Sync technology

Easy to experience

- VESA mount for convenience
- HDMI ensures universal digital connectivity

Superb Picture Quality

• IPS LED wide view technology for image and color accuracy

Monitor

Full HD LCD monitor

Highlights

IPS technology



IPS displays use an advanced technology which gives you extra wide viewing angles of 178/178 degree, making it possible to view the display from almost any angle. Unlike standard TN panels, IPS displays gives you remarkably crisp images with vivid colors, making it ideal not only for Photos, movies and web browsing, but also for professional applications which demand color accuracy and consistent brightness at all times.

LowBlue Mode & Flicker-free



Our LowBlue Mode and Flicker-free technology have been developed to reduce eye strain and fatigue often caused by long hours in front of a monitor.

EasyRead mode



EasyRead mode for a paper-like reading experience

EasySelect Menu Toggle Key



The discreetly placed EasySelect Menu Toggle Key allows you to make quick and easy adjustments to monitor settings in the On-Screen Display menu.

HDMI Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables high-quality digital video and audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

VESA mount for convenience



VESA mount for convenience

Adaptive-Sync technology



Gaming shouldn't be a choice between choppy gameplay or broken frames. Get fluid, artifactfree performance at virtually any framerate with Adaptive-Sync technology, smooth quick refresh and ultra fast response time.

1ms MPRT fast response



MPRT (motion picture response time) is more intuitive way to describe the response time, which directly refers the duration from seeing blurry noise to clean and crisp images. Philips monitor with 1 ms MPRT effectively eliminates smearing and motion blur, delivers shaper and precise visuals to enhance gaming experience. Best choice for playing thrilling and twitchsensitive games.

Overclockable 100Hz refresh rate



With an overclockable 100 Hz refresh rate, less skipped frames are ensured. You can easily target the enemy in ultra-clear, smooth motion.

















Full HD LCD monitor

Specifications

Picture/Display

Panel Size: 21.5"/54.5cm Aspect ratio: 16:9 LCD panel type: IPS technology Backlight type: W-LED system Pixel pitch: 0.2493 x 0.241 mm Brightness: 250 cd/m² Display colors: 16.7 M Color gamut (typical): Adobe RGB 83.31%; DCI-P3:78.55%, sRGB: 102.08%, NTSC 86%.* Contrast ratio (typical): 1000:1 SmartContrast: Mega Infinity DCR Response time (typical): 4 ms (Gray to Gray)* Viewing angle: 178° (H) / 178° (V), @ C/R > 10 Picture enhancement: SmartImage Maximum resolution: 1920x1080 @ 100 Hz (Overclock 120Hz) * Effective viewing area: 478.656 x 260.28mm Scanning Frequency: VGA: 30 KHz - 85 KHz (H) /

Scanning Frequency: VGA: 30 KHz - 85 KHz (H) 48 Hz - 75 Hz (V); HDMI: 30 KHz - 140 KHz (H) / 48 Hz - 120 Hz (V) sRGB Flicker-free Pixel Density: 105 PPI LowBlue Mode Display Screen Coating: Anti-Glare, 3H, Haze 25% MPRT: 1 ms* EasyRead Adaptive sync

Connectivity

Signal Input: VGA x 1, HDMI 1.4 x 1 Sync Input: Separate Sync Audio (In/Out): Audio out HDCP: HDCP 1.4 (HDMI)

Convenience

Plug & Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 11 / 10 User convenience: Power On/Off, Menu, Brightness, Input, SmartImage OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian Other convenience: Kensington lock, VESA mount (100x100mm)

Stand

Tilt: -5/20 degree

Power

Power supply: Internal, 100-240VAC, 50-60Hz Off mode: 0.3 W (typ.) On mode: 14.51 W (typ.) Standby mode: 0.5 W (typ.) Power LED indicator: Operation - White, Standby mode- White (blinking)

Dimensions

22E1N1100/69

Packaging in mm (WxHxD): 595 x 376 x 110 mm Product without stand (mm): 494 x285 x 41 mm Product with stand(max height): 494 x 380 x 180 mm

Weight

Product with packaging (kg): 4.12 kg Product with stand (kg): 2.40 kg Product without stand (kg): 2.05 kg

Operating conditions

Altitude: Operation: +12,000ft (3,658m), Nonoperation: +40,000ft (12,192m) Temperature range (operation): 0 to 40 °C MTBF: 50,000 hrs (excluding backlight) hour(s) Relative humidity: 20%-80 % Temperature range (storage): -20 to 60 °C

Sustainability

Environmental and energy: RoHS Recyclable packaging material: 100 % Specific Substances: PVC / BFR free housing

Compliance and standards

Regulatory Approvals: CB, CE Mark, EnergyStar, PSB, PSE, BSMI, VCCI, UKCA, EMF, FCC, ICES-003

Cabinet

Color: Black Finish: Textured

© 2025 Koninklijke Philips N.V. All Rights reserved.

Specifications are subject to change

without notice. Trademarks are the

property of Koninklijke Philips N.V. or

their respective owners.

Issue date 2025-05-28 Version: 1.1.1

EAN: 87 21038 00423 6

www.philips.com



* Adobe RGB and DCI-P3 Coverage based on CIE1976, sRGB Area based on CIE1931, NTSC Area based on CIE1976.

- * For best output performance, please always ensure that your graphic card is capable of achieving the maximum resolution and refresh rate of this Philips display.
 * Response time value equal to SmartResponse
- * MPRT is to adjust brightness for blur reduction, so cannot adjust brightness while MPRT is turned on. To reduce motion blur, LED backlight will strobe synchronously with screen refresh, which may cause noticeable brightness change.
- * MPRT is gaming-optimized mode. Turn on MPRT may cause noticeable screen flickering. It is recommended to turn off when you are not using the gaming function.
- * The products and accessories listed on this leaflet may differ by country and region.
- * The monitor may look different from feature images.