# **PHILIPS**

## Quad HD monitor

## Monitor

1000 series 27" (68.6 cm) 2560 x 1440 (Quad HD)

27E2N1500L



# **Built for precision**

This monitor is packed with features that allow you to work with absolute precision. Quad HD resolution along with HDR and IPS display, this monitor showcases detailed imagery with the utmost colour accuracy.

### Features designed for you

- EasyRead mode for a paper-like reading experience
- LowBlue mode and Flicker-free easy-on-the eyes viewing

### Easy to experience

- VESA mount for convenience
- HDMI ensures universal digital connectivity

#### **Superb Picture Quality**

- SmartContrast for deep black level details
- IPS LED wide view technology for image and colour accuracy
- Crystal clear images with Quad HD 2560 x 1440 pixels
- Effortlessly smooth action with Adaptive-Sync technology
- High Dynamic Range (HDR) for more lifelike colourful visuals

## Monitor

Quad HD monitor

# Highlights

### **IPS technology**



IPS displays use an advanced technology that gives you extra-wide viewing angles of 178/178 degrees, making it possible to view the display from almost any angle. Unlike standard TN panels, IPS displays give you remarkably crisp images with vivid colours, making them ideal not only for Photos, movies and web browsing, but also for professional applications that demand colour accuracy and consistent brightness at all times.

#### **CrystalClear images**



These Philips screens deliver CrystalClear, Quad HD 2560 x 1440 or 2560 x 1080 pixel images. Utilising high performance panels with a highdensity pixel count enabled by high bandwidth sources, these new displays will make your images and graphics come alive. Whether you are a demanding professional requiring extremely detailed information for CAD-CAM solutions using 3D graphic applications, or a financial wizard working on huge spreadsheets, Philips displays will give you CrystalClear images.

#### SmartContrast



SmartContrast is a Philips technology that analyses the contents you are displaying, automatically adjusting colours and controlling backlight intensity to dynamically enhance contrast for the best digital images and videos or when playing games where dark hues are displayed. When Economy mode is selected, contrast is adjusted and backlighting fine-tuned for just-right display of everyday office applications and lower power consumption.

#### High Dynamic Range (HDR)



High Dynamic Range delivers a dramatically different visual experience. With astonishing brightness, incomparable contrast and captivating colour, images come to life with much greater brightness while also featuring much deeper, more nuanced darks. It renders a fuller palette of rich new colours never before seen on a display, giving you a visual experience that engages your senses and inspires emotions.

#### Adaptive-Sync technology



Gaming shouldn't be a choice between choppy gameplay or broken frames. Get fluid, artefactfree performance at virtually any frame rate with Adaptive-Sync technology, smooth quick refresh and ultra-fast response time.

#### LowBlue Mode and Flicker-free



Our LowBlue Mode and Flicker-free technology have been developed to reduce eye strain and fatigue often caused by long hours in front of a monitor.

















Adaptive -Sync

nc LowBlue Mode

## Monitor

Quad HD monitor

# Highlights

### EasyRead mode



EasyRead mode for a paper-like reading experience

#### **HDMI Ready**



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. An HDMI cable enables high-quality digital video and audio to be transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

### **VESA mount for convenience**



VESA mount for convenience













## Monitor

Ouad HD monitor

# **Specifications**

#### **Picture/Display**

Panel Size: 68.6 cm (27") Aspect ratio: 16:9 LCD panel type: IPS technology Backlight type: W-LED system Pixel pitch: 0.2331 x 0.2331 mm Brightness: 300 cd/m<sup>2</sup> Display colours: 16.7 M Contrast ratio (typical): 1000:1 SmartContrast: Mega Infinity DCR Response time (typical): 4 ms (Grey to Grey)\* Viewing angle: 178° (H)/178° (V), @ C/R > 10 Picture enhancement: SmartImage Maximum resolution: 2560 x 1440 @ 75 Hz Effective viewing area: 596.736 (H) x 335.664 (V) mm Scanning Frequency: 30 -114 kHz (H)/48-75 Hz (V) sRGB Flicker-free Pixel Density: 108.79 PPI LowBlue Mode Display Screen Coating: Anti-Glare, 3H, Haze 25% EasyRead Adaptive sync HDR: HDR 10

#### Connectivity

Signal Input: DP 1.4 x 1, HDMI 1.4 x 1 HDCP: HDCP 1.4 (HDMI/DisplayPort)

#### Convenience

Plug and Play Compatibility: DDC/Cl, Mac OS, sRGB, Windows 11/10 User convenience: Power On/Off, Menu, Brightness, Input, SmartImage OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian Other convenience: Kensington lock, VESA mount (100 x 100 mm)

#### Stand

Tilt: -5/20 degree

#### Power

Power supply: External, 100-240 VAC, 50-60 Hz Off mode: 0.3 W (typ.) On mode: 20.32 W (typ.) Standby mode: 0.5 W (typ.) Power LED indicator: Operation - White, Standby mode - White (flashing) Energy Label Class: C

#### **Dimensions**

Packaging in mm (W x H x D): 690 x 420 x 126 mm Product without stand (mm): 614 x 363 x 35 mm Product with stand (max height): 614 x 457 x 200 mm

#### Weight

Product with packaging (kg): 5.44 kg Product with stand (kg): 3.19 kg Product without stand (kg): 2.82 kg

#### **Operating conditions**

Altitude: Operation: +12,000 ft (3658 m), Nonoperation: +40,000 ft (12,192 m) Temperature range (operation): 0 to 40 °C MTBF: 50,000 hrs (excluding backlight) hour(s) Relative humidity: 20%-80 % Temperature range (storage): -20 to 60 °C

#### **Sustainability**

Environmental and energy: RoHS Recyclable packaging material: 100 %

#### **Compliance and standards**

Regulatory Approvals: CB, CE Mark, ETL, CEC, TUV/ISO9241-307, TUV-BAUART, EAC, EAC ROHS, MEPS, PSB, CEL, CCC, CECP, BSMI, UKCA, EMF, FCC, ICES-003

#### Cabinet

Colour: Black Finish: Textured

#### What's in the box?

Cables: HDMI cable, Power cable

© 2025 Koninklijke Philips N.V. All Rights reserved.

Specifications are subject to change

without notice. Trademarks are the

property of Koninklijke Philips N.V. or

their respective owners.

Issue date 2025-06-02 Version: 1.1.1

EAN: 87 21038 00545 5

\* For best output performance, please always ensure that your graphic card is capable of achieving the maximum resolution and refresh rate of this Philips display.

- \* Response time value equal to SmartResponse.
- \* The monitor may look different from feature images. \* The products and accessories listed on this leaflet may differ by country and region.

www.philips.com

