# **PHILIPS**



3000.142.9468.1 (2024-10-04) Philips NL9206AD-4 Drachten Trademarks are the property of Koninklijke Philips N.V. 商标归 Koninklijke Philips N.V. © 2024 Koninklijke Philips N.V. All rights reser 保留所有权利。

www.philips.com/support









#### ENGLISH

Keep the user manual and product packaging for future reference. Sterilizing/carrying case
Before use: Remove tamper-proof
closure and any stickers from the case.
Wash all items and make sure that they

are clean.

Caution: The case, water and soother may still be hot after 5 minutes of cooling. Incorrect water level, microwave power or microwave time can cause improper sterilization and can damage the case or soother. Only use this case with enclosed soother. Keep the case out of the reach of children.

#### Soother

## For your child's safety

WARNING!
Inspect carefully before each use. Pull the soother in all directions. Throw away at the first signs of damage or

only use dedicated soother holders tested to EN 12586. Never attach other ribbons or cords to a soother, your child may be strangled by them. Always make sure your baby uses the correct soother size. Always use this product under adult supervision. Before first use: Place soother in boiling water for 5 minutes. Let it cool down and then squeeze any water out of the teat. This is to ensure hyglene. Before every use: Inspect carefully before each use, especially when the child has teeth. Clean with warm water and mild soap. Do NOT use abrasive cleaning agents. Excessive combinations of detergents may eventually cause damage or weakness. Only use dedicated soother holders combinations of detergents may eventually cause damage or weakness. If this occurs, replace your soother immediately. Clean surfaces and your hands thoroughly before contact with sterilized soothers. Replace soother after 4 weeks of use, for safety and hygiene reasons. If soother become nyglene reasons. It sootner becomes lodged in the mouth, DO NOT PANIC; it cannot be swallowed and is designed to cope with such an event. Remove from the mouth as carefully as possible. Never dip the teat in sweet substances or medication, your child may get tooth decay.

tooth decay. Do not leave a soother in direct sunlight or near a heat source, or leave in sterilizing solution for longer than recommended, as this may weaken the teat.

#### 简体中文

请保留用户手册和 产品包装,以备日 后参考。

### 消毒/收纳盒 使用前的准备工作:

取下收纳盒上的所 有保护罩和标签。 清洗所有物品,确 保清洁。

**注意:** 冷却 5 分钟 后,消毒/收纳盒、 水和安抚奶嘴可能 仍然会很烫。 不当 的水位、微波功率 或微波时间可能导 致消毒不彻底,并 会对消毒/收纳盒 或安抚奶嘴造成损 坏。此消毒/收纳盒 只能与随附的安抚 奶嘴搭配使用。 请将此消毒/收纳盒 置于儿童接触不到 的地方。

## 安抚奶嘴

#### 为了宝宝的安全

### 警告!

每次使用之前,朝各 个方向拉拔安抚奶嘴 将安抚奶嘴向所有的 方向拉伸。在其首次 出现损害或缺陷时立 即丢弃。

仅使用已经过 EN 12586 测试的安抚奶 嘴固定架。切勿将其 他丝带或绳索缠在安 抚奶嘴上,以免使宝 宝窒息。使奶嘴头的 可移取的保护部件远 离儿童,以免窒息。 请务必确保您的宝宝 使用正确大小的安抚 奶嘴。务必在成人的 监督下使用本产品。

**首次使用之前**: 请将 安抚奶嘴置于沸水中 浸泡5分钟。待水冷 却后,挤出奶嘴里的 所有水分。这可以保 证卫生。

每次使用之前: 每 次使用前,请仔细检 查安抚奶嘴,尤其是 在宝宝长牙后。用温 水和中性肥皂清洗。 请勿使用腐蚀性清洁 剂。混合使用多种清 洁剂最终可导致破损 或缺陷。如果您的 安抚奶嘴破裂,请立 即进行更换。在接 触已消毒的安抚奶嘴 之前,请彻底洗净您 的双手并确保表面干 净。出于安全和卫 生考虑,安抚奶嘴每 使用 4 周后要加以更 换。如果安抚奶嘴卡 在嘴里,不要惊慌。 安抚奶嘴不会被吞下 去,其设计已考虑到 这种情况。请尽量小 心地将安抚奶嘴从宝 宝嘴里取出来。请 勿将安抚奶嘴浸入甜 味物质或药物中,否 则宝宝可能会出现蛀 牙。请勿将<del>安</del>抚奶嘴 置于阳光直射处或热 源附近,又或置于消 毒溶液中超过建议时 间,否则可能会降低 奶嘴性能。

产品 : 飞利浦新安怡新生夜间安抚奶嘴 (0-2月) 紫色单个装 SCF076/05 : 飞利浦新安怡新生夜间安抚奶嘴 (0-2月) 紫色单个装 SCF076/06

, PP (丙烯与乙烯的聚合物, 丙烯占量大局量分数), 硅橡胶 主要材料

耐热温度 执行标准 松验 : 合格 产地 : 印度尼西亚 生产日期 : 请见产品包装

经销单位: 宣音母嬰用品(上海)有限公司 上海市基定区順达路938号2483层25宣、326宣、327宣 全国順客服务热线: 400-008-0996

保留备用

发行日期: 09/10/2024

产品 : 飞利浦新安怡新生安抚奶嘴 (0-2月) 紫色单个菜 SCF076/03 : 飞利浦新安怡新生安抚奶嘴 (0-2月) 紫色单个菜 SCF076/04

, PP(丙烯与乙烯的整合物, 丙烯占量大质量分数), 硅橡胶

主要材料 耐热温度 执行标准 主要材料 : P\*(内域与CX 耐熱温度 : 110°C 検力标准 : GB28482 検验 : 合格 产地 : 印度尼西亚 生产日期 : 请见产品包装

经销单位: 宣音母嬰用品(上海)有限公司 上海市臺灣区屬达路938号24億3层250章、326章、327章 全國順客服务热线: 400-008-0996