



Top quality technology for small devices

Provides a long lasting performance in everyday small electronic devices

Lithium technology

- A full line up for use in a wide variety of applications
- Child-resistant packaging design, safer to use
- No mercury added to the Minicells battery
- Protection against leakage design
- Useful in a wide range of temperatures

Top Performance

- Reliable for long term performance
- Lithium, Silver and Alkaline technology for small devices
- The battery remains fresh for use for up to 5 years

Button cell

CR1616P5L/40

Highlights

Reliable performance

In manufacturing excellent technology is being used to guarantee a reliable and long term performance.

Power for small devices

The Lithium, Silver and Alkaline technologies offer a reliable maximum power and lifetime value for small devices.

Child-resistant packaging

Safer to use child-resistant packaging design

No mercury added

No mercury added to the Minicells battery for a better environment.

Specifications

Green Specifications

Chemical composition: Lithium
Heavy metals: Cd free, Hg free, Pb free
Packaging material: Carton, PET
Packaging type: PET blister

Outer Carton

Length: 28.8 cm

Number of consumer packagings: 200

Width: 24 cm Gross weight: 3.5 kg Height: 26.5 cm

GTIN: 1 48 95229 12757 6 Nett weight: 0.24 kg Tare weight: 3.26 kg

Power

Battery type: Button cell / Lithium Battery voltage: 3.0 V

Packaging dimensions

Height: 22 cm

Packaging type: Blister

Type of shelf placement: Hanging

Width: 5 cm Depth: 0.46 cm

Number of products included: 5

EAN: 48 95229 12757 9 Gross weight: 0.0014 kg Nett weight: 0.0012 kg Tare weight: 0.0002 kg

Product dimensions

Height: 0.16 cm Width: 1.6 cm Depth: 1.6 cm

Technical specifications

Shelf life: 5 years

Interchangeable with: CR1616, DL1616

© 2025 Koninklijke Philips N.V. All Rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or

their respective owners.

Issue date 2025-06-17 Version: 2.1.1

EAN: 48 95229 12757 9



