



**D-Line Display** 

**Signage Solutions** 

65"

Powered by Android

500 cd/m<sup>2</sup>



65BDL4650D

# Smart and modular for an even longer lifetime powered by Android

The Philips D-Line is designed to engage your audience and delight customers. Powered by Android 11 for easy software integrations, this versatile display is suitable for impact in any setting.

### **Expand your viewing experience**

• ADS wide-view panel display

### Innovative solutions for any signage application

- Save and play content with internal memory
- Android SoC processor. Native and web apps
- Integrated Wi-Fi 6 and Bluetooth module

### Care about you, your business and your audience

- 4G/LTE optional module for reliable connection
- Modularity longer product lifetime
- FailOver. Ensure your display never goes blank

### **Maximising the impact of your message**

- Connect and control your content via the cloud
- Catch the Wave for revolutionary results

D-Line Display 65BDL4650D/11

# Highlights

### **Internal Memory**



Save and play content with internal memory. Upload your media into the display and playback content immediately. Working in conjunction with the internal browser, it also serves as a memory cache when streaming online content. If the network ever fails, the internal memory keeps content running by playing a cached version of the content, ensuring that your media stays up even if the network goes down.

### **ADS wide-view panel display**

Be seen from any angle with ADS wide-view technology. Advanced Super Dimension Switch delivers faster on-display picture processing for smoother content transitions, remarkable image accuracy and superior colour reproduction with 180 degree viewing.

### **FailOver**

Critical for demanding commercial applications, FailOver is a revolutionary technology that automatically plays back-up content on screen in the unlikely event of a media player failure. Simply select a primary input connection and a FailOver connection, and you're ready for instant content protection.

### **Modularity**

Extend your display into the future with our modular approach. Bringing opportunities for longer product lifetime with easily detached and replaced components, plus a firm focus on sustainability, with reduced WEEE disposal.

### **Powered by Android 11**

Powered by Android 11 and with integrated Wi-Fi, your Philips D-Line delivers the ultimate, most secure and connected display experience. Optimised for native Android apps, it enables you to install web apps and software directly onto the display, eliminating the need for an external media player.

### **SmartBrowser**

Connect and control your content via the cloud with our integrated HTML5, Chromium-based browser. Design your content online and connect a single display, or your entire network, either landscape or portrait, in 4K UHD resolution. Simply connect to the Internet via Wi-Fi or with an RJ45 cable.

### **PPDS Wave**

Unlock the power, versatility and intelligence inside your Philips D-Line displays remotely with Wave. This evolutionary cloud platform puts you fully in control, with simplified installation and setup, monitoring and controlling displays, upgrading firmware, managing playlists and setting power schedules. Saves you time, energy and environmental impact.



**D-Line Display** 65BDL4650D/11

# Specifications

### **Picture/Display**

Diagonal screen size (metric): 163.8 cm Diagonal screen size (inch): 64.5 inch

Aspect ratio: 16:9

Panel resolution: 3840 x 2160 Pixel pitch: 0.372 x 0.3 72 mm

Optimum resolution: 3840 x 2160 @60 Hz

Brightness: 500 cd/m<sup>2</sup> Display colours: 1.07 Billion Contrast ratio (typical): 1200:1 Dynamic contrast ratio: 500,000:1 Response time (typical): 8 ms Viewing angle (horizontal): 178 degree

Viewing angle (vertical): 178 degree

Panel technology: ADS Operating system: Android 11

Haze: 25%

### **Connectivity**

Audio output: 3.5 mm jack

Video input: DVI-I (x 1), DisplayPort 1.4 (x 1), HDMI 2.0 (x 2), USB 3.0 (x 2), VGA (via DVI)

Audio input: 3.5 mm jack

Other connections: Micro USB (x 1) (OTG)

Video output: DisplayPort 1.4 (x 1)

External control: RJ45, RS232C (in/out) 2.5 mm

jack, IR (in/out) 3.5 mm jack

Wi-Fi: Wi-Fi 6 + Bluetooth 5.2 (slide-in module)

### **Convenience**

Placement: Landscape (24/7), Portrait (24/7)

Tiled Matrix: Up to 10 x 15 Screen-saving functions: Pixel Shift Keyboard control: Hidden, Lockable Signal loop through: IR Loop through,

DisplayPort, RS232

**Energy-saving functions: Smart Power** Network controllable: RS232, RJ45, Wi-Fi Wi-Fi protocol: a b g n, 802.11 ax, 802.11 ac

Built-in speakers: 2 x 10 W RMS

Mains power: 100 ~ 240 VAC, 50 ~ 60 Hz Consumption (Typical): 155 W Consumption (Max): 227 W Standby power consumption: <0.5 W

**Supported Display Resolution** 

Computer formats: 1920 x 1080, 60 Hz, 1680 x 1050, 60 Hz, 1600 x 900, 60 Hz, 1024 x 768, 60 Hz, 1280 x 1024, 60 Hz, 1280 x 720, 60 Hz, 1440 x 900, 60 Hz, 3840 x 2160, 30, 60 Hz, 640 x

480, 60 Hz, 800 x 600, 60 Hz

Video formats: 1080i, 50, 60 Hz, 576p, 50 Hz, 576i, 50 Hz, 480p, 60 Hz, 480i, 60 Hz, 1080p, 50, 60 Hz, 720p, 50,60 Hz, 2160p, 50, 60 Hz

### **Dimensions**

Set Width: 1462.3 mm Product weight: 29 kg Set Height: 837.3 mm

Set Depth: 89.9 (D@Handle)/ 68.9 (D@Wall

mount) mm

Set Width (inch): 57.57 inch Set Height (inch): 32.96 inch

Wall Mount: 400 mm(H) x 400 mm(V), M8 Set Depth (inch): 3.54(D@Handle)/2.71(D@Wall

mount) inch

Bezel width: 14.9 mm (Even bezel) Product weight (lb): 63.93 lb

### **Operating conditions**

Altitude: 0 ~ 3000 m

Temperature range (operation): 0 ~ 40 °C

MTBF: 50,000 hour(s)

Temperature range (storage): -20 ~ 60 °C Humidity range (operation)[RH]: 20-80% RH

(No condensation)

Humidity range (storage) [RH]: 5-95% RH (No

condensation)

### **Multimedia Applications**

USB Playback Video: MPEG, H.263, H.264, H.265, AVI, MP4, MPEG4, VP8, VP9, WEBM USB Playback Picture: BMP, JPEG, PNG USB Playback Audio: AAC, HEAAC, MPEG

### **Internal Player**

CPU: 2 x A72 + 4 x A53 GPU: ARM Mali-T860 MP4 Memory: 4 GB RAM Storage: 32 GB eMMc

### **Accessories**

Included Accessories: RS232 daisy chain cable(1.8 m)(x 1), Philips logo (x 1), AC Switch Cover, USB cover and screws, Warranty card (x 1), Power cable (3 m), IR sensor cable (1.8 m) (x 1), Quick start guide, Remote control and AAA batteries, RS232 Cable (3 m), Wi-Fi module, Cable clip (x2), HDMI cable (1.8 m) (x 1)

### Miscellaneous

On-Screen Display Languages: English, French, German, Spanish, Polish, Turkish, Russian, Italian, Simplified Chinese, Traditional Chinese, Arabic, Japanese, Danish, Dutch, Finnish, Norwegian,

Portuguese, Swedish Warranty: 3 year warranty

Regulatory approvals: CB, CE, FCC, Class A, RoHS,

EMF, UL, VCCI, PSE, J-Moss

© 2025 Koninklijke Philips N.V. All Rights reserved

Issue date 2025-07-17

Version: 4.4.1

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

EAN: 87 12581 80557 9



www.philips.com