

PHILIPS



Philips Stretch 3150

Signage Solutions

37"

1920x540 resolution

700cd/m²



37BDL3150S

Philips Stretch 3150

Go wide with a smarter stretched signage display

Broaden the view and show more content in less space with the Philips Stretch 3150. High bright and with Android SoC, a unique 32:9 aspect ratio and 1920x540 resolution, it is designed to flex beyond the ordinary with easy daisy chaining.

Always on for better visual performance

- 24/7 – working your content around the clock.
- 700 cd/m² – better visibility in brighter conditions.
- Install in portrait or landscape orientations.
- Simple yet powerful daisy chaining for multi display setup.
- Tiling mode for easier, single source content management.

Android powered for easy integration and use

- Android 13 professional System on Chip.
- High performance processing.
- Built in media player. Easily schedule content.
- Integrated slot for optional CRD32 WiFi module.

Supporting time and energy efficiencies

- Philips Wave ready for remote device management.
- Connect and control your content via the cloud.
- Designed for lower power consumption.

Highlights

High brightness and 24/7 operation

With 700 cd/m² brightness for better visibility under bright lights, the Philips Stretch 3000 Series is designed to be used 24/7, making it a great selection for travel and transportation hubs, retail centres, food and beverage locations, and more.

Tiling mode

Connect two or more Philips Stretch 3150 displays to create a tiled set up with only one external device. A single player takes care of your custom content, no matter the number of displays.

Powered by Android 13

Powered by Android 13, your Philips Stretch 3150 display is designed on a professional platform with trusted connectivity and security

built in. Optimised for native Android apps and enabling you to install web apps and software directly onto the display, eliminating the need for an external media player.

HDMI daisy chain

Link multiple displays with HDMI daisy chain. Simply connect the HDMI Out port to a HDMI In of another display to create the most stunning experience around.

Integrated media player

Easily schedule content to play from the Cloud, local memory, or USB. Your Philips Professional Display will wake from standby to play the content you want, and then return to standby once the business day is done.

Integrated slot for CRD32 WiFi

Designed with a slot to discretely add the CRD32 WiFi module to bring wireless network connectivity and Bluetooth functionality.

Philips Wave ready

Unlock the power, versatility and intelligence inside your Philips Stretch display and manage remotely with Wave. This evolutionary cloud platform puts you fully in control, with simplified installation and set-up, monitoring and controlling displays, upgrading firmware, managing playlists and setting power schedules. Saving you time, energy, and environmental impact.

Specifications

Picture/Display

Diagonal screen size (inch): 37 inch
Aspect ratio: 32:9
Panel resolution: 1920 x 540
Pixel pitch: 0.47 x 0.47 mm
Optimum resolution: 1920 x 540 @ 60 Hz
Brightness: 700 cd/m²
Display colors: 16.7M
Contrast ratio (typical): 1000:1
Response time (typical): 8 ms
Viewing angle (horizontal): 178 degree
Viewing angle (vertical): 178 degree
Picture enhancement: 3/2 - 2/2 motion pull down, 3D Combfilter, De-interlacer, Progressive scan, 3D MA deinterlacing, Smart Picture, Color Temperature Adjustment, Color Enhancement, Noise Reduction
Panel technology: IPS
Operating system: Android 13
Placement: Landscape (24/7), Portrait (24/7)

Connectivity

Audio output: 3.5mm jack
Video input: HDMI 2.0 (x1), VGA (Analog D-Sub) (x1)
Audio input: 3.5 mm jack
Other connections: USB 2.0 (x1), USB 3.0 (x1), micro USB, Micro SD
Video output: HDMI 2.0 (x1)
External control: IR (in/out) 3.5 mm jack, RJ45 (in/out), RS232C (in/out) 2.5 mm jack

Convenience

Signal loop through: RS232, HDMI, IR Loopthrough
Network controllable: LAN (RJ45)

Power

Mains power: 100 ~ 240 VAC, 50 ~ 60 Hz
Standby power consumption: <0.5W
Energy Label Class: F
Consumption: EEI Lot5 26W

Supported Display Resolution

Computer formats: 640 x 480, 60,67,75Hz, 720 x 400, 70Hz, 800 x 600, 60Hz, 832 x 624, 75Hz, 1024 x 768, 60Hz, 1152 x 870, 75Hz, 1280 x 720,

60Hz, 1280 x 1024, 60Hz, 1440 x 900, 60Hz, 1680 x 1050, 60Hz, 1920 x 1080, 60Hz

Video formats: 480i, 60Hz, 480p, 60Hz, 576p, 50Hz, 576i, 50Hz, 720p, 50, 60Hz, 1080i, 50, 60Hz, 1080p, 50, 60Hz

Dimensions

Set Width: 919.1 mm
Product weight: 7.57 kg
Set Height: 285.1 mm
Set Depth: 47.4 mm
Set Width (inch): 36.19 inch
Set Height (inch): 11.22 inch
Wall Mount: 400mm x 200mm , M6
Set Depth (inch): 1.87 inch
Bezel width: 14.5mm (T/B); 8.2mm (L/R)
Product weight (lb): 16.69 lb

Operating conditions

Altitude: 0 ~ 3000 m
Temperature range (operation): 0~ 40 °C
MTBF: 50,000 hour(s)
Temperature range (storage): -20 ~ 60 °C
Humidity range (operation)[RH]: 20 - 80% RH (No condensation)
Humidity range (storage) [RH]: 5 - 95% RH (No condensation)

Internal Player

CPU: Quad Core Cortex A55
GPU: Multi-Core Mali-G52
Memory: 4GB DDR4
Storage: 32 GB eMMc

Accessories

Included Accessories: AC Switch Cover, IR sensor cable (1.8 m) (x1), Philips logo (x1), Quick start guide (x1), Remote control & AAA batteries, RS232 daisy chain cable, AC power cord, RS232 cable, Wall mount bolt x2, Alignment plates
Optional accessories: CRD32 Wifi 6, Bluetooth 5.2 module

Miscellaneous

On-Screen Display Languages: Arabic, Dutch, Danish, English, French, Finnish, German, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Simplified Chinese, Turkish, Traditional Chinese, Czech
Warranty: 3 years warranty
Regulatory approvals: CE, FCC, Class A, CB, EnergyStar 8.0

