

DIAGNOSTIC X-RAY (DXR) SYSTEMS & MOBILE RADIOGRAPHY SYSTEMS PRODUCT WARRANTY

This product warranty document is an addition to the terms and conditions set forth in the Quotation. Unless specifically listed below, this warranty does not apply to replacement parts. The terms and conditions of the Quotation are incorporated into this warranty document. The capitalized terms herein have the same meaning as set forth in the Quotation.

1. Twelve (12) Month System Warranty.

- 1.1** Philips Healthcare, a division of Philips North America LLC (Philips) warrants to Customer that the Philips' Mobile Radiography or Diagnostic X-Ray Systems (System) will perform in substantial compliance with its performance specifications, in the documentation accompanying the System, for a period of 12 months after completion of installation and availability for first patient use.
- 1.2** Any glassware or detectors provided with the System are subject to special warranty terms set forth below.
- 1.3** If the Quotation includes an Intellispace Portal Workstation, then the following will apply:
 - 1.3.1** Philips warrants to Customer that the Philips' Workstation will perform in substantial compliance with its performance specifications, in the documentation accompanying the Workstation, for a period of 12 months after completion of installation and availability for first patient use.
 - 1.3.2** The software provided with the Workstation will be the latest version of the standard software available for that Workstation as of the 90th day prior to the date the Workstation is delivered to Customer.
 - 1.3.3** updates to standard operating software for the Workstation that do not require additional hardware or equipment modifications will be performed as a part of normal warranty service during the term of the warranty.
- 1.4** If the Quotation includes an Intellispace Portal Client Server, then the following will apply:
 - 1.4.1** Philips warrants to Customer that the Philips' Client Server will perform in substantial compliance with its performance specifications, in the documentation accompanying the Workstation, for a period of 12 months after completion of installation and availability for first patient use.
 - 1.4.2** The software provided with the Client Server will be the latest version of the standard software available for that Client Server as of the 90th day prior to the date the Client Server is delivered to Customer.
 - 1.4.3** Updates to standard operating software for the Client Server that do not require additional hardware or equipment modifications will be performed as a part of normal warranty service during the term of the warranty.

2. Planned Maintenance.

- 2.1** During the warranty period, Philips' personnel will schedule Planned Maintenance visits, in advance, at a mutually agreeable time on weekdays, between 8:00 AM and 5:00 PM local time in the time zone where the Customer is located, excluding Philips' observed holidays.
- 2.2** Philips shall have full, free and safe access to the System and Customer's operation, performance and maintenance records for the System, on each scheduled or requested warranty service visit.
- 2.3** Philips shall also have access to and use of any machine, service, attachment, features or other equipment required to perform the necessary service contemplated herein at no charge to Philips.
- 2.4** Customer waives warranty service if it does not provide such access to the System and Customer's records. 2.5 Should Philips be denied access to the System and Customer's records at the agreed upon time, a charge equal to the appropriate hourly rate will be accepted by Customer for "waiting time."

3. System Options, Upgrades or Accessories.

- 3.1** Any Philips' authorized options, upgrades, or accessories for the System which are delivered and/or installed on the System during the original term of the System warranty shall be subject to the same warranty terms contained in the first paragraph of this warranty, except that such warranty shall expire on the later of:
 - 3.1.1** upon termination of the initial 12-month warranty period for the System on which the option, upgrade or accessory is installed; or
 - 3.1.2** after 90 days for parts only from the date of installation.

4. Diagnostic X-ray Tubes on Mobile Systems.

- 4.1** The IAE X22 X-ray tube will perform for a period of 12 months or will be replaced by Philips at no charge to the customer.
- 4.2** Claims must be made within 12 months after installation and 14 months after date of shipment from Philips.

- 4.3 Tubes received by Philips under this warranty that are found to meet all test specifications will be returned to the Customer and the warranty will continue as of the original date of installation.
 - 4.4 Examination of the returned tube may necessitate its destruction, but Philips liability shall, in any case be limited to repair or replacement as aforesaid, only if in its sole opinion the tube has been properly used, installed and applied and has not been subjected to neglect, accident, improper installation, or use.
 - 4.5 Transportation charges and risk of loss, both ways, of returned or replaced tubes shall be at the expense of the Customer.
- 5. SRO X-Ray Tubes.**
- 5.1 Philips warrants to Customer that the Philips' SRO X-Ray Tube (tube) will be substantially free from defects in material and manufacturing workmanship which impair performance under normal use as specified in Philips' System descriptions and specifications for the shorter of 24 months after installation or 26 months after date of shipment from Philips.
- 6. SRO X-Ray Tube Warranty Exclusions.**
- 6.1 The above warranty shall not apply to SRO X-Ray Tubes installed outside the United States and Canada.
 - 6.2 Philips' obligations under the System warranty do not apply to any System defects resulting from: improper or inadequate maintenance or calibration by Customer or its agents; Customer or third party supplied software, interfaces, or supplies; use or operation of the System other than in accordance with Philips' applicable System specifications and written instructions; improper site preparation; abuse, negligence, accident, loss or damage in transit; improper site preparation; unauthorized maintenance or modifications to the System; or, to viruses or similar software interference resulting from the connection of the System to a network.
- 7. SRO X-Ray Tube Warranty Remedies.**
- 7.1 If a tube is found to fail during the warranty period, and if, in the best judgment of Philips, the failure is not due to neglect, accident, improper installation, use contrary to instructions, or the exclusions stated above, Philips' tube warranty liability hereunder is limited to, at Philips' option, the repair or replacement of the tube.
 - 7.2 Any replacement tube would have a warranty period equal to the balance of the warranty period left on the tube replaced.
- 8. Wireless X-Ray Detectors.**
- 8.1 Philips warrants its Wireless X-Ray Detectors (detector) to be free from defects in material and workmanship for 12 months.
 - 8.2 Claims under this warranty must be made within 12 months after installation and 13 months after date of shipment from Philips.
 - 8.3 A replacement will be provided at no charge for any failure acknowledged as a Philips' liability.
 - 8.4 Unless covered by a Philips' service contract option, the Customer is responsible for replacement costs of a wireless detector damaged accidentally (e.g. dropped) during the warranty period.
 - 8.5 All Philips' wireless x-ray detectors have internal shock sensors. Philips' service will read these sensors to determine if a detector malfunction has been caused by mishandling. A detector will be determined to be damaged by mishandling when:
 - 8.5.1 For a Skyplate Detector: if 1 or more heavy shock is recorded; or if 3 or more medium shocks are recorded; and
 - 8.5.2 For a Wireless Portable Detector (WPD): if either shock sensor is tripped.
 - 8.6 Philips does not cover damage to wireless detectors caused by liquid ingress; please use detector bags to protect your detector.
 - 8.7 Philips does not cover damage to the wireless detector if the detector is cleaned or disinfected by chemicals not recommended as instructed per the User Manual that is supplied with the product.
 - 8.8 Examination of the returned detector may necessitate its destruction, but Philips liability shall, in any case be limited to repair or replacement as aforesaid, only if in its sole opinion the detector has been properly used, installed and applied and has not been subjected to neglect, accident, environmental extremes or improper installation, or use.
 - 8.9 The packing of the replacement detector must be reused to return the original detector.
 - 8.10 The questionnaire must be filled out to reference the System and the problem.
 - 8.11 Transportation charges and risk of loss, both ways, of returned or replaced detector shall be at the expense of the Customer.
- 9. System Software and Software Updates.**

- 9.1 The software provided with the System will be the latest version of the standard software available for that System as of the 90th day prior to the date the System is delivered to Customer.
- 9.2 Updates to standard software for the System that do not require additional hardware or equipment modifications will be performed as a part of normal warranty service during the term of the warranty.
- 9.3 All software is and shall remain the sole property of Philips or its software suppliers.
- 9.4 Use of the software is subject to the terms of a separate Software License Agreement.
- 9.5 No license or other right is granted to Customer or to any other party to use the software except as set forth in the license agreements.
- 9.6 Any Philips maintenance or service software and documentation provided with the System and/or located at Customer's premises is intended solely to assist Philips and its authorized agents to install and to test the System, to assist Philips and its authorized agents to maintain and to service the System under a separate support agreement with Customer, or to permit Customer to maintain and service the System.
- 9.7 Customer agrees to restrict the access to such software and documentation to Philips employees, those of its authorized agents and its authorized employees of Customer only.

10. Warranty Limitations.

- 10.1 Philips sole obligations and Customer's exclusive remedy under any product warranty are limited, at Philips option, to the repair or the replacement of the product or a portion thereof within 30 days after receipt of written notice of such material breach from Customer (Product Warranty Cure Period) or, upon expiration of the Product Warranty Cure Period, to a refund of a portion of the purchase price paid by the Customer, upon Customer's request.
- 10.2 Any refund will be paid, to the Customer when the product is returned to Philips.
- 10.3 Warranty service outside of normal working hours (i.e. 8:00am - 5:00pm in the time zone where the Customer is located, Monday through Friday, excluding Philips observed holidays), will be subject to payment by Customer at Philips standard service rates.
- 10.4 This warranty is subject to the following conditions:
The product:
 - 10.4.1 is to be installed by authorized Philips representatives (or is to be installed in accordance with all Philips installation instructions by personnel trained by Philips);
 - 10.4.2 is to be operated exclusively by duly qualified personnel in a safe and reasonable manner in accordance with Philips written instructions and for the purpose for which the products were intended; and
 - 10.4.3 is to be maintained and in strict compliance with all recommended and scheduled maintenance instructions provided with the product and Customer is to notify Philips immediately if the product at any time fails to meet its printed performance specifications.
- 10.5 Philips obligations under any product warranty do not apply to any product defects resulting from improper or inadequate maintenance or calibration by the Customer or its agents; Customer or third party supplied interfaces, supplies, or software including without limitation loading of operating system patches to the Licensed Software and/or upgrades to anti-virus software running in connection with the Licensed Software without prior approval by Philips; use or operation of the product other than in accordance with Philips applicable product specifications and written instructions; abuse, negligence, accident, loss, or damage in transit; improper site preparation; unauthorized maintenance or modifications to the product; or viruses or similar software interference resulting from connection of the product to a network.
- 10.6 Philips does not provide a warranty for any third-party products furnished to Customer by Philips under the Quotation; however, Philips shall use reasonable efforts to extend to Customer the third party warranty for the product.
- 10.7 The obligations of Philips described are Philips only obligations and Customer's sole and exclusive remedy for a breach of a product warranty.
- 10.8 THE WARRANTIES SET FORTH HEREIN WITH RESPECT TO A PRODUCT (INCLUDING THE SOFTWARE PROVIDED WITH THE PRODUCT), ARE THE ONLY WARRANTIES MADE BY PHILIPS IN CONNECTION WITH THE PRODUCT; THE SOFTWARE, AND THE TRANSACTIONS CONTEMPLATED BY THE QUOTATION, AND ARE EXPRESSLY IN LIEU OF ANY OTHER WARRANTIES, WHETHER WRITTEN, ORAL, STATUTORY, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
- 10.9 Philips may use refurbished parts in the manufacture of the products, which are subject to the same quality control procedures and warranties as for new products.

- 10.10** System covers are not covered in system warranty or service contract if covers were scratched, cracked, damaged by misuse, or improper handling of system.
- 10.11** In case of system misuse or improper handling which causes damage to system or its component(s), repair charges will not be covered under warranty or contract.
- 10.12** For Radiography 7000 M, System warranty or service contract does not cover cost of 'cover set with pediatric stickers' or equivalent spare part in case of pediatric stickers scratches/cracks/fading/torn off/damage etc. after system handover at site. Price for respective part shall be chargeable to customer along with service engineer's travel & labor charges.
 - 10.12.1** System Battery is covered for one year warranty after system handover, however after battery lifetime is over standard price will be applicable for battery replacement which is not covered in Philips warranty or contract.

11. Philips Remote Services Network (RSN).

- 11.1** Customer will:
 - 11.1.1** provide Philips with a secure location at Customer's premises to store one Philips Remote Services Network Router and provide full and free access to this router, (or a Customer owned router acceptable to Philips) for connection to the equipment and to Customer's network; or
 - 11.1.2** provide Philips with outbound internet access over SSL; at all times during the warranty period provide full and free access to the equipment and the Customer network for Philips use in remote servicing of the product, remote assistance to personnel that operate the products, updating the products software, transmitting automated status notifications from the product and regular uploading of products data files (such as but not limited to error logs and utilization data for improvement of Philips products and services and aggregation into services).
- 11.2** Customer's failure to provide such access will constitute Customer's waiver of the scheduled planned maintenance service and will void support or warranty coverage of product malfunctions until such time as planned maintenance service is completed or RSN access is provided.
- 11.3** Customer agrees to pay Philips at the prevailing demand service rates for all time spent by Philips service personnel waiting for access to the products.

12. Transfer of System.

- 12.1** In the event Customer transfers or relocates the System, all obligations under this warranty will terminate unless Customer receives the prior written consent of Philips for the transfer or relocation.
- 12.2** Upon any transfer or relocation, the System must be inspected and certified by Philips as being free from all defects in material, software and workmanship and as being in compliance with all technical and performance specifications.
- 12.3** Customer will compensate Philips for these services at the prevailing service rates in effect as of the date the inspection is performed.
- 12.4** Any System which is transported intact to pre-approved locations and is maintained as originally installed in mobile configurations will remain covered by this warranty.

13. Limitation of Liability.

- 13.1** THE TOTAL LIABILITY OF PHILIPS ARISING UNDER OR IN CONNECTION WITH THE PRODUCT FOR ANY BREACH OF CONTRACTUAL OBLIGATIONS, WARRANTY, NEGLIGENCE, UNLAWFUL ACT OR OTHERWISE IN CONNECTION WITH THE PRODUCT IS LIMITED TO THE ACTUAL PURCHASE PRICE RECEIVED FOR THE PRODUCT THAT GAVE RISE TO THE CLAIM.
- 13.2** PHILIPS SHALL NOT BE LIABLE FOR ANY INDIRECT, PUNITIVE, INCIDENTAL, EXEMPLARY, SPECIAL OR CONSEQUENTIAL DAMAGES AND/OR FOR ANY DAMAGES INCLUDING, LOSS OF DATA, PROFITS, REVENUE, BUSINESS INTERRUPTION OR USE IN CONNECTION WITH OR ARISING OUT OF THESE CONDITIONS OF SALE, REGARDLESS OF WHETHER THEY ARE FORESEEABLE OR NOT AND WHETHER THE CLAIM IS MADE IN TORT (INCLUDING NEGLIGENCE), BREACH OF CONTRACT, INDEMNITY, AT LAW OR IN EQUITY. NEITHER PHILIPS NOR PHILIPS' SUPPLIERS SHALL BE LIABLE FOR ANY LOSS OR INABILITY TO USE MEDICAL OR OTHER DATA STORED ON OR BY THE PRODUCT.
- 13.3** THE EXCLUSION OF LIABILITY IN THESE CONDITIONS OF SALE SHALL ONLY APPLY TO THE EXTENT ALLOWED UNDER THE APPLICABLE LAW.
- 13.4** FOR US CUSTOMERS, THE FOLLOWING ARE NOT SUBJECT TO THE LIMITATIONS OF LIABILITY UNDER SECTION 10.1:
 - 13.4.1** THIRD PARTY CLAIMS FOR DIRECT DAMAGES FOR BODILY INJURY OR DEATH TO THE EXTENT CAUSED BY PHILIPS' NEGLIGENCE OR PROVEN PRODUCT DEFECT.

- 13.4.2** CLAIMS OF TANGIBLE PROPERTY DAMAGE REPRESENTING THE ACTUAL COST TO REPAIR PHYSICAL PROPERTY TO THE EXTENT CAUSED BY PHILIPS NEGLIGENCE OR PROVEN PRODUCT DEFECT.
- 13.4.3** OUT OF POCKET COSTS INCURRED BY CUSTOMER TO PROVIDE PATIENT NOTIFICATIONS, REQUIRED BY LAW, TO THE EXTENT SUCH NOTICES ARE CAUSED BY PHILIPS UNAUTHORIZED DISCLOSURE OF PROTECTED HEALTH INFORMATION.
- 13.4.4** FINES/PENALTIES LEVIED AGAINST CUSTOMER BY GOVERNMENT AGENCIES CITING PHILIPS' UNAUTHORIZED DISCLOSURE OF PROTECTED HEALTH INFORMATION AS THE BASIS OF THE FINE/PENALTY, ANY SUCH FINES OR PENALTIES SHALL CONSTITUTE DIRECT DAMAGES.

14. Force Majeure.

- 14.1** Philips and Customer shall each be excused from performing its obligations (except for payment obligations) arising from any delay or default caused by events beyond its reasonable control including, but not limited to: acts of God, health pandemics, acts of any civil, military, or government authority, fire, floods, war, embargoes, labor disputes, acts of sabotage, riots, accidents, delays of carriers, voluntary or mandatory compliance with any government act, regulation, mandatory direction, or request. For clarity, Customer requests shall not be considered 'government' requests under this section.

Philips' system specifications are subject to change without notice.
Diagnostic X-Ray (DXR) Systems & Mobile Radiography
Product Warranty Rev 26.1