

# AVENT

Anti-colic baby bottle

1 Bottle

9oz/260ml

Flow 2 nipple

1m+





### Clinically proven to reduce colic and discomfort\* Designed for uninterrupted feeding

Our Anti-colic bottles' with anti-colic valve system and textured nipple is designed to minimize feeding interruptions and discomfort. With its integrated anti-colic valve, air is vented into the bottle and away from the baby's tummy.

#### **Other benefits**

- Compatible range from breastfeeding to cup
- Compatible with Anti-colic range
- This bottle is BPA free
- A range of flow rates are available for your growing baby

#### Clinically proven to reduce colic and discomfort\*

- Nipple shape designed for secure latch
- Ribbed texture prevents collapse for uninterrupted feeding
- Unique anti-colic valve designed to reduce air ingestion

#### Easy to use, clean and assemble

- Leak-free design
- Easy to clean and assemble with few parts
- Wide neck bottle with rounded corner for easy cleaning
- Easy to hold

### Anti-colic baby bottle

## Highlights

#### Unique Anti-colic valve



Our clinically proven\* Anti-colic valve is designed to reduce colic and gas. Clinical studies have shown that the Philips Avent bottle reduces colic and fussing. Fussing is significantly reduced at night as babies fed with Philips Avent anti-colic bottles experienced 60 % less fussing than babies fed with a leading competitor's vented bottle.

#### **Uninterrupted feeding**



The nipple shape allows secure latch and the ribbed texture helps prevents collapse for uninterrupted, comfortable feeding.

#### Secure latch



The nipple is designed not to collapse, for a secure latch and uninterrupted feeding.

#### Leak-free design



Our Anti-colic bottle is designed to prevent leakage whilst feeding, for a truly enjoyable feeding experience.

#### Easy to assemble

Our Anti-colic bottle has few parts for quick and simple assembly.

#### Easy to hold



The unique bottle shape makes this bottle easy to hold and grip in any direction.

#### Easy to clean



With its wide neck and fewer parts, our bottle is easier to assemble and to clean quickly and thoroughly.

#### Growing up with your baby



Mix and match our breast pump, bottle and cup parts, and create the product that works for you, when you need it!

#### **BPA free**



Philips Avent Anti-colic bottle is made of BPA free material (PP).

#### **Choose the right flow**



Philips Avent Anti-colic nipples are available in different flow rates, to keep up with your baby's growth. We recommend replacing nipples every 3 months for hygiene reasons. Use Philips Avent Anti-colic bottles only with Philips Avent Anti-colic nipples.

#### **Compatible Anti-colic range**



Full Compatibility with Philips Avent Anti-colic bottle with or without AirFree vent.

SCY103/01

### Specifications

#### Design

Bottle design: Ergonomic shape, Wide neck

#### Material

Bottle: Polypropylene, BPA free Nipple: Silicone, BPA free\*

#### What is included

Baby bottle: 1 pcs

#### Ease of use

Bottle use: Dishwasher & microwave safe, Easy to assemble, Easy to clean, Easy to hold

**Bottle** Capacity: 9oz/260ml

#### **Functions**

Ease of use: easy to clean and assemble, leakfree design, 4 pieces for easy assembly Anti-colic valve: reduces air ingestion Nipple: Easy latch on, Ribbed texture prevents nipple collapse, Proven anti-colic system

**Development stages** Stage: 0-12 months

© 2023 Koninklijke Philips N.V. All Rights reserved

without notice. Trademarks are the

their respective owners.

Issue date 2023-05-16 Version: 6.6.1

EAN: 87 20689 00975 1

www.philips.com



\* At 2 weeks of age, babies fed with a Philips Avent bottle showed less colic, and significantly less fussing at night compared to babies fed with another leading bottle. \* Nipple design proven to prevent nipple collapse and

associated air ingestion and feeding interruptions. \* What colic is, and how it affects babies? Colic is caused in part by swallowing air while feeding, which creates discomfort in a baby's digestive system. Symptoms include crying and fussing.

property of Koninklijke Philips N.V. or

Specifications are subject to change