

Philips
IPS LCD monitor, LED
backlight

E Line 21.5" (54.6 cm) Full HD display

227E4OHSD

High performance IPS display

for brilliant, vivid colors

Experience brilliant LED pictures on this IPS wide-view display with elegant and slim design. With features like HDMI and SmartImage lite, it's a great choice!

Elegant Design

- Elegant, slim design complements your home decor
- Modern Touch controls
- Superb black cherry glossy finish

Superb Picture Quality

- $\bullet\,$ IPS LED wide view technology for image and color accuracy
- TrueVision ensures lab quality images
- SmartImage Lite for an enhanced LCD viewing experience
- 16:9 Full HD display for best viewing experience

Experience multimedia

- HDMI-ready for Full HD entertainment
- High quality stereo headphone output

Greener everyday

- Mercury Free eco-friendly display
- · Low power consumption saves energy bills



Highlights

IPS technology





IPS

TN

IPS displays use an advanced technology which gives you extra wide viewing angles of 178/178 degree, making it possible to view the display from almost any angle - even in 90 degree Pivot mode! Unlike standard TN panels, IPS displays gives you remarkably crisp images with vivid colors, making it ideal not only for Photos, movies and web browsing, but also for professional applications which demand color accuracy and consistent brightness at all times.

SmartImage Lite

SmartImage Lite is an exclusive, leading edge Philips technology that analyzes the content displayed on your screen. Based on a scenario you select, SmartImage Lite dynamically enhances the contrast, color saturation and sharpness of images and videos for ultimate display performance - all in real time with the press on a single button.

HDMI Ready





HDMI-ready

An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables high-quality digital video and

audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

16:9 Full HD



The Full HD screen has the widescreen resolution of $1920 \times 1080p$. This is the highest resolution of HD sources for the best possible picture quality. It is fully future proof as it supports 1080p signals from all sources, including the most recent like Blu-ray and advanced HD game consoles. The signal processing is extensively upgraded to support this much higher signal quality and resolution. It produces brilliant flicker-free progressive scan pictures with superb brightness and colors.

TrueVision





TrueVision On

TrueVision Off

TrueVision is a proprietary Philips technology that uses advanced algorithm for testing and aligning monitor display which gives you the ultimate display performance. Philips ensures TrueVision monitors leave the factory finetuned with this process giving you consistent color and picture quality.

Touch controls



Touch controls are intelligent, touch sensitive icons that replace protruding buttons that lets the user adjust the monitor to their requirement. Responding to your lightest touch, Touch control gives the monitor a modern feel.

Mercury Free

Philips monitors with LED backlighting are free of Mercury content, one of the most toxic natural substances, which affects humans and animals. This reduces the environmental impact of the display throughout its life-cycle, from manufacturing to disposal.

Slim design

Elegant, slim design complements your home decor

Low power consumption

Low power consumption saves energy bills

High quality stereo headphone

High quality stereo headphone output

Superb black cherry

Superb black cherry glossy finish





















Specifications

Picture/Display

- Panel Size: 21.5 inch / 54.6 cm
- · Aspect ratio: 16:9
- LCD panel type: IPS LCD
- Backlight type: W-LED system
- Pixel pitch: 0.248 x 0.248 mm
- Optimum resolution: 1920 x 1080 @ 60Hz
- Brightness: 250 cd/m²
- Display colors: 16.7 M
- Contrast ratio (typical): 1000:1
- SmartContrast: 20,000,000:1
- Viewing angle: 178° (H) / 178° (V), @ C/R > 10
- · Picture enhancement: SmartImage Lite
- Effective viewing area: 475.2 (H) x 267.3 (V)
- Scanning Frequency: 30 -83 kHz (H) / 56 -75 Hz (V)
- sRGB
- SmartResponse (typical): 7 ms (Grey to Grey)

Connectivity

- Signal Input: VGA (Analog), HDMI
 Sync Input: Separate Sync, Sync on Green
- Audio (In/Out): HDMI audio out

Convenience

- Plug & Play Compatibility: DDC/Cl, Mac OS X, sRGB, Windows 7/Vista/XP
- User convenience: SmartImage lite, Input, 4:3 / Wide, Menu, Power On/Off
- OSD Languages: English, French, German, Italian, Portuguese, Russian, Simplified Chinese, Spanish, Turkish
- Other convenience: Kensington lock

Stand

• Tilt: -5/20 degree

Power

• Power supply: External, 100-240VAC, 50-60Hz

- · Off mode: 0.3 W
- On mode: 26.3 W (EnergyStar 5.0 test method)
- Standby mode: 0.5 W
- · Power LED indicator: Operation White, Standby mode- White (blinking)

Dimensions

- Product with stand (mm): $510 \times 398 \times 179$ mm
- Packaging in mm (WxHxD): 562 x 475 x 98 mm
- Product without stand (mm): $510 \times 314 \times 37$ mm

Weight

- Product with packaging (kg): 3.74 kg
- Product with stand (kg): 2.20 kg
- Product without stand (kg): 1.83 kg

Operating conditions

- Altitude: Operation: +12,000ft (3,658m), Nonoperation: +40,000ft (12,192m)
- Temperature range (operation): 0° C to 40° C $^{\circ}$ C
- MTBF: 30,000 hour(s)
- Relative humidity: 20%-80 %
- Temperature range (storage): -20°C to 60°C °C

Sustainability

- Environmental and energy: EnergyStar 5.0, RoHS, Mercury Free
- Recyclable packaging material: 100 %

Compliance and standards

• Regulatory Approvals: BSMI, CE Mark, FCC Class B, GOST, PSB, SASO, SEMKO, TUV/ISO9241-307, UL/cUL, WEEE

Cabinet

- · Color: Black Cherry
- · Finish: Glossy



Issue date 2024-03-14

© 2024 Koninklijke Philips N.V. All Rights reserved.

Version: 3.0.1

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

EAN: 87 12581 64731 5

www.philips.com